LAMPIRAN 5

Hasil Analisis Crosstab

A. Analisis Crosstab Kecamatan Lowokwaru

Kasus Demam Berdarah – Kepadatan Penduduk DBD * Penduduk Crosstabulation

				Penduduk		
			1	2	3	Total
DBD	1	Count	1	2	0	3
		Expected Count	.8	1.8	.5	3.0
		% within DBD	33.3%	66.7%	.0%	100.0%
		% within Penduduk	33.3%	28.6%	.0%	25.0%
		% of Total	8.3%	16.7%	.0%	25.0%
	2	Count	0	4	1	5
		Expected Count	1.2	2.9	.8	5.0
		% within DBD	.0%	80.0%	20.0%	100.0%
		% within Penduduk	.0%	57.1%	50.0%	41.7%
		% of Total	.0%	33.3%	8.3%	41.7%
	3	Count	2	1	1	4
		Expected Count	1.0	2.3	.7	4.0
		% within DBD	50.0%	25.0%	25.0%	100.0%
		% within Penduduk	66.7%	14.3%	50.0%	33.3%
		% of Total	16.7%	8.3%	8.3%	33.3%
Total		Count	3	7	2	12
		Expected Count	3.0	7.0	2.0	12.0
		% within DBD	25.0%	58.3%	16.7%	100.0%
		% within Penduduk	100.0%	100.0%	100.0%	100.0%
		% of Total	25.0%	58.3%	16.7%	100.0%

Chi-Square Tests							
	Value	df	Asymp. Sig. (2- sided)				
Pearson Chi-Square	4.233 ^a	4	.375				
Likelihood Ratio	5.890	4	.208				
Linear-by-Linear Association	.002	1	.962				
N of Valid Cases	12						

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,50.

Kasus Demam Berdarah – Curah Hujan DBD * Hujan Crosstabulation

_	-	-		Hujan		
			1	2	3	Total
DBD	1	Count	2	1	0	:
		Expected Count	1.0	1.0	1.0	3.
		% within DBD	66.7%	33.3%	.0%	100.0%
		% within Hujan	50.0%	25.0%	.0%	25.0%
		% of Total	16.7%	8.3%	.0%	25.0%
	2	Count	1	1	3	:
		Expected Count	1.7	1.7	1.7	5.
		% within DBD	20.0%	20.0%	60.0%	100.09

-						
		% within Hujan	25.0%	25.0%	75.0%	41.7%
		% of Total	8.3%	8.3%	25.0%	41.7%
	3	Count	1	2	1	4
		Expected Count	1.3	1.3	1.3	4.0
		% within DBD	25.0%	50.0%	25.0%	100.0%
		% within Hujan	25.0%	50.0%	25.0%	33.3%
		% of Total	8.3%	16.7%	8.3%	33.3%
Total		Count	4	4	4	12
		Expected Count	4.0	4.0	4.0	12.0
		% within DBD	33.3%	33.3%	33.3%	100.0%
		% within Hujan	100.0%	100.0%	100.0%	100.0%
		% of Total	33.3%	33.3%	33.3%	100.0%

C	hi-Square	Tests	

	Value	df	Asymp. Sig. (2- sided)
Pearson Chi-Square	4.100 ^a	4	.393
Likelihood Ratio	4.727	4	.316
Linear-by-Linear Association	.795	1	.373
N of Valid Cases	12		

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is 1,00.

Kasus Demam Berdarah – Suhu DBD * Suhu Crosstabulation

_	_		unu Crosstar	Suhu		
			1	2	3	Total
DBD	1	Count	1	2	0	3
		Expected Count	.2	1.2	1.5	3.0
		% within DBD	33.3%	66.7%	.0%	100.0%
		% within Suhu	100.0%	40.0%	.0%	25.0%
		% of Total	8.3%	16.7%	.0%	25.0%
	2	Count	0	1	4	5
		Expected Count	.4	2.1	2.5	5.0
		% within DBD	.0%	20.0%	80.0%	100.0%
		% within Suhu	.0%	20.0%	66.7%	41.7%
		% of Total	.0%	8.3%	33.3%	41.7%
	3	Count	0	2	2	4
		Expected Count	.3	1.7	2.0	4.0
		% within DBD	.0%	50.0%	50.0%	100.0%
		% within Suhu	.0%	40.0%	33.3%	33.3%
		% of Total	.0%	16.7%	16.7%	33.3%
Total		Count	1	5	6	12
		Expected Count	1.0	5.0	6.0	12.0
		% within DBD	8.3%	41.7%	50.0%	100.0%
		% within Suhu	100.0%	100.0%	100.0%	100.0%
		% of Total	8.3%	41.7%	50.0%	100.0%

	Value	df	Asymp. Sig. (2- sided)
Pearson Chi-Square	6.480 ^a	4	.166
Likelihood Ratio	7.674	4	.104
Linear-by-Linear Association	2.159	1	.142
N of Valid Cases	12		

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,25.

Kasus Demam H	Berdarah –	Luas La	han Ter	bangun
DBD * Te	rbangun Cros	stabulatio	n	

		-		Terbangun		
			1	2	3	Total
DBD	1	Count	3	0	0	3
		Expected Count	1.5	1.0	.5	3.0
		% within DBD	100.0%	.0%	.0%	100.0%
		% within Terbangun	50.0%	.0%	.0%	25.0%
		% of Total	25.0%	.0%	.0%	25.0%
	2	Count	2	3	0	ę
		Expected Count	2.5	1.7	.8	5.0
		% within DBD	40.0%	60.0%	.0%	100.0%
		% within Terbangun	33.3%	75.0%	.0%	41.7%
		% of Total	16.7%	25.0%	.0%	41.7%
	3	Count	1	1	2	
		Expected Count	2.0	1.3	.7	4.
		% within DBD	25.0%	25.0%	50.0%	100.0%
		% within Terbangun	16.7%	25.0%	100.0%	33.3%
		% of Total	8.3%	8.3%	16.7%	33.3%
Total	-	Count	6	4	2	1:
		Expected Count	6.0	4.0	2.0	12.
		% within DBD	50.0%	33.3%	16.7%	100.0%
		% within Terbangun	100.0%	100.0%	100.0%	100.0%
		% of Total	50.0%	33.3%	16.7%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2- sided)
Pearson Chi-Square	8.250 ^a	4	.083
Likelihood Ratio	9.226	4	.056
Linear-by-Linear Association	4.480	1	.034
N of Valid Cases	12		

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,50.

-	-	-	nggi Crossta	Tinggi		
			4		2	Total
	_	-	1	2	3	Total
DBD	1	Count	2	1	0	3
		Expected Count	2.0	.5	.5	3.0
		% within DBD	66.7%	33.3%	.0%	100.0%
		% within Tinggi	25.0%	50.0%	.0%	25.0%
		% of Total	16.7%	8.3%	.0%	25.0%
	2	Count	3	1	1	5
		Expected Count	3.3	.8	.8	5.0
		% within DBD	60.0%	20.0%	20.0%	100.0%
		% within Tinggi	37.5%	50.0%	50.0%	41.7%
		% of Total	25.0%	8.3%	8.3%	41.7%
	3	Count	3	0	1	4
		Expected Count	2.7	.7	.7	4.0
		% within DBD	75.0%	.0%	25.0%	100.0%
		% within Tinggi	37.5%	.0%	50.0%	33.3%
		% of Total	25.0%	.0%	8.3%	33.3%
Total	-	Count	8	2	2	12
		Expected Count	8.0	2.0	2.0	12.0
		% within DBD	66.7%	16.7%	16.7%	100.0%
		% within Tinggi	100.0%	100.0%	100.0%	100.0%
		% of Total	66.7%	16.7%	16.7%	100.0%

Kasus Demam Berdarah – Ketinggian DBD * Tinggi Crosstabulation

Chi-Square Tests

On-Oquare rests						
	Value	df	Asymp. Sig. (2- sided)			
Pearson Chi-Square	1.975 ^ª	4	.740			
Likelihood Ratio	3.001	4	.558			
Linear-by-Linear Association	.057	1	.812			
N of Valid Cases	12					

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,50.

Kasus Demam Berdarah – Kepadatan Bangunan DBD * Bangunan Crosstabulation

				Bangunan		
			1	2	3	Total
OBD	1	Count	2	1	0	
		Expected Count	.5	1.2	1.2	3.
		% within DBD	66.7%	33.3%	.0%	100.09
		% within Bangunan	100.0%	20.0%	.0%	25.09
		% of Total	16.7%	8.3%	.0%	25.0
	2	Count	0	2	3	
		Expected Count	.8	2.1	2.1	5
		% within DBD	.0%	40.0%	60.0%	100.09
		% within Bangunan	.0%	40.0%	60.0%	41.79
		% of Total	.0%	16.7%	25.0%	41.79
	3	Count	0	2	2	
		Expected Count	.7	1.7	1.7	4

	% within DBD	.0%	50.0%	50.0%	100.0%
	% within Bangunan	.0%	40.0%	40.0%	33.3%
	% of Total	.0%	16.7%	16.7%	33.3%
Total	Count	2	5	5	12
	Expected Count	2.0	5.0	5.0	12.0
	% within DBD	16.7%	41.7%	41.7%	100.0%
	% within Bangunan	100.0%	100.0%	100.0%	100.0%
	% of Total	16.7%	41.7%	41.7%	100.0%

Chi-Square Tests

		Value	df	Asymp. Sig. (2- sided)				
	Pearson Chi-Square	7.840 ^a	4	.098				
1	Likelihood Ratio	8.582	4	.072				
	Linear-by-Linear Association	3.578	1	.059				
	N of Valid Cases	12						

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,50.

B. Analisis Crosstab Kecamatan Blimbing

Kasus Demam Berdarah – Kepadatan Penduduk DBD * Penduduk Crosstabulation

			Penduduk			
			1	2	3	Total
DBD	1	Count	5	0	0	
		Expected Count	3.6	.9	.5	5.
		% within DBD	100.0%	.0%	.0%	100.09
		% within Penduduk	62.5%	.0%	.0%	45.59
		% of Total	45.5%	.0%	.0%	45.59
	2	Count	3	0	0	
		Expected Count	2.2	.5	.3	3.
		% within DBD	100.0%	.0%	.0%	100.09
		% within Penduduk	37.5%	.0%	.0%	27.3
		% of Total	27.3%	.0%	.0%	27.3
	3	Count	0	2	1	
		Expected Count	2.2	.5	.3	3.
		% within DBD	.0%	66.7%	33.3%	100.09
		% within Penduduk	.0%	100.0%	100.0%	27.39
		% of Total	.0%	18.2%	9.1%	27.3
Fotal		Count	8	2	1	1
		Expected Count	8.0	2.0	1.0	11.
		% within DBD	72.7%	18.2%	9.1%	100.0
		% within Penduduk	100.0%	100.0%	100.0%	100.0
		% of Total	72.7%	18.2%	9.1%	100.0

Chi-Square Tests

	Value	df	Asymp. Sig. (2- sided)
Pearson Chi-Square	11.000 ^a	4	.027
Likelihood Ratio	12.891	4	.012
Linear-by-Linear Association	6.438	1	.011

Chi-Square	Tests
-------------------	-------

r	Value	df	Asymp. Sig. (2- sided)
Pearson Chi-Square	11.000 ^a	4	.027
Likelihood Ratio	12.891	4	.012
Linear-by-Linear Association	6.438	1	.011
N of Valid Cases	11		

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,27.

DBD * Hujan Crosstabulation						
-	-	-		Hujan		
			1	2	3	Total
DBD	1	Count	2	2	1	5
		Expected Count	1.4	1.8	1.8	5.0
		% within DBD	40.0%	40.0%	20.0%	100.0%
		% within Hujan	66.7%	50.0%	25.0%	45.5%
		% of Total	18.2%	18.2%	9.1%	45.5%
	2	Count	1	1	1	3
		Expected Count	.8	1.1	1.1	3.0
		% within DBD	33.3%	33.3%	33.3%	100.0%
		% within Hujan	33.3%	25.0%	25.0%	27.3%
		% of Total	9.1%	9.1%	9.1%	27.3%
	3	Count	0	1	2	3
		Expected Count	.8	1.1	1.1	3.0
		% within DBD	.0%	33.3%	66.7%	100.0%
		% within Hujan	.0%	25.0%	50.0%	27.3%
		% of Total	.0%	9.1%	18.2%	27.3%
Total		Count	3	4	4	11
		Expected Count	3.0	4.0	4.0	11.0
		% within DBD	27.3%	36.4%	36.4%	100.0%
		% within Hujan	100.0%	100.0%	100.0%	100.0%
		% of Total	27.3%	36.4%	36.4%	100.0%

Kasus Demam Berdarah – Curah Hujan DBD * Hujan Crosstabulation

	Chi-Square Tests							
		Value	df	Asymp. Sig. (2- sided)				
	Pearson Chi-Square	2.322 ^a	4	.677				
7	Likelihood Ratio	3.021	4	.554				
	Linear-by-Linear Association	1.919	1	.166				
	N of Valid Cases	11						

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,82.

Kasus Demam Berdarah – Suhu DBD * Suhu Crosstabulation

				Suhu		
			1	2	3	Total
DBD	1	Count	2	2	1	5
		Expected Count	1.4	1.4	2.3	5.0
		% within DBD	40.0%	40.0%	20.0%	100.0%

% within Suhu	66.7%	66.7%		
		00.7%	20.0%	45.5%
% of Total	18.2%	18.2%	9.1%	45.5%
Count	1	1	1	3
Expected Count	.8	.8	1.4	3.0
% within DBD	33.3%	33.3%	33.3%	100.0%
% within Suhu	33.3%	33.3%	20.0%	27.3%
% of Total	9.1%	9.1%	9.1%	27.3%
Count	0	0	3	3
Expected Count	.8	.8	1.4	3.0
% within DBD	.0%	.0%	100.0%	100.0%
% within Suhu	.0%	.0%	60.0%	27.3%
% of Total	.0%	.0%	27.3%	27.3%
Count	3	3	5	11
Expected Count	3.0	3.0	5.0	11.0
% within DBD	27.3%	27.3%	45.5%	100.0%
% within Suhu	100.0%	100.0%	100.0%	100.0%
% of Total	27.3%	27.3%	45.5%	100.0%
	Count Expected Count % within DBD % within Suhu % of Total Count Expected Count % within DBD % within Suhu % of Total Count Expected Count % within DBD % within DBD % within DBD % within Suhu	Count1Expected Count.8% within DBD33.3%% within Suhu33.3%% of Total9.1%Count0Expected Count.8% within DBD.0%% within Suhu.0%% of Total.0%% of Total.0%% of Total.0%% within Suhu.0%% within DBD27.3%% within Suhu100.0%	Count 1 1 Expected Count .8 .8 % within DBD 33.3% 33.3% % within Suhu 33.3% 33.3% % of Total 9.1% 9.1% Count 0 0 Expected Count .8 .8 % within DBD .0% .0% % within DBD .0% .0% % within Suhu .0% .0% % of Total .0% .0% Count 3 3 Sepected Count .3 .0% % of Total .0% .0% Count 3 3 Expected Count 3.0 .0% % within DBD 27.3% 27.3% % within Suhu 100.0% 100.0%	Count 1 1 1 Expected Count .8 .8 1.4 % within DBD 33.3% 33.3% 33.3% % within Suhu 33.3% 33.3% 20.0% % of Total 9.1% 9.1% 9.1% Count 0 0 3 Expected Count .8 .8 1.4 % within DBD .0% .0% 100.0% % within Suhu .0% .0% 60.0% % of Total .0% .0% 60.0% % of Total .0% .0% 27.3% Count 3 3 5 Expected Count 3.0 5.0 % of Total .0% .0% 5.0 % of Total 3.0 5.0 Count 3 3 5 Expected Count 3.0 5.0 % within DBD 27.3% 27.3% 45.5% % within Suhu 100.0% 100.0% 100.0%

Chi-Square Tests							
	Value	df	Asymp. Sig. (2- sided)				
Pearson Chi-Square	5.084 ^a	4	.279				
Likelihood Ratio	6.335	4	.175				
Linear-by-Linear Association	3.265	1	.071				
N of Valid Cases	11						

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,82.

Kasus Demam Berdarah – Luas Lahan Terbangun
DBD * Terbangun Crosstabulation

		Terbangun				
			1	2	3	Total
DBD	1	Count	2	2	1	
		Expected Count	1.8	2.3	.9	5.
		% within DBD	40.0%	40.0%	20.0%	100.09
		% within Terbangun	50.0%	40.0%	50.0%	45.5
	_	% of Total	18.2%	18.2%	9.1%	45.5
	2	Count	0	2	1	
		Expected Count	1.1	1.4	.5	3
		% within DBD	.0%	66.7%	33.3%	100.0
		% within Terbangun	.0%	40.0%	50.0%	27.3
		% of Total	.0%	18.2%	9.1%	27.3
	3	Count	2	1	0	
		Expected Count	1.1	1.4	.5	3
		% within DBD	66.7%	33.3%	.0%	100.0
		% within Terbangun	50.0%	20.0%	.0%	27.3
		% of Total	18.2%	9.1%	.0%	27.3
Total		Count	4	5	2	
		Expected Count	4.0	5.0	2.0	11
		% within DBD	36.4%	45.5%	18.2%	100.0

L-34

% within Terbangun	100.0%	100.0%	100.0%	100.0%
% of Total	36.4%	45.5%	18.2%	100.0%
UNIVENERS	471		CBK	AG

Chi-Square Tests						
	Value	df	Asymp. Sig. (2- sided)			
Pearson Chi-Square	3.227 ^a	4	.521			
Likelihood Ratio	4.609	4	.330			
Linear-by-Linear Association	.432	1	.511			
N of Valid Cases	11					

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,55.

		DBD * Ti	inggi Crosstal			
				Tinggi		
			1	2	3	Total
DBD	1	Count	1	1	3	5
		Expected Count	1.8	.5	2.7	5.0
		% within DBD	20.0%	20.0%	60.0%	100.0%
		% within Tinggi	25.0%	100.0%	50.0%	45.5%
		% of Total	9.1%	9.1%	27.3%	45.5%
	2	Count	0	0	3	
		Expected Count	1.1	.3	1.6	3.0
		% within DBD	.0%	.0%	100.0%	100.0%
		% within Tinggi	.0%	.0%	50.0%	27.3%
		% of Total	.0%	.0%	27.3%	27.3%
	3	Count	3	0	0	:
		Expected Count	1.1	.3	1.6	3.0
		% within DBD	100.0%	.0%	.0%	100.0%
		% within Tinggi	75.0%	.0%	.0%	27.3%
		% of Total	27.3%	.0%	.0%	27.3%
Total		Count	4	1	6	1
		Expected Count	4.0	1.0	6.0	11.0
		% within DBD	36.4%	9.1%	54.5%	100.0%
		% within Tinggi	100.0%	100.0%	100.0%	100.0%
		% of Total	36.4%	9.1%	54.5%	100.0%

Kasus Demam Berdarah – Ketinggian

	Value	df	Asymp. Sig. (2- sided)
Pearson Chi-Square	8.800 ^a	4	.066
Likelihood Ratio	10.660	4	.031
Linear-by-Linear Association	2.921	1	.087
N of Valid Cases	11		

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,27.

[-	-		Bangunan		
			1	2	3	Total
DBD	1	Count	4	0	1	5
		Expected Count	2.3	1.8	.9	5.0
		% within DBD	80.0%	.0%	20.0%	100.0%
		% within Bangunan	80.0%	.0%	50.0%	45.5%
		% of Total	36.4%	.0%	9.1%	45.5%
	2	Count	1	2	0	3
		Expected Count	1.4	1.1	.5	3.0
		% within DBD	33.3%	66.7%	.0%	100.0%
		% within Bangunan	20.0%	50.0%	.0%	27.3%
		% of Total	9.1%	18.2%	.0%	27.3%
	3	Count	0	2	1	3
		Expected Count	1.4	1.1	.5	3.0
		% within DBD	.0%	66.7%	33.3%	100.0%
		% within Bangunan	.0%	50.0%	50.0%	27.3%
		% of Total	.0%	18.2%	9.1%	27.3%
Total		Count	5	4	2	11
		Expected Count	5.0	4.0	2.0	11.0
		% within DBD	45.5%	36.4%	18.2%	100.0%
		% within Bangunan	100.0%	100.0%	100.0%	100.0%
		% of Total	45.5%	36.4%	18.2%	100.0%
					Y	

Kasus Demam Berdarah – Kepadatan Bangunan DBD * Bangunan Crosstabulation

Chi-Square Tests

Chi-Oquare rests					
	Value	df	Asymp. Sig. (2- sided)		
Pearson Chi-Square	7.040 ^a	4	.134		
Likelihood Ratio	10.154	4	.038		
Linear-by-Linear Association	2.528	1	.112		
N of Valid Cases	11				

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,55. Y.S.

BRANA AS BRA STASA

L-36

(Halaman Ini Sengaja Dikosongkan)

