

DAFTAR PUSTAKA

- Abdelkader T.S., Seo-Na C., Tae-Hyun K., Juha S., Dongso K. & Park J.-H., 2012. Teratogenicity and brain aromatase-induction of monosodium glutamate in estrogen-responsive mosaic transgenic zebra fish *Danio rerio*, *African Journal of Biotechnology*, 11(48): pp. 10816-10823.
- Anugraheni H.S. & Kartasurya M.I. 2012, *Faktor risiko kejadian stunting pada anak usia 12-36 bulan di Kecamatan Pati, Kabupaten Pati*. Tidak diterbitkan, Diponegoro University.
- Ariani L.I.P. et al., 2017, Pengaruh Ekstrak Etanol Pegagan (*Centella asiatica*) Terhadap Ekspresi Osteoprotegrin (OPG) dan Receptor Activator Nuclear KAPPA-B Ligan (RANKL) pada Stunting Larva Zebrafish (*Danio rerio*) yang diinduksi Rotenon. Program studi Magister Kebidanan Fakultas Kedokteran Universitas Brawijaya.
- Atmawikarta A. 2016, 'Evaluasi Pencapaian MDGs & Pelaksanaan SDGs : Fokus Tujuan 2 "Tanpa Kelaparan"', Makasar, 4 November 2016.
- Avdesh A., Chen M., Martin-Iverson M.T., Mondal A., Ong D., Rainey-Smith S., et al., 2012. Regular care and maintenance of a zebrafish (*Danio rerio*) laboratory: an introduction, *JoVE (Journal of Visualized Experiments)*(69): pp. e4196-e4196.
- Babykutty S., Padikkala J., Sathiadevan P., Vijayakurup V., Azis T., Srinivas P., et al., 2009. Apoptosis induction of *Centella asiatica* on human breast cancer cells, *African Journal of Traditional, Complementary and Alternative Medicines*, 6(1).
- Badan POM RI, 2008. Taksonomi Koleksi Tanaman Obat Kebun Tanaman Obat Citeureup, *Napitupulu R, Wisaksono LS, Efisal & Mooduto L, Herawaty T, Novianti A, Wahyu S dan Tumino (Penyunting)*. Jakarta.
- Badham, Jane & Sweet L., 2010a. Stunting: an overview, *Sight Life*, 3: pp. 40-47.
- Baker J., Liu J.-P., Robertson E.J. & Efstratiadis A., 1993. Role of insulin-like growth factors in embryonic and postnatal growth, *Cell*, 75(1): pp. 73-82.
- Belyaeva N., Kashirtseva V., Medvedeva N., Khudoklinova Y.Y., Ipatova O. & Archakov A., 2009. Zebrafish as a model system for biomedical studies, *Biochemistry (Moscow) Supplement Series B: Biomedical Chemistry*, 3(4): p. 343.

- Berk L.E. 2012, 'Child development 9/e.'. International Child Art Foundation, Washington DC.
- Bender DA. Free Radicals an Antioxidant Nutrients. In: Murray K, Bender DA, Botham KM, et al. Eds. Harper's Illustrated Biochemistry, Ed 28th Mc Graw Hill Lange 2009;482 – 86
- Bikle D.D., Tahimic C., Chang W., Wang Y., Philippou A. & Barton E.R., 2015. Role of IGF-I signaling in muscle bone interactions, *Bone*, 80: pp. 79-88.
- Blüher M., Kahn B.B. & Kahn C.R., 2003. Extended longevity in mice lacking the insulin receptor in adipose tissue, *Science*, 299(5606): pp. 572-574.
- Cairns D., 2009. *Intisari kimia farmasi Edisi 2*, Edisi restu damayanti, EGC, jakarta.
- Campbell Neil A., Reece J.B., Urry L.A. & Michael L., 2010. Biologi, Edisi Kedelapan Jilid 3, Jakarta, Erlangga.
- Casacchia T., Sofo A., Toscano P., Sebastianelli L. & Perri E., 2009. Persistence and effects of rotenone on oil quality in two Italian olive cultivars, *Food and Chemical Toxicology*, 47(1): pp. 214-219.
- Caulfield, E L., Richard S.A., Rivera J.A., Musgrove P. & Black R.E., 2006. Stunting, wasting, and micronutrient deficiency disorders.
- Chandrika U.G., Kumara P.A. & Prasad, 2015. Chapter Four-Gotu Kola (*Centella asiatica*): Nutritional properties and plausible health benefits, *Advances in food and nutrition research*, 76: pp. 125-157.
- Chang S.M., Walker S.P., Grantham-Mcgregor S. & Powell C.A., 2010. Early childhood stunting and later fine motor abilities, *Developmental Medicine & Child Neurology*, 52(9): pp. 831-836.
- ChemNet, 2008. 141472164 Human Insulin Like Growth Factor I (2140), ChemNet,China,([http://www.chemnet.com/cas/id/141472164/humaninsulinlikegrowthfactorI\(2140\).html](http://www.chemnet.com/cas/id/141472164/humaninsulinlikegrowthfactorI(2140).html), diakses 31 Januari 2008).
- Cheng, J.F. E. & Cheng S.H., 2007. Effect of carbon nanotubes on developing zebrafish (*Danio rerio*) embryos, *Environmental Toxicology and Chemistry*, 26(4): pp. 708-716.
- Cheng C.L., Guo J.S., Luk J. & Koo M.W.L., 2004. The healing effects of Centella extract and asiaticoside on acetic acid induced gastric ulcers in rats, *Life sciences*, 74(18): pp. 2237-2249.

- Chippada S.C., Volluri S.S., Bammidi S.R. & Vangalapati M., 2011. In vitro anti-inflammatory activity of methanolic extract of *Centella asiatica* by HRBC membrane stabilisation, *Rasayan J Chem*, 4(2): pp. 457-460.
- Chitnis M.M., Yuen J.S., Protheroe A.S., Pollak M. dan Macaulay V.M., 2008. The type 1 insulin-like growth factor receptor pathway, *Clinical Cancer Research*, 14(20): pp. 6364-6370.
- Conti E., Musumeci M.B., De Giusti M., Dito E., Mastromarino V., Autore C., et al., 2011. IGF-1 and atherothrombosis: relevance to pathophysiology and therapy, *Clinical Science*, 120(9): pp. 377-402.
- Costa L.G., 2008. Toxic effects of pesticides, *Casarett and Doull's toxicology: the basic science of poisons*: pp. 883-930.
- Cowan KJ, Storey KB., 2003. Mitogen-activated protein kinases: new signaling pathways functioning in cellular responses to environmental stress. *J Exp Biol* 206:1107–1115
- Creton R., 2004. The calcium pump of the endoplasmic reticulum plays a role in midline signaling during early zebrafish development, *Developmental brain research*, 151(1): pp. 33-41.
- Cunming D., Yun J.D.P.J.S. & Royer L.J.Z.T.L., 2003. A zebrafish view of the insulin-like growth factor (IGF) signaling pathway!, *Acta Zoologica Sinica*, 4: p. 000.
- Dahlan M.S., 2009. Statistik untuk kedokteran dan kesehatan: deskriptif, bivariat, dan multivariat, dilengkapi aplikasi dengan menggunakan SPSS, *Jakarta: Salemba Medika*, 20011.
- Dai Y.J., Jia Y.F., Chen N., Bian W.P., Li Q.K., Ma Y.B., et al., 2014. Zebrafish as a model system to study toxicology, *Environmental toxicology and chemistry*, 33(1): pp. 11-17.
- Dalimartha S., 2000. 'Atlas Tumbuhan Obat Indonesia Jilid 2', dalam, Tribus Agriwidya, Jakarta, p. 214.
- Das A.J., 2011. Review on nutritional, medicinal and pharmacological properties of *Centella asiatica* (Indian pennywort), *Journal of Biologically Active Products from Nature*, 1(4): pp. 216-228.
- De Onis M., Garza C., Onyango A.W. & Borghi E., 2007. Comparison of the WHO child growth standards and the CDC 2000 growth charts, *The Journal of nutrition*, 137(1): pp. 144-148.

- Dewi N.S., 2012. *Biologi Reproduksi*, Pustaka Rihama, Yogyakarta.
- Dinkes Karanganyar 2014, dalam *Pemantauan Pertumbuhan Balita*, vol. 2014. Dinas Kesehatan Kabupaten Karanganyar, Karanganyar.
- Eimon, M P., Ashkenazi & Avi, 2010. The zebrafish as a model organism for the study of apoptosis, *Apoptosis*, 15(3): pp. 331-349.
- Fang F. & Douglas M., 2003. Phylogenetic analysis of the Asian cyprinid genus *Danio* (Teleostei, Cyprinidae), *Copeia*, 2003(4): pp. 714-728.
- Fleming A., 2007. Zebrafish as an alternative model organism for disease modelling and drug discovery: implications for the 3Rs, *NC3Rs*, 10(1): pp. 1-7.
- Frethernetty A., Louisa M., Hardiany N.S., Dwijayanti A. & Purwaningsih E.H., 2015. Efek Antioksidan Kombinasi Ekstrak Etanol *Acalypha indica* dan *Centella asiatica* pada Fungsi Hati Tikus Pascahipoksia Sistemik, *eJournal Kedokteran Indonesia*.
- Garrone S., Radetti G., Sidoti M., Bozzola M., Minuto F. & Barreca A., 2002. Increased insulin-like growth factor (IGF)-II and IGF/IGF-binding protein ratio in prepubertal constitutionally tall children, *The Journal of Clinical Endocrinology & Metabolism*, 87(12): pp. 5455-5460.
- Georgieff M.K., 2007. Nutrition and the developing brain: nutrient priorities and measurement, *The American journal of clinical nutrition*, 85(2): pp. 614S-620S.
- Giustina A., Mazziotti G. & Canalis E., 2008. Growth hormone, insulin-like growth factors, and the skeleton, *Endocrine reviews*, 29(5): pp. 535-559.
- Gnanapragasam A., Ebenezar K.K., Sathish V., Govindaraju P. & Devaki T., 2004. Protective effect of *Centella asiatica* on antioxidant tissue defense system against adriamycin induced cardiomyopathy in rats, *Life sciences*, 76(5): pp. 585-597.
- Gnanapragasam A., Yogeeta S., Subhashini R., Ebenezar K., Sathish V. & Devaki T., 2007. Adriamycin induced myocardial failure in rats: protective role of *Centella asiatica*, *Molecular and cellular biochemistry*, 294(1): pp. 55-63.
- Grandjean P., Bellinger D., Bergman Å., Cordier S., Davey-Smith G., Eskenazi B., et al., 2008. The Faroes statement: human health effects of developmental exposure to chemicals in our environment, *Basic & clinical pharmacology & toxicology*, 102(2): pp. 73-75.

- Gual P., Le Marchand-Brustel Y. & Tanti J.-F., 2005. Positive and negative regulation of insulin signaling through IRS-1 phosphorylation, *Biochimie*, 87(1): pp. 99-109.
- Haleagrahara N. & Ponnusamy K., 2010. Neuroprotective effect of Centella asiatica extract (CAE) on experimentally induced parkinsonism in aged Sprague-Dawley rats, *The Journal of toxicological sciences*, 35(1): pp. 41-47.
- Halliwell B. & Gutteridge J.M., 2015. *Free radicals in biology and medicine*, Oxford University Press, USA.
- Haruta T., Uno T., Kawahara J., Takano A., Egawa K., Sharma P.M., et al., 2000. A rapamycin-sensitive pathway down-regulates insulin signaling via phosphorylation and proteasomal degradation of insulin receptor substrate-1, *Molecular endocrinology*, 14(6): pp. 783-794.
- Hashim P., 2011. Centella asiatica in food and beverage applications and its potential antioxidant and neuroprotective effect, *International Food Research Journal*, 18(4): pp. 1215-1222.
- Hien P.P., Gortnizka H. & Kraemer R., 2003. Rotenone-potential and prospect for sustainable agriculture, *Omonrice*, 11: pp. 83-92.
- Hill A.J., Teraoka H., Heideman W. & Peterson R.E., 2005. Zebrafish as a model vertebrate for investigating chemical toxicity, *Toxicological sciences*, 86(1): pp. 6-19.
- Holzenberger M., Dupont J., Ducos B., Leneuve P., Géloën A., Even P.C., et al., 2003. IGF-1 receptor regulates lifespan and resistance to oxidative stress in mice, *Nature*, 421(6919): pp. 182-187.
- Howe K., Clark M.D., Torroja C.F., Torrance J., Berthelot C., Muffato M., et al., 2013. The zebrafish reference genome sequence and its relationship to the human genome, *Nature*, 496(7446): pp. 498-503.
- Hudayya A., Jayanti H. & Moekasan T., 2010. Daftar dan Pengelompokan Pestisida yang Beredar di Indonesia Berdasarkan Cara Kerjanya, *Pusat Perizinan dan Investasi. Jakarta (ID): Kementerian Pertanian*.
- IDAI, 2017. *Kurva Pertumbuhan WHO*, Ikatan Dokter Anak Indonesia, Jakarta Pusat, (www.idai.or.id/professional-resources/.../kurva-pertumbuhan-who, diakses 27 februari 2017).

- Incandela L., Cesarone M., Cacchio M. & De Sanctis M., 2001. Total triterpenic fraction of *Centella asiatica* in chronic venous insufficiency and in high-perfusion microangiopathy, *Angiology*, 52: p. S9.
- Indra M.R., 2005. Kultur adiposit Dan pemeriksaan adipositokin, *Laboratorium Fisiologi, Fakultas Kedokteran. Universitas Brawijaya. Malang*.
- Isogai S., Horiguchi M. & Weinstein B.M., 2001. The vascular anatomy of the developing zebrafish: an atlas of embryonic and early larval development, *Developmental biology*, 230(2): pp. 278-301.
- James, T J. & Dubery I.A., 2009. Pentacyclic triterpenoids from the medicinal herb, *Centella asiatica* (L.) Urban, *Molecules*, 14(10): pp. 3922-3941.
- Jayadipraja E.A., Ishak H. & Arsunan A.A., 2013. Uji Efektifitas Ekstrak Akar Tuba (*Derris Elliptica*) Terhadap Mortalitas Larva Anopheles. sp.
- Jayathirtha M. & Mishra S., 2004. Preliminary immunomodulatory activities of methanol extracts of *Eclipta alba* and *Centella asiatica*, *Phytomedicine*, 11(4): pp. 361-365.
- Joshi K. & Chaturvedi P., 2013. Therapeutic Efficiency of *Centella asiatica* (L.) Urb. An underutilized green leafy vegetable: an overview, *International Journal of Pharma and Bio Sciences*, 4(1): pp. 135-149.
- Jurczyk A., Roy N., Bajwa R., Gut P., Lipson K., Yang C., et al., 2011. Dynamic glucoregulation and mammalian-like responses to metabolic and developmental disruption in zebrafish, *General and comparative endocrinology*, 170(2): pp. 334-345.
- Kajimura S., Aida K. & Duan C., 2005. Insulin-like growth factor-binding protein-1 (IGFBP-1) mediates hypoxia-induced embryonic growth and developmental retardation, *Proceedings of the National Academy of Sciences of the United States of America*, 102(4): pp. 1240-1245.
- Kemenkes RI, 2016. 'Situasi Balita Pendek', dalam *Pusat Data dan Informasi Kementerian Kesehatan Republik Indonesia*, KEMENKES RI, Jakarta.
- Kefer JC, Agarwal A, Sabanegh E. Role of antioxidants in the treatment of male infertility. International Journal of Urology 2009; 16: 449 – 57
- Khotimah H., Ali M., Sumitro S.B. & Widodo M.A., 2015. Decreasing α-synuclein aggregation by methanolic extract of *Centella asiatica* in zebrafish Parkinson's model, *Asian Pacific Journal of Tropical Biomedicine*, 5(11): pp. 948-954.

- Khotimah H., Sumitro S.B., Ali M. & Widodo M.A., 2015. Standardized Centella Asiatica Increased Brain-Derived Neurotrophic Factor and Decreased Apoptosis of Dopaminergic Neuron in Rotenone-Induced Zebrafish, *GSTF Journal of Psychology (JPsych)*, 2(1).
- Khotimah H., Sumitro S.B. & Widodo M.A., 2015d. Zebrafish Parkinson's Model: Rotenone decrease motility, Dopamine, and increase α -synuclein Aggregation and Apoptosis of Zebrafish Brain, *Zebrafish*, 8(4): pp. 614-621.
- Kimmel C.B., Ballard W.W., Kimmel S.R., Ullmann B. & Schilling T.F., 1995. Stages of embryonic development of the zebrafish, *Developmental dynamics*, 203(3): pp. 253-310.
- Kofoed E.M., Hwa V., Little B., Woods K.A., Buckway C.K., Tsubaki J., et al., 2003. Growth hormone insensitivity associated with a STAT5b mutation, *New England Journal of Medicine*, 349(12): pp. 1139-1147.
- Kolsteren P., 1996. The determinants of stunting. Can we regard the linear growth performance a continuum of fetal development?, *Asia Pacific journal of clinical nutrition*, 5: pp. 59-69.
- Kopchick, J J. & Andry J.M., 2000. Growth hormone (GH), GH receptor, and signal transduction, *Molecular genetics and metabolism*, 71(1): pp. 293-314.
- Kopchick J.J., List E.O. & Frohman L.A., 2016. 'Chapter 20 - Growth Hormone: Structure, Function, and Regulation of Secretion A2 - Jameson, J. Larry', dalam Groot L.J.D., et al. (eds), *Endocrinology: Adult and Pediatric (Seventh Edition)*, W.B. Saunders, Philadelphia, pp. 325-358.e314.
- Kurosu H., Yamamoto M., Clark J.D., Pastor J.V., Nandi A., Gurnani P., et al., 2005. Suppression of aging in mice by the hormone Klotho, *Science*, 309(5742): pp. 1829-1833.
- Izyumov DS, Domnina LV, O. K. Nepryakhina OK, et al. Mitochondria as Source of Reactive Oxygen Species under Oxidative Stress. Study with Novel Mitochondria-Targeted Antioxidants – the “Skulachev_Ion” Derivatives. *Biochemistry (Moscow)*, 2010; 75, (2),123 – 129
- Kwak H.B., Lee B.K., Oh J., Yeon J.-T., Choi S.-W., Cho H.J., et al., 2010. Inhibition of osteoclast differentiation and bone resorption by rotenone, through down-regulation of RANKL-induced c-Fos and NFATc1 expression, *Bone*, 46(3): pp. 724-731.

- Kwong R.W., Kumai Y. & Perry S.F., 2014. The physiology of fish at low pH: the zebrafish as a model system, *Journal of Experimental Biology*, 217(5): pp. 651-662.
- Laron Z., 2001. Insulin-like growth factor 1 (IGF-1): a growth hormone, *Molecular Pathology*, 54(5): pp. 311-316.
- Leger J., Noel M., Limal J.M. & Czernichow P., 1996. Growth Factors and Intrauterine Growth Retardation. II. Serum Growth Hormone, Insulin-Like Growth Factor (IGF) I, and IGF-Binding Protein 3 Levels in Children with Intrauterine Growth Retardation, *Pediatric Research*, 40(1): pp. 101-107.
- Lemeer S, Jopling C, Naji F, Ruijtenbeek R, Slijper M, Heck AJ, den Hertog J., 2007. Protein-tyrosine kinase activity profiling in knock down zebrafish embryos. *PLoS ONE* 2:e581
- Leroith. D. dan Roberts C.T., 2003. The insulin-like growth factor system and cancer, *Cancer letters*, 195(2): pp. 127-137.
- Li H., Gong X., Zhang L., Zhang Z., Luo F., Zhou Q., et al., 2009. Madecassoside attenuates inflammatory response on collagen-induced arthritis in DBA/1 mice, *Phytomedicine*, 16(6): pp. 538-546.
- Li N., Ragheb K., Lawler G., Sturgis J., Rajwa B., Melendez J.A., et al., 2003. Mitochondrial complex I inhibitor rotenone induces apoptosis through enhancing mitochondrial reactive oxygen species production, *Journal of Biological Chemistry*, 278(10): pp. 8516-8525.
- Ling N., 2003. Rotenone: a review of its toxicity for fisheries management. New Zealand Department of Conservation, *Science for Conservation*, 211.
- Lucitt M.B., Price T.S., Pizarro A., Wu W., Yocum A.K., Seiler C., et al., 2008. Analysis of the zebrafish proteome during embryonic development, *Molecular & Cellular Proteomics*, 7(5): pp. 981-994.
- Mader S.S., Windelspecht M. danCox D., 2007. *Essentials of biology*, McGraw-Hill higher education.
- Makker K, Agarwal A, Sharma R. Oxidative stress and male infertility. Indian J Med Res 2009; 129: 357 – 67
- Mamabolo R., Alberts M., Levitt N., Delemarre-van De Waal H. & Steyn N., 2007. Association between insulin-like growth factor-1, insulin-like growth factor-binding protein-1 and leptin levels with nutritional status in 1–3-year-old children, residing in the central region of Limpopo Province, South Africa, *British journal of nutrition*, 98(04): pp. 762-769.

Marks D.B., Marks A.D. & Smith C.M., 2000. Biokimia kedokteran dasar: sebuah pendekatan klinis, *Terjemahan oleh Brahm U. Pendit.*

MCA 2013, 'Stunting dan Masa Depan Indonesia ', pp. 2-5.

McMurtry J.P., 1998. Nutritional and developmental roles of insulin-like growth factors in poultry, *The Journal of nutrition*, 128(2): pp. 302S-305S.

Melo K.M., Oliveira R., Grisolia C.K., Domingues I., Pieczarka J.C., de Souza Filho J., et al., 2015. Short-term exposure to low doses of rotenone induces developmental, biochemical, behavioral, and histological changes in fish, *Environmental Science and Pollution Research*, 22(18): pp. 13926-13938.

Milczarek R, Hallmann A, Sokołowska E, et al. Melatonin enhances antioxidant action of α-tocopherol and ascorbate against NADPH- and iron dependent lipid peroxidation in human placental mitochondria. *J Pineal Res* 2010; 49, 149 - 53

Moriyama S., Ayson F.G. & Kawauchi H., 2000. Growth regulation by insulin-like growth factor-I in fish, *Bioscience, biotechnology, and biochemistry*, 64(8): pp. 1553-1562.

Muncke, Jane & Eggen R.I., 2006. Vitellogenin 1 mRNA as an early molecular biomarker for endocrine disruption in developing zebrafish (*Danio rerio*), *Environmental toxicology and chemistry*, 25(10): pp. 2734-2741.

Muncke J., Junghans M. & Eggen R.I., 2007. Testing estrogenicity of known and novel (xeno-) estrogens in the MolDarT using developing zebrafish (*Danio rerio*), *Environmental toxicology*, 22(2): pp. 185-193.

Murphy M.P., 2009. How mitochondria produce reactive oxygen species, *Biochemical Journal*, 417(1): pp. 1-13.

Musyarofah N., Susanto S., Aziz S.A. & Kartosoewarno S., 2007. Respon tanaman pegagan (*Centella asiatica* L. Urban) terhadap pemberian pupuk alami di bawah naungan, *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 35(3).

National Institutes of Health., 2009. Guidelines for Use of Zebrafish in The NIH Intramural Research Program.

Nurjanah N.N., 2008. Studi Karakter agronomi pada 17 Akses Pegagan (*Centella asiatica* (L.) Urban).

Nusslein.V. C. & Dahm R., 2002. *Zebrafish*, Oxford University Press.

- Orhan I.E., 2012. *Centella asiatica* (L.) Urban: from traditional medicine to modern medicine with neuroprotective potential, *Evidence-based complementary and alternative medicine*, 2012.
- Ott K.C. 2006, 'Rotenone. A brief review of its chemistry, environmental fate, and the toxicity of rotenone formulations'.
- Ozoe A., Sone M., Fukushima T., Kataoka N., Arai T., Chida K., et al., 2013. Insulin receptor substrate-1 (IRS-1) forms a ribonucleoprotein complex associated with polysomes, *FEBS letters*, 587(15): pp. 2319-2324.
- Palacio A.C., Pérez-Bravo F., Santos J.L., Schlesinger L. & Monckeberg F., 2002. Leptin levels and IgF-binding proteins in malnourished children: effect of weight gain, *Nutrition*, 18(1): pp. 17-19.
- Papaconstantinou J., 2009. Insulin/IGF-1 and ROS signaling pathway cross-talk in aging and longevity determination, *Molecular and cellular endocrinology*, 299(1): pp. 89-100.
- Paumard P., Vaillier J., Coulary B., Schaeffer J., Soubannier V., Mueller D.M., et al., 2002. The ATP synthase is involved in generating mitochondrial cristae morphology, *The EMBO journal*, 21(3): pp. 221-230.
- Pérez-Sánchez, Jaume & Le Bail P.-Y., 1999. Growth hormone axis as marker of nutritional status and growth performance in fish, *Aquaculture*, 177(1): pp. 117-128.
- Perrone P., Laboratories m. & Division h., 2011. Rotenone Detection in Surface and Ground Waters, 3: pp. 1-3.
- Picasso B.C., 2016. A Public Health Approach To Undernutrition In Children Under Five And Infants In Ethiopia: An Overview.
- Prado E.L. & Dewey K.G., 2014. Nutrition and brain development in early life, *Nutrition reviews*, 72(4): pp. 267-284.
- Prendergast, J A., Humphrey & H J., 2014a. The stunting syndrome in developing countries, *Paediatrics and international child health*, 34(4): pp. 250-265.
- Prendergast, J A., Rukobo S., Chasekwa B., Mutasa K., Ntozini R., et al., 2014b. Stunting is characterized by chronic inflammation in Zimbabwean infants, *PloS one*, 9(2): p. e86928.

- Prentice A., Schoenmakers I., Laskey M.A., de Bono S., Ginty F. & Goldberg G.R., 2006. Symposium on 'Nutrition and health in children and adolescents' Session 1: Nutrition in growth and development Nutrition and bone growth and development, *Proceedings of the Nutrition Society*, 65(4): pp. 348-360.
- Primaditya V. 2017, Pengaruh Ekstrak Etanol Pegagan (*Centella asiatica*) pada Stunting Larva Zebrafish (*Danio rerio*) Akibat Induksi Rotenon melalui Peningkatan Ekspresi Glucose Trasporter 4 (*GLUT 4*) dan *Osteocalcin*. Magister Kebiduan Fakultas Kedokteran Universitas Brawijaya.
- Primihastuti D. 2017, Pengaruh Ekstrak Etanol Pegagan (*Centella asiatica*) pada Osifikasi Tulang dan Osteoklastogenesis pada Model Stunting Larva Zebrafish (*Danio rerio*) yang diinduksi rotenon. Fakultas Kedokteran Program studi Magister Kebidanan Universitas Brawijaya
- Rahman M., Hossain S., Rahaman A., Fatima N., Nahar T., Uddin B., et al., 2013. Antioxidant activity of *Centella asiatica* (Linn.) urban: Impact of extraction solvent polarity, *Journal of Pharmacognosy and Phytochemistry*, 1(6).
- Reinecke M., Björnsson B.T., Dickhoff W.W., McCormick S.D., Navarro I., Power D.M., et al., 2005. Growth hormone and insulin-like growth factors in fish: where we are and where to go, *General and comparative endocrinology*, 142(1): pp. 20-24.
- Reinhardt, Kristina & Fanzo J., 2014. Addressing chronic malnutrition through multi-sectoral, sustainable approaches: a review of the causes and consequences, *Frontiers in nutrition*, 1.
- Ridlayanti A. 2016, Proteksi Ekstrak Pegagan (*Centella Asiatica*) pada Model Stunting Larva Zebrafish (*Danio Rerio*) Yang Diinduksi Rotenon Melalui peningkatan Ekspresi BDNF. Tidak diterbitkan, universitas brawijaya malang.
- Rohmawati M. 2015, Karakterisasi morfologi dan anatomi pegagan (*Centella asiatica* (L.) Urban.) di Kabupaten Batang sebagai sumber belajar pada mata kuliah praktikum morfologi dan anatomi tumbuhan. Tidak diterbitkan, UIN Walisongo.
- Rosanti D., 2013. Morfologi Tumbuhan, *Jakarta: Erlangga*.
- Sae-Yun A., Ovatlarnporn C., Itharat A. & Wiwattanapatapee R., 2006. Extraction of rotenone from *Derris elliptica* and *Derris malaccensis* by pressurized liquid extraction compared with maceration, *Journal of Chromatography A*, 1125(2): pp. 172-176.

- Salamah N. & Farahana L., 2014. Uji Aktivitas Antioksidan Ekstrak Etanol Herba Pegagan (*Centella asiatica* (L.) Urb) Dengan Metode Fosfomolibdat, *Pharmaciana*, 4(1).
- Sanders, H L., Greenamyre & Timothy J., 2013. Oxidative damage to macromolecules in human Parkinson disease and the rotenone model, *Free Radical Biology and Medicine*, 62: pp. 111-120.
- Santoriello C. & Zon L.I., 2012. Hooked! Modeling human disease in zebrafish, *The Journal of clinical investigation*, 122(7): pp. 2337-2343.
- Sawaya A.L., Martins P.A., Baccin Martins V., Florêncio T.T., Hoffman D., Franco M., et al., 2009. 'Malnutrition, long-term health and the effect of nutritional recovery', dalam *Emerging Societies-Coexistence of Childhood Malnutrition and Obesity*, vol. 63, Karger Publishers, pp. 95-108.
- Scholz S., Fischer S., Gündel U., Küster E., Luckenbach T. & Voelker D., 2008. The zebrafish embryo model in environmental risk assessment—applications beyond acute toxicity testing, *Environmental Science and Pollution Research*, 15(5): pp. 394-404.
- Selvi P.T., Kumar M.S., Rajesh R. & Kathiravan T., 2012. Antidepressant activity of ethanolic extract of leaves of *Centella asiatica*. Linn by In vivo methods, *Asian Journal of Research in Pharmaceutical Science*, 2(2): pp. 76-79.
- Sherer T.B., Betarbet R., Testa C.M., Seo B.B., Richardson J.R., Kim J.H., et al., 2003. Mechanism of toxicity in rotenone models of Parkinson's disease, *Journal of Neuroscience*, 23(34): pp. 10756-10764.
- Shinomol G.K., 2008. Prophylactic neuroprotective property of *Centella asiatica* against 3-nitropropionic acid induced oxidative stress and mitochondrial dysfunctions in brain regions of prepubertal mice, *Neurotoxicology*, 29(6): pp. 948-957.
- Shrimpton R. & Kachondham Y., 2003. Analysing the causes of child stunting in DPRK, *New York: UNICEF*.
- Slanchev K., Stebler J., de la Cueva-Méndez G. dan Raz E., 2005. Development without germ cells: the role of the germ line in zebrafish sex differentiation, *Proceedings of the National Academy of Sciences of the United States of America*, 102(11): pp. 4074-4079.

- Solihin R.D.M., Anwar F. & Sukandar D., 2013. Kaitan Antara Status Gizi, Perkembangan Kognitif, Dan Perkembangan Motorik Pada Anak Usia Prasekolah (Relationship Between Nutritional Status, Cognitive Development, And Motor Development In Preschool Children), *Penelitian Gizi dan Makanan (The Journal of Nutrition and Food Research)*, 36(1): pp. 62-72.
- Sommerfeld B., 2007. Randomised, placebo-controlled, double-blind, split-face study on the clinical efficacy of Tricutan® on skin firmness, *Phytomedicine*, 14(11): pp. 711-715.
- Sorribes A., Þorsteinsson H., Arnardóttir H., Jóhannesdóttir I.H., Sigurgeirsson B., De Polavieja G.G., et al., 2013. The ontogeny of sleep-wake cycles in zebrafish: a comparison to humans, *Frontiers in neural circuits*, 7: p. 178.
- Spence R., Gerlach G., Lawrence C. & Smith C., 2008. The behaviour and ecology of the zebrafish, *Danio rerio*, *Biological Reviews*, 83(1): pp. 13-34.
- Stadtman E.R., 2004. Role of oxidant species in aging, *Current medicinal chemistry*, 11(9): pp. 1105-1112.
- Sudirman H., 2008. Stunting Atau Pendek: Awal Perubahan Patologis Atau Adaptasi Karena Perubahan Sosial Ekonomi Yang Berkepanjangan?, *Media Penelitian dan Pengembangan Kesehatan*, 18(1 Mar).
- Susanto H., Indra M.R. & Karyono S., 2012. Pengaruh Sari Seduh Teh Hitam (*Camellia sinensis*) terhadap Ekspresi IGF-1, ERK1/2 dan PPAR α pada Jalur MAPK (Mitogen Activated Protein Kinase) Jaringan Lemak Viseral Tikus Wistar dengan Diet Tinggi Lemak, *The Journal of Experimental Life Science*, 2(2): pp. 89-97.
- Susanty.M.N. & Margawati A. 2012, *Hubungan Derajat Stunting, Asupan Zat Gizi Dan Sosial Ekonomi Rumah Tangga Dengan Perkembangan Motorik Anak Usia 24-36 Bulan Di Wilayah Kerja Puskesmas Bugangan Semarang*. Tidak diterbitkan, Diponegoro University.
- Strykowski J.L. danSchech J.M., 2015. Effectiveness of recommended euthanasia methods in larval zebrafish (*Danio rerio*), *Journal of the American Association for Laboratory Animal Science*, 54(1): pp. 81-84
- Syed S., 2015. Iodine and the “near” eradication of cretinism, *Pediatrics*, 135(4): pp. 594-596.
- Trihono et al, 2015. dalam *Pendek (Stunting) di Indonesia masalah dan solusinya*, Lembaga Penerbit Balitbangkes, Jakarta.

- Turner L., Jacobson S. & Shoemaker L., 2007. Risk assessment for piscicidal formulations of rotenone, *Compliance Services International, Lakewood*: p. 25.
- Tyler C., Jobling S. & Sumpter J., 1998. Endocrine disruption in wildlife: a critical review of the evidence, *Critical reviews in toxicology*, 28(4): pp. 319-361.
- Uauy R., 2013. Improving linear growth without excess body fat gain in women and children, *Food and nutrition bulletin*, 34(2): pp. 257-260.
- Udani P., 1992. Protein energy malnutrition (PEM), brain and various facets of child development, *Indian journal of pediatrics*, 59(2): pp. 165-186.
- Utami R.P., Suhartono S., Nurjazuli N., Kartini A. & Rasipin R., 2013. Faktor Lingkungan dan Perilaku yang Berhubungan dengan Kejadian Stunting pada Siswa SD di Wilayah Pertanian (Penelitian di Kecamatan Bulakamba Kabupaten Brebes), *Jurnal Kesehatan Lingkungan Indonesia*, 12(2): pp. 127-131.
- Vasantha.S. P.B., M.R.Premalatha, SP.Sundaram, & T.A.Arumugam,, 2012. Functional Properties of Centella Asiatica (L): A Review, 4.
- Victora C.G., Adair L., Fall C., Hallal P.C., Martorell R., Richter L., et al., 2008. Maternal and child undernutrition: consequences for adult health and human capital, *The lancet*, 371(9609): pp. 340-357.
- Villamizar N., Ribas L., Piferrer F., Vera L.M. & Javier F., 2012. Effect Of Daily Thermocycles On Embryonic And Larval Development, Survival, Behaviour And Sex Differentiation Of Zebrafish (Danio Rerio), *Dña. Natalia Villamizar Villamizar*: p. 127.
- Vimala S., Adenan M.I., Ahmad A.R. & Shah.R., 2003. Nature's choice to wellness: antioxidant vegetables/ulam, *Nature's choice to wellness: antioxidant vegetables/ulam*.
- Von-Hofsten J. & Olsson P.-E., 2005. Zebrafish sex determination and differentiation: involvement of FTZ-F1 genes, *Reproductive Biology and Endocrinology*, 3(1): p. 63.
- Wahyuno D., Amalia N., Rossiana N. & Bermawie N., 2015. Respon Lima Aksesi Pegagan Terhadap Septoria Centellae, Penyebab Bercak Daun, *Buletin Penelitian Tanaman Rempah dan Obat*, 21(2).

Wardani D.W.K. 2017, Pengaruh ekstrak etanol Pegagan (*Centella asiatica*) terhadap Ekspresi *Vascular Endotelia Growth Factorl* dan *Vascular Endotelial Growth Factor Receptor-2* pada Larva Zebrafish (*Danio rerio*) Model Stunting Akibat Induksi Rotenon. Magister Kebidanan Fakultas Kedokteran Universitas Brawijaya

Watzke J., Schirmer K. & Scholz S., 2007. Bacterial lipopolysaccharides induce genes involved in the innate immune response in embryos of the zebrafish (*Danio rerio*), *Fish & shellfish immunology*, 23(4): pp. 901-905.

WHO., 2013. Essential nutrition actions: improving maternal, newborn, infant and young child health and nutrition.

WHO., 2012. Nutrition Landscape Information System (NLIS) country profile indicators: interpretation guide.

WHO., 2009. WHO child growth standards and the identification of severe acute malnutrition in infants and children. A Joint Statement, Geneva: WHO.

Wijayanti A.R. 2016, *Proteksi Ekstrak Pegagan (Centella Asiatica) Melalui Ekspresi Hsp60 dan Bax Terhadap Model Stunting Larva Zebrafish (Danio Rerio) Yang Diinduksi Rotenon*. Tidak diterbitkan, Universitas Brawijaya.

Wolny S., McFarland R., Chinnery P. & Cheetham T., 2009. Abnormal growth in mitochondrial disease, *Acta Paediatrica*, 98(3): pp. 553-554.

Wood A.W., Duan C. & Bern H.A., 2005. Insulin-like growth factor signaling in fish, *International review of cytology*, 243: pp. 215-285.

Xi G., Shen X., Rosen C.J. & Clemmons D.R., 2016. IRS-1 Functions as a Molecular Scaffold to Coordinate IGF-I/IGFBP-2 Signaling During Osteoblast Differentiation, *Journal of Bone and Mineral Research*.

Xu X.-L., Shang Y. & Jiang J.-G., 2016. Plant species forbidden in health food and their toxic constituents, toxicology and detoxification, *Food & function*, 7(2): pp. 643-664.

Yakar S., Rosen C.J., Beamer W.G., Ackert-Bicknell C.L., Wu Y., Liu J.-L., et al., 2002. Circulating levels of IGF-1 directly regulate bone growth and density, *The Journal of clinical investigation*, 110(6): pp. 771-781.

Yanusaga T., S.k., Noriyuki, Horikawa R.t., Toshiaki, Tanae A. & Hibi I., 1998. Nutrition related hormonal changes in obese children, *Endocrine journal*, 45(2): pp. 221-227.

Yuningsih 2017, Pengaruh Ekstrak Etanol Pegagan (*Centela asiatica*) Terhadap *Glucosa Transporter 1 (GLUT 1)* dan *Osteocalcin* pada *Stunting Larva Ikan Zebra (Danio rerio)* Tidak diterbitkan, Program Studi Magister Kebidanan Fakultas Kedokteran Universitas Brawijaya

Zakiah 2017, Pengaruh ekstrak etanol Pegagan (*Centella asiatica*) terhadap *Ekspresi ERK 1/2 dan Ki67* pada Larva Zebrafish (*Danio rerio*) Model Stunting Akibat Induksi Rotenon. Program Studi Magister Kebidanan Fakultas Kedokteran Universitas Brawijaya.

Zima T., Aacute S.F.L., Mestek O., Janebová M., et al., 2001. Oxidative stress, metabolism of ethanol and alcohol-related diseases, *Journal of biomedical science*, 8(1): pp. 59-70.

Zottarelli L.K., Sunil T.S. & Rajaram S., 2007. Influence of parental and socioeconomic factors on stunting in children under 5 years in Egypt.

Zubairi S.I., Sarmidi M.R. & Aziz R.A., 2014. A study of rotenone from *Derris* roots of varies location, plant parts and types of solvent used, *Advances in Environmental Biology*: pp. 445-450.