

DAFTAR PUSTAKA

- Arevalo, E., S.K. Davis, dan J.W Sites. 1994. Mitochondrial DNA sequence divergence and phylogenetic relationship among eight chromosome races of the *Sceloporus grammicus* complex (Phrynosomatidae) in Central Mexico. *Systematic Biology* 43(3): 387-418.
- Arlyza, I.S. & M. Adrim. 2007. Hubungan Filogenetik Antara Tiga Karakter Motif Ikan Pari *Himantura gerrardi* Berdasarkan 12s rRNA dan 16s rRNA DNA Mitokondria. *Oseanologi dan Limnologi Indonesia* 33:65-79.
- Arnold E.N. & Ovenden. 2004. **A field guide to the Reptile and Amphibians of Britain & Europe**. Harper Collins Publishers. London
- Baeckens, S., S. Edwards, K. Huyge & R. Van Damme. 2014. Chemical signalling in lizards an intraspecific comparison of femoral pore numbers in Lacertidae. *Biological Journal of the Linnean Society* 23, 23-35.
- Bain, R.H. & M.M. Hurley. 2011. A biogeographic synthesis of the amphibians and reptiles of Indochina. *Natural. History*. 360: 1–138.
- Bauer. A.M. 1994. Familia gekkonidae Australia. Walter de Guyer. New York
- Bauer, A. M & P. Doughty. 2012. A new bent-toed gecko from the Kimberley Region, West Australia. *Zootaxa* 3187: 32-42.
- Bickford, D., D.J. Lohman, N.S. Sodhi, dan R. Meier. 2007. Cryptic species: a new window on diversity and conservation. *Trends Ecology and Evolution* 22: 148-55.
- Bird, M.I., D. Taylor, dan C. Hunt. 2005. Environments of Insular Southeast Asia during the last glacial period: A savanna corridor in Sundaland. *Quaternary Sciences Review* 24: 2228-2242.
- Bishop, M.G. 2001. **South Sumatra Basin Province Indonesia: The Lahat/ Talang Akar - Cenozoic Total Petroleum System**. USGS Science for Changing World. Colorado
- Bohlen, J., V. Slechtova, H.H. Tan, dan R. Britz. Phylogeny of the Southeast Asia freshwater fish genus *Pangio*. *Molecular Phylogenetics and Evolution* (61) 854-865.
- Brown S.G & P.K Duffy. 1992. The effects of egg-laying site, temperature and salt water on incubation time and hatching succes in th gecko *Lepidodcatylus lugubris*. *Journal of Herpetology* 26: 510-513.

- Brumfield, R. T. 2010. Speciation genetics of biological invasion with hybridization. *Molecular Ecology* 19: 5079-5083.
- Budiarsa, I.M. 2013. Karakter Gen Cytochrome-b Sebagai marker filogenetik burung Maleo (*Macrocephalon maleo*) di Habitat Alami. *Berkala Hayati* 3B (11-15).
- Burkey, T.V. 1995. Extinction rates in archipelagos; implications for populations in fragmented habitat. *Conservation Biology* 9: 527-543.
- Campbell, R. & Mitchell. 2005. **Biologi Jilid 2**. Edisi Ke-5. Erlangga. Jakarta.
- Cavalli dan Sforza L.L. 1997. **Gene, Peoples and Languages**. Proceedings of the National Academy of Sciences 94(15): 7719-7724.
- Chernoff, B. 1982. Character Variation Among Populations and the Analysis of Biogeography. *American Zoologist*. 22: 425-439
- Coyne, J.A. 1992. Genetics and Speciation. *Nature*. 355:511-515.
- Das, I. 2014. *A field guide to the Reptile of the South East Asia*. Blomsburry. London.
- Endler, J.A. 1977. **Geographic, Variation, Speciation and Clines**. Princeton University. New Jersey.
- Frank, T. B. 2010. How does ecological opportunity influences rate of speciation, extinction and morphological diversification in new world ratsnakes. *Evolution* 10(2): 1-10.
- Grismer, L.L. 2005. A new species of Bent-Toed Gecko (*C. aurensis*) from Pulau Aur, Johor, Malaysia. *Herpetology Journal* 39(3): 424-432.
- Grismer, L.L & T.M. Leong. 2005. New species of *Cyrtodactylus* from Southern Peninsular Malaysia. *Journal of Herpetology* 39 (4): 584-591.
- Hayden, C. J., R.M. Brown, G. Gillespie, M.I. Setiadi, C.W. Linkem, D. T. Iskandar, Umilaela, D.P. Bickford, A. Riyanto, Mumpuni & J.A. McGuire. 2008. A new species of bent-toed gecko *Cyrtodactylus* Gray, 1827 (Squamata: Gekkonidae) from the island of Sulawesi, Indonesia. *Herpetologica* 64:109–120.
- Hartl, D. L. & A. G., Clark. 1997. **Principles of population genetics**. 3rd eds. Sinauer Associates, Inc. Sunderland, Massachusetts.
- Hartman, L., S. Mecke, M. Kieckbusch, F.Made & H. Kaiser. 2016. A new species of bent-toed gecko, genus *Cyrtodactylus*, from Jawa Timur Province, Java, Indonesia, with taxonomic remarks on *C. fumosus*. *Zootaxa* 4067 (5): 552-568.

- Harvey, M.B., K.A O'Connel, E. Wostl, A. Riyanto, N. Kurniawan, E.N. Smith dan L.L Grismer. 2016. Redescription *Cyrtodactylus lateralis* (Werner) and phylogeny of the Prehensile-Tailed *Cyrtodactylus*. *Zootaxa* 4107 (4): 517-540.
- Harvey, M.B., K.A. O'Connel, G. Barazza, A. Riyanto, N. Kurniawan dan E.N. Smith. 2015. Two New Species of *Cyrtodactylus* from the Southern Bukit Barisan range of Sumatra and an estimation of their phylogeny. *Zootaxa* 4020 (3): 495-516.
- Hayaska, K., T. Gojobori, & S. Horai. 1988. Molecular phylogeny and evolution of primate mitochondrial DNA. *Molecular Biology. Evolution* 5(6): 626-644.
- Hedges, S.B. 1992. **The number of replications needed for accurate estimation of the Bootstrap P value in phylogenetics studies.** Dissertation Department of Biology and Institute of Molecular Evolutionary Genetics, Pennsylvania State University.
- Heyer, W.R., M.A. Donnely, R.W McDiarmid, L.C Hayek & M. S. Foster. 1994. **measuring and monitoring biological diversity: standard methods for Amphibians.** Smithsonian Institution Press. Washington.
- Hickerson, M.J & C. Meyer. 2008. Testing comparative phylogeographic models of marine vicariance and dispersal using a hierarchical Bayesian approach. *BMC Evolutionary Biology* 8(11): 392-400.
- Hikida, T. 1990. Bornean gekkonid lizards of the genus *Cyrtodactylus* (Lacertilia:Gekkonidae) with descriptions of three new species. *Japaneses Journal of Herpetology* 13(3): 1-20.
- Hill, D & J.J. Wiens. 2000. Molecules Versus Morphology in Systematic in: J. Wiens (ed) **Phylogenetic analysis of morphological data.** Smitshonian Institution Press. Philadelphia.
- Huoponen, K. 2001 Leber hereditary optic neuropathy: clinical and molecular genetic findings. *Neurogenetics* 3(3): 119-25.
- Hugget R.J. 2004. **Fundamentals of biogeography.** Routledge. New York.
- Hughes, J., Round & D.S. Wodruff. 2003. Indochinaese-Sundaic Faunal Transition at the Isthmus Kra. *Journal Biogeography* 30: 569-580.
- Iskandar, D.T. & W.R. Elderen. 2006. Conservation of amphibians and reptile in Indonesia; Issue and problems. *Amphibian and Reptile Conservation* 4(1): 60-87.
- Iskandar, D.T., A. Rachmansah dan Umilaela. 2011. A new bent-toed gecko of the genus *Cyrtodactylus* Gray, 1827 (Reptilia, Gekkonidae)

- from Mount Tompotika, eastern peninsula of Sulawesi, Indonesia. *Zootaxa*. 2838:65-78.
- Jensen, M. 1981. Morphology and classification of Echinodea Bronn, 1860-a cladistic analysis. *Vidensk Meddr Dansk Naturh. Forensic* 143:7-99.
- Kumazawa, Y & N. Mutsumi. 2000. Molecular phylogeny of Osteoglossoids: A new model for Gondwanian origin and plate tectonic transportation of the Asian arowana. *Molecular Biology Evolution* 17(12): 1869-1878
- Kumazawa, Y & H. Endo. 2004. Mitochondrial genome of the Komodo Dragon: Efficient sequencing method with the reptile oriented primers and novel gene rearrangements. *DNA Research* 11: 115-125.
- Kurniawan, N., T.H. Djong, M.I. Islam, T. Nishizawa, D.M. Belabut, Y.H. Sen, T. Wanichanon, I. Yasir & M. Sumida. 2011. Taxonomic status of three types *Fejervarya cancrivora* from Indonesia and other Asian countries based on morphological observations and crossing experiments. *Zoological science* 28(1): 12-24.
- Lemey, P., M. Salemi dan A. Vandamme. 2009. **The phylogenetic handbook - a practical approach to phylogenetic analysis and hypothesis testing**. Cambridge University Press. Cambridge.
- Lim H.C., M.A. Rahman, S.L.H. Lim, R.G. Moyle & F.H. Sheldon. 2011. Revisiting Wallace's Haunt: Coalescent simulations and comparative nichemodeling reveal historical mechanisms that promoted avian population divergence in the Malay Archipelago. *Evolution* 65:321-34.
- Lohman, D.J., Mark de Bruyn, Timothy Page, Kristina von Rintelen, Robert Hall, Peter K. L., Ng, Hsi-Te Shih., G.R. Cavarlho & T. von Rintelen. 2011. Biogeography of the Indo-Australian Archipelago. *Annual Review Ecology and Systematic* 42:205-226.
- Loos, J., H. von Wehrden, K.N. Dang & T. Ziegler. 2012. Niche segregation in microhabitat use of three sympatric *Cyrtodactylus* in the Phong Nha-Ke Bang National Park. Vietnam. *Herpetological Conservation and Biology* 7(1): 101-108.
- Louys, J. 2007. Limited effect of the Quaternary's Largest Super-Eruption (Toba) on land mammals from Southeast Asia. *Quaternary Sciences Review* 26: 3108-3117.
- Louys, J. & E. Meijard. 2010. Paleoecology of the Southeast Asian megafauna-bearing sites from the Pleistocene and a review of environmental changes in the region. *Journal of Biogeography* 37: 1432-1449.

- Macey, J.R., Y. Wang, N.B. Ananjeva, A. Larson dan T.J. Papenfuss. 1999. Vicariant Patterns of Fragmentation among Gekkonid Lizards of the Genus *Teratoscinus* Produced by the Indian Collision; A molecular Phylogenetic Perspective and an Area Cladogram for Central Asia. *Molecular Phylogenetics and Evolution* 12(3): 320-332.
- Mallet, J. 2010. **Species Concepts of Biodiversity**. Elsevier. Oxford
- Matsui, M., Amir, H., Robert, W.M., Wichase, K., Paul, Y., Tomohiko, S., Norhayati, A., Daicus, B. & Jian-Ping, J. 2010. Phylogenetic Relationship of Megophryid Frogs of The Genus *Leptobrachium* (Amphibia, Anura) As Revealed by mtDNA Gene Sequences. *Molecular Phylogenetics and Evolution* 56: 259-272.
- Mayr, E. 1939. Wallace's line in the light of recent zoogeographic studies. *Quaternary Sciences Review* 4: 197-216.
- Mecke, S., M, Kieckbusch, L. Hartman, H. Kaiser. 2016. Historical considerations and comments on the type series of *Cyrtodactylus marmoratus* Gray 1831, with an updated comparative table for the bent-toed geckos of the Sunda Islands and Sulawesi. *Zootaxa* 4175(4): 353-365
- Melnick, D. & J. Hoelzer. 1993. **The mitochondrial genome: its uses in the anthropological research in molecular application in biological anthropological**. Cambridge University Press. Cambridge.
- Morgan, K., S.M. O'Loughin, B. Chen, Y.M. Linton & D. Thongwat. 2011. Comparative phylogeography reveals a shared impact of *Pleistocene* environmental change in shaping genetic diversity within nine *Anopheles* mosquito species across the Indo-Burma biodiversity hotspot. *Molecular Ecology* 20: 4533-4549.
- Moraes C.T., S. Srivastava, I. Kirkinetzos, J. Cossio, C. vanWaveren, M. Woischink. & F. Diaz. 2002. **Mitochondrial DNA Structure and Function**. University of Miami Press. Florida
- Morley, R.J. 2000. **Origin and Evolution of Tropical Rain Forests**. John Wiley & Sons. 362. Chichester.
- Mount, D.W. 2001. **Phylogenetic prediction : Bioinformatic, sequence and genome Analysis**. Spring Harbour. New York.
- Munshi, J. S & H. M. Duta. 1996. Fish Morphology: **Horizon of New Research**. Science Publishers, Inc. New York.
- Myers, N., R.A. Mittermeier, C.G. Mittermeier, G.A.B. da Fonseca, & J. Kent. 2000. Biodiversity hotspots for conservation priorities. *Nature* 403(6772): 853-858.

- Nei, M. & S. Kumar. 2000. **Molecular evolution and phylogenetics**. Oxford University Press. New York.
- Nesty, R., D.H. Tjong & H. Herwina. 2013. Studi morfometrik kodok *Duttaohrynus melanostictus* di Sumatra Barat. *Jurnal Biologi Universitas Andalas* 4(10): 234-239.
- Newton, C.R. & A. Graham. 1994. **PCR**. Bios Scientific Publisher. UK.
- Nguyen, S.N., N.L. Orlov & S.L. Darevsky. 2006. Description of two new species of the genus *Cyrtodactylus* from Southern Vietnam. *Journal of Herpetology* 13: 215-226
- Nielsen, R & Yang Z. 1998. Likelihood models for detecting positively selected amino acid sites and application to the HIV-1 envelope gene. *Genetics* 148: 929 – 936.
- Pelejero, C., M. Kienast, M. Wang, & L.J. Grimalt. 1999. The Flooding of Sundaland during the last glacial. *Earth Planetary Science* 171: 661-671.
- Pyron, A.R., Frank, T.B. 2010. Hard and soft allopatry: Physically and ecologically mediated modes of geographic speciation. *Journal of Biogeography* 37: 2005 – 2015.
- Raven, H.C. 1935. Wallace's line and the distribution of Indo Australian mammals. *Bulletin Natural History* 68: 177-293.
- Reptile Database. 2014. Classification. www.reptile-database.org. Diakses 20 September 2016.
- Ridley, M. 2004. **Evolution**. Third Editions. www.blckwellpublishing.com. Diakses 28 September 2016.
- Riyanto, A. 2012. A new Bent Toed Gecko from Mount Ranai, Bunguran Island, Indonesia. *Zootaxa* 3583; 22-30.
- Riyanto, A., A.M. Bauer dan D.S. Yudha. 2014. A new small karst-dwelling species of *Cyrtodactylus* (*C. semiadii*.sp.nov) from Java, Indonesia. *Zootaxa*. 3785 (4): 589-599.
- Riyanto, A., L.L. Grismer., dan P.L. Wood Jr. 2015. The fourth bent-toed gecko of the Genus *Cyrtodactylus* from Java, Indonesia. *Zootaxa*. 4059(2): 351-363.
- Riyanto, A., I. Sidik, M.A. Fauzi dan N. Kurniawan. 2016. A new bent-toed gecko of the Genus *Cyrtodactylus* From Nunukan, East Kalimantan. Prosiding *Asian Vertebrate International Seminar AVIS* 6th 7(3): 42-43.
- Rivas, L. R. 1964. A reinterpretation of the concepts Sympatric and Allopatric with proposal of the additiona terms Syntopic and Allotopic. *Systematic Zoology* 13(1): 42-43.

- Russel A.P., M.K. Vickaryous & A.M. Bauer. 2015. The phylogenetic distribution, anatomy and histology of the post-cloacal bones and adnexa of geckos. *Journal of Morphology* 8: 1-13.
- Singh, A.K. 2012. Molecular Taxonomy: Use Modern Methods In The Identification Of A Species. *Indian Journal of Life Sciences* 2(1): 143-147.
- Swofford, D.L. 2002. **PAUP*. phylogenetic analysis using parsimony (*and other methods)**. Version 4. Sinauer Associates. Massachussets.
- Theophillus, B.D.M. 2008. **Principle and medical aplications of the Polymerase Chain Reaction**. Humana Press. USA
- Tjandra L. 2012. Analisis Filogenetik *Bufo melanostictus*, Schneider, 1799 dan *Bufo asper*, Gravenhorst, 1829 (Bufonidae) Sumatera Barat dan Kawasan Asia dengan Gen 16s Rrna dan Sitokrom b. Tesis.
- Uetz, P. 2015. The reptile database. [Http://www.reptile-database.org/Cyrtodactylus](http://www.reptile-database.org/Cyrtodactylus). Diakses 20 Agustus 2016.
- Voris, H.K. 2000. Maps of pleistocene sea levels in Southeast Asia: Shorelines, river system and time durations. *Journal Biogeography* 27: 1153-1167.
- Welton, L.J., C.D. Siler, C.W. Linkem, A.C Diesmos, R.M. Brown. 2010. Philipine bent-toed geckos of the genus *Cyrtodactylus agusanensis* complex : multilocus phylogeny, morphological diversity and descriptions of three new species. *Herpetological Monograph* 24: 55-85.
- White, M.J.D. 1978. Models of Speciation. *Journal of Science*. 159: 1065-1070.
- Wilting, A., R. Sollman, E. Meijard, K.M. Helgen, J. Fickel. 2012. Mentawai's Endemic, relictual fauna; It is Evidence for Pleistocene extinctions on Sumatra. *Journal of Biogeography* 39: 1608-1620.
- Wood, P.L., M.P. Heinicke, T.R. Jackman & A.M. Bauer. 2012. Phylogeny of bent-toed geckos (*Cyrtodactylus*) revelas a west to east pattern of diversification. *Molecular Phylogenetics and Evolution* 65: 992-1003.
- Woodruff, D.S. dan L.M. Turner. 2009. The IndoChinese-Sundaic zoogeography transition. *Journal Biogeography* 36: 803-821
- Wurster, C.M., M.I. Bird, I.D. Bull, F. Creed, C. Bryant, J.A.J. Dungait & V. Paz. 2010. Forest contraction in north equatorial Southeast Asia during the Last Glacial Period. *PNAS* 107(35): 15508-15511.

Zhang, X., J Cui, T. Wei, L.Y. Li, J. Jiang. P. Liu, dan Z.Q. Wang. 2014.
Survey and genetic variation of *Spirometra erinaceieuropaei*
Sprganum in frogs and snakes of Guangxi of Southern China.
Tropical Biomedicine 31(4): 860-870.