

## DAFTAR PUSTAKA

- [1] Agustina, S., dkk, 2015, **Statistik Minyak dan Gas Bumi**, Jakarta.
- [2] Eshraghi, A., Mirzaei, A. A., dan Atashi, H., 2015, **Kinetics of the Fischer-Tropsch reaction in fixed-bed reactor over a nano-structured Fe-Co-Ce catalyst supported with SiO<sub>2</sub>**,” *J. Nat. Gas Sci. Eng.*, vol. 26, hal. 940–947.
- [3] Schulz, H., 1999, **Short history and present trends of Fischer–Tropsch synthesis**, *Appl. Catal. A Gen.*, vol. 186, no. 1–2, hal. 3–12.
- [4] Cheng, K., dkk, 2015, **Pore size effects in high-temperature Fischer–Tropsch synthesis over supported iron catalysts**, *J. Catal.*, vol. 328, hal. 139–150.
- [5] Suo, H., dkk, 2012, **Chemical and structural effects of silica in iron-based Fischer-Tropsch synthesis catalysts**, *J. Catal.*, vol. 286, hal. 111–123.
- [6] de Jong, K. P., 2009, **Synthesis of Solid Catalyst**, WILEY-VCH Verlag GmbH & Co, Weinheim.
- [7] Milea, C. A., Bogatu, C., dan Duta, A., 2011, **The Influence of Parameters in Silica Sol-Gel Process**, *Eng. Sci.*, vol. 4, no. 1.
- [8] Feyzi, M., Yaghobi, N., dan Eslamimanesh, V., 2015, **Cobalt-iron nano catalysts supported on TiO<sub>2</sub>-SiO<sub>2</sub>: Characterization and catalytic performance in Fischer-Tropsch synthesis**,” *Mater. Res. Bull.*, vol. 72, hal. 143–153.
- [9] Aguila, G., Guerrero, S., dan Araya, P., 2013, **Applied Catalysis A: General Effect of the preparation method and**

**calcination temperature on the oxidation activity of CO at low temperature on CuO–CeO<sub>2</sub>/SiO<sub>2</sub> catalysts**, *Appl. Catal. A Gen.*, vol. 462–463, hal. 56–63.

- [10] Sulastri, S. dan Kristianingrum, S., 2010, **Berbagai Macam Senyawa Silika: Sintesis, Karakterisasi dan Pemanfaatan**, hal. 211–216.
- [11] Nuryono dan Narsito, 2005, **Effect of Acid Concentration on Characters of Silica Gel Synthesized from Sodium Silicate**, *Indones. J. Chem.*, vol. 5, hal. 23–30.
- [12] Sinkó, K., 2010, **Influence of Chemical Conditions on the Nanoporous Structure of Silicate Aerogels**, *Materials*, vol. 3, hal. 704–740.
- [13] Twej, W. A. A., 2009, **Temperature Influence on the Gelation Process of Tetraethylorthosilicate Using Sol-Gel Technique**, *Iraqi J. Sci.*, vol. 50, no. 1, hal. 43–49.
- [14] Wijnen, P. W. J. G., Beelen, T. P. M., Rummens, K. P. J., dan van Santen, R. A., 1993, **The role of cations in the formation of aqueous silica gels**, *J. Non. Cryst. Solids*, vol. 152, no. 2–3, hal. 127–136.
- [15] Bremere, I., dkk, 2000, **Prevention of silica scale in membrane systems: removal of monomer and polymer silica**, *Desalination*, vol. 132, no. 1–3, hal. 89–100.
- [16] Richardson, J. T., 1989, **Principles of Catalyst Development**, Kluwer Academic/Plenium Publishers, New York.
- [17] Patel, R. P., Purohit, N. S., dan Suthar, A. M., 2009, **An overview of silica aerogels**, *International Journal of ChemTech Research*, vol. 1, no. 4. hal. 1052–1057.

- [18] Brinker, C. J. dan Scherer, G. W., 1990, **Sol-Gel Science: The Physics and Chemistry of Sol-Gel Processing**, Academic Press, Inc, San Diego.
- [19] Gadalla, A. M. dan Yu, H., 1990, **Thermal decomposition of Fe(III) nitrate and its aerosol,**” *J. Mater. Res.*, vol. 5, hal. 1233–1236.
- [20] Hadi, A. P., 2009, **Kajian Transformasi Antar Fasa Pada Komposit  $\text{Fe}_3\text{O}_4/\text{Fe}_2\text{O}_3$ ,** Institut Teknologi Sepuluh November.
- [21] Chirita, M. dan Grozescu, I., 2009,  **$\text{Fe}_2\text{O}_3$ -Nanoparticles , Physical Properties and Their Photochemical And Photoelectrochemical Applications,**” *Chem. Bull. “POLITEHNICA,”* vol. 54, no. 68, hal. 1–8.
- [22] Petrovsk, E., dkk, 1996, **Transformation of hematite to maghemite as observed by changes in magnetic parameters: Effect of mechanical activation?,** *Geophys. Res. Lett.*, vol. 23, no. 12, hal. 1477–1480.
- [23] Skoog, D. A., Holler, F. J., dan Crouch, S. R., 2007, **Principles of Instrumental Analysis**, Sixth Edition, Thomson Brooks/Cole, Kanada.
- [24] Harvey, D., 2000, **Modern Analytical Chemistry**, Second Edition, Mc-Graw Hill Companies, USA.
- [25] Mogorosi, R. P., Fischer, N., Claeys, M., dan Van Steen, E., 2012, **Strong-metal-support interaction by molecular design: Fe-silicate interactions in Fischer-Tropsch catalysts,** *J. Catal.*, vol. 289, hal. 140–150.
- [26] Malvern Instruments Ltd, 2012, **A basic guide to particle characterization,** *Inf. White Pap.*, hal. 1 – 26.

- [27] H. Scientific, 2010, **A Guidebook To Particle Size Analysis, Distribution**, hal. 1–17.
- [28] Ermawati, R. dan Ratnawati, E., 2011, **Sintesis Nanopartikel Magnetit dengan Metode Dekomposisi Termal**, *J. Kim. dan Kemasan*, vol. 33, no. 1, hal. 96–101.
- [29] Sahoo, S. K., dkk, 2010, **Characterization of  $\gamma$ - and  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nano powders synthesized by emulsion precipitation-calcination route and rheological behaviour of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>**, *Int. J. Eng. Sci. Technol.*, vol. 2, no. 8, hal. 118–126.
- [30] Oktirisa, R., 2012, **Studi Pengaruh Konsentrasi Ion Logam Ni<sup>2+</sup> pada Sintesis Kristal Tunggal Mn-Ni Tartrat (Mn<sub>x</sub>Ni<sub>(1-x)</sub>C<sub>4</sub>H<sub>4</sub>O<sub>6</sub>) dalam Gel Metasilikat**, Universitas Brawijaya.
- [31] Lee, J., dkk, 2011, **Journal of Industrial and Engineering Chemistry Pd catalyst supported on SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> xerogel for hydrocracking of paraffin wax to middle distillate**, *J. Ind. Eng. Chem.*, vol. 17, hal. 310–315.
- [32] Stefansson, A., 2007, **Iron(III) Hydrolysis and Solubility at 25 °C**, *Environ. Sci. Technol.*, vol. 41, no. 17, hal. 6117–6123.
- [33] Housecroft, C. E. dan Sharpe, A. G., 2005, **Inorganic Chemistry**, Second Edition, Pearson Education Limited, England.
- [34] Petrache, C., dkk, 2005, **Sol-Gel Fe<sub>x</sub>O<sub>y</sub>-SiO<sub>2</sub> Nanocomposites**, *Rom. Journ. Phys.*, vol. 50, hal. 595–606, 2005.
- [35] Raileanu, M., dkk, 2003, **Fe<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> Nanocomposites Obtained By Different Sol-Gel Routes**, *J. Optoelectron. Adv. Mater.*, vol. 5, no. 3, hal. 693–698.

- [36] Zhang, X., dkk, 2014, **Preparation and thermal stability of the spindle  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>@SiO<sub>2</sub> core-shell nanoparticles**, *J. Solid State Chem.*, vol. 211, hal. 69–74.
- [37] Hu, Y., 2013, **Highly compressible magnetic liquid marbles assembled form hydrophobic magnetic chain-like nanoparticles**, *R. Soc. Chem.*, hal. 1–7.
- [38] Rizov, B., 2012, **Phase Transformations From Goethite To Hematite And Thermal Decomposition In Various Nickeliferous Laterite Ores**, *J. Univ. Chem. Technol. Metal.*, vol. 47, no. 2, hal. 207–210.