

DAFTAR PUSTAKA

- Assaibany, A. H. (2016). *Studi Pengaruh Waktu pada Deposisi Lapisan ZnPc untuk Adsorpsi H₂O sebagai Sensor Kelembaban*. Malang.
- Behling, C., Lucklum, R., & Hauptmann, P. (1998). The non-gravimetric quartz crystal resonator response and its application for determination of polymer shear mode.
- Belgachi, A., & Collins, R. A. (1988). Humidity Response of Phthalocyanine gas sensor.
- Bishop, M. (2008). *An Introduction to Chemistry*. London: Philip Inc.
- Bohrer, & Forest I. (2008). Gas Sensing Mechanism in Chemiresistive Metal Phthalocyanine Nanofilms.
- Chen, Z., & Lu, C. (2005). Humidity Sensors : A Review of Materials and Mechanisms. *Sensor Letters*.
- Corporation, M. I. (2017, June 29). *Chemisorption Poster*. Retrieved from Micromeritics: http://www.micromeritics.com/Repository/Files/Chemisorption_Poster.pdf
- Farahani, H., Wagiran, R., & Hamidon, M. N. (2014). Humidity Sensors Principle, Mechanism, and Fabrication Technologies: A Comprehensive Review.
- Feng, T., & Xian-he, H. (2012). *Relation between mass change and frequency shifts of a QCM sensor in contact with Viscoelastic medium*.
- Granstaff, V. E., & Martin, S. J. (1993). Characterization of a thickness-shear mode quartz resonator with multiple nonpiezoelectric layer.
- Kurosawa, S., Park, J.-w., Aizawa, H., Wakida, S.-i., Tao, H., & Ishihara, K. (2006). Quartz Crystal Microbalance for Environmental Monitoring. *Biosensors and Bioelectronics*.

- Lee, C.-Y., & Lee, G.-B. (2004). Humidity Sensors : A Review. *Sensor Letters*.
- Lindner, M., & Schmid, M. (2016). Thickness Measurement Methods of Physical Vapor Deposited Aluminum Coatings in Packaging Applications : A Review. *Coating*.
- Lofgram, S. C. (2013). Thin Film Deposition & Vacuum Technology.
- Maddu, A., Modjahidin, K., Sardy, S., & Zain, H. (2006). Pengembangan Probe Sensor Kelembaban Serat Optik dengan Cladding Gelatin. *Teknologi*.
- Martin, I. E., Martinez, J. M., & Marcos, E. S. (2010). Modeling the Interactions of Phthalocyanines in Water: From the Cu (II) tetrasulphonate to Metal Free Phthalocyanine.
- Marx, K. A. (2003). Quartz Crystal Microbalance: A Usefull Tool for Studying Thin Polymer Film and Complex Biomolecular System at The Solution-Surface Interface . *Biomacromolecules*.
- Masruroh, Djoko, D., & Rahayu, S. (2016). Viscoelastic and Morphological Behavior of Stearic Acid Layer on Top of Polystirena as Immobilisation Matrix for QCM Sensor. *Materials Science*.
- Masruroh, Djoko, D., Didik, L., Rahmawati, E., Pagaga, M., Abdurrouf, & Sakti, S. (2014). Solvent effect on morphology of polystyrene coating and their role to improvement for biomolecule immobilization in application of QCM based biosensor.
- Mecea, V. M. (2005). From Qurtz Crystal Microbalance to Fundamental Principles of Mass Measurements. *Analytical Letter*.
- Muckley, E. S. (2008). Morphology-defined Interaction of Copper Phthalocyanine with O₂/H₂O.
- Pascal-Delanmoy, F., Sorli, B., & Boyer, A. (2000). Quartz Crystal Microbalance (QCM) Used as Humidity Sensor. *Sensor and Actuator*.

- Peiponen, K. E., Myllyla, R., & Priezzler, A. (2003). *Optical Measurement Technique*. New York: Springer.
- Rahayu, S., Masruroh, Santjojo, D. H., Rahmawati, E., Didik, L. A., Robiani, F., & Sakti, S. p. (2014). Pengaruh Perbedaan Pelarut Polistiren Terhadap Morfologi Lapisan Polistiren dan Sifat Viscoelastik QCM Biosensor.
- Sakti, S., Amalia, L., Khusnah, N., & Masruroh. (2016). Effect of UV Radiation Duration and Molecular Weight to Hydrophobicity and Surface Roughness of Polystyrene coating on QCM Sensor. *Jurnal Teknologi*.
- Sakti, S., Santjojo, D., Sapatri, S., & Aulanni'am. (2012). Improvment of Biomolecule Immobilisation on Polystyrene Surface by Increasing Surface Roughness. *J Biosens Bioelectronic*.
- Seta, V. A. (2011). Perancangan Sensor Kelembaban Menggunakan Serat Optik dengan Cladding Gelatin + CoCl₂. *Sensor*.
- Sharp, K. (2001). *Water: Structure and Properties*.
- Weisensee, P., Neelakantan, N., Suscick, K., Jacobi, A., & King, W. (2015). Impact of Air and Water Vapor Environment on the Hydrophobicity of Surface.
- Zhang, K., Fan, G., Hu, R., & Li, G. (2015). Enhanced Dibutyl Phthalate Sensing Performance of a Quartz Crystal Microbalance Coated with Au-Decorated ZnO Porous Microspheres.
- Zhang, Y., Yu, K., Xu, R., Jiang, D., Lao, L., & Zhu, Z. (20015). Quartz crystal microbalance coated with carbon nanotube films used as humidity sensor. *Sensors and Actuators*.

(Halaman ini sengaja dikosongkan)