

DAFTAR PUSTAKA

- Abadi, L. 2003. Ilmu Penyakit Tumbuhan. Bayu Media Publishing. Malang. p. 135.
- Agrios, G. N. 1997. Plant Pathology. 4th Edition. Academic Press. New York.
- Agrios, G. N. 2005. Plant Pathology. 5th Edition. Academic Press. San Diego.
- Asra,R. 2014. Pengaruh Hormon Giberelin (GA-3) terhadap Daya Kecambah dan Vigoritas Calopogonium caeruleum. Biospeciesvol. 7 No.1, Januari 2014. p. 29 – 33.
- Ben-Shalom, N., R. Ardi., R. Pinto., et all. 2002. Controlling Gray Mould Caused by Botrytis Cinerea in Cucumber Plants by means of Chitosan. Crop Prot. 22 : 285–290.
- Bos, L. 1983. Pengantar Virologi Tumbuhan. Terjemahan Triharso, 1990. Yogyakarta: Gajah Mada Press. p. 389
- Cahyono, B. 2003. Cabai Rawit. Kanisius. Yogyakarta. p. 28-32.
- Centre in Agricultural and Biological Institute (CABI). 2005. Chilli Veinal Mottle Virus. Crop Protection Compendium. London (UK): CABI.
- Cerkauskas, R. 2004. Cucumber Mosaic Virus in Kalb T (eds) Pepper Disease. AVRDC – The World Vegetable Center Publication, Shanhua, Taiwan. 04-593.
- Chirkov, S. N, Kulikov SN, Il'ina AV, Lopatin SA, Varlamov VP. 2006. Effect of the molecular weight of chitosan on its antiviral activity in plants. Prik Biokhim Mikrobiol. p. 224-228.
- Chirkov, S. N. 2002. The antiviral activity of chitosan, Appl. Biochem. Microbiol. 38 : p 1–8.
- Damayanti, T. A, Haryanto dan S, Wiyono. 2013. Pemanfaatan Kitosan untuk Pengendalian Bean Common Mosaic Virus (BCMV) pada Kacang Panjang. J. HPT Tropika. 13(2): 110–116.
- Dewi, I. R. 2008. Peranan dan Fungsi Fitohormon bagi Pertumbuhan Tanaman. Skripsi. Fakultas Pertanian. Universitas Padjajaran. Bandung.
- Direktorat Jenderal Hortikultura. 2007. Statistik Produksi Hortikultura Kementerian Pertanian. hortikultura.pertanian.go.id. Diakses 5 Januari 2017.
- Faoro, F and M. Iriti. 2008. Abscisic Acid is Involved in Chitosan-Induced Resistance to Tobacco Necrosis Virus (TNV). Plant Physiol. and Biochem. 46:1106–1111.
- Funayama, S. dan I, Terashima. 2006. Effect of Eupatorium Yellow Vein Virus Infection on Photosynthetic Rate, Chlorophyll Content and

- Chloroplast Structure in Leaves of *Eupatorium makinoi* During Leaf Development. Functional Plant Biology. p.165-175.
- Ganefianti, D. W., Sujiprihati, Hidayat, dan M, Syukur. 2008. Metode penularan dan uji ketahanan genotip cabai terhadap begomovirus. Akta Agrosia, vol. 11, no. 2. p. 162-69.
- Garcia, R. H., J.H. Purphy. 2001. Age-related resistance in bell pepper to Cucumber mosaic virus. Ann Appl Biol. 139(3):307–317.
- Gibbs, A. and B. Harrison. 1976. Plant Virology : the principles. Edward Arnold publisher Ltd. London. p. 292.
- Hadiastono, T. 2010. Virologi Tumbuhan Dasar. Fakultas Pertanian. Universitas Brawijaya. Malang. p. 84.
- Hawab, H. M. 2005. Toksisitas dan kendala penggunaan kitin dan kitosan pada bahan makanan dan makanan. Prosiding Seminar Nasional Kitin Kitosan Bogor 16 Maret 2006. p. 65-73.
- Hendry, G.A.F., J.P. Grime. 1993. Methods in Comparative Plant Ecology: A laboratory manual. NERC Unit of Comparative Plant Ecology, Department of Animal and Plant Sciences, University of Sheffield UK. P. 150.
- Kementerian Pertanian. 2015. Outlook Cabai. epublikasi.setjen.pertanian.go.id. Diakses tanggal 15 Januari 2017.
- Kennelly, M., O'Mara, J., Rivard, et all. 2012. Introduction to abiotic disorders in plants. *The Plant Health Instructor*. p. 1-25.
- Kheiri, A., S. A. Moosawijorf., A. Mallihipour., et all. 2016. Application of Chitosan and Chitosan Nanoparticles for the Control of Fusarium Head Blight of Wheat (*Fusarium Graminearum*) In Vitro and Greenhouse. Inter. J. of Biol. Macromolecules. 16 : 1-28.
- Kirana, R. 2006. Perbaikan Daya Hasil Varietas Cabai Lokal melalui Persilangan antar Varietas. J. Penelitian Pertanian. 17(2):138-145.
- Kulikov, S. N., S. N. Chirkov., A. V. Il'ina., S. A. Lopatin and V. P. Varlamov. 2006. Effect of the Molecular Weight of Chitosan on its Antiviral Activity in Plants. App. Biochem. Microbiol. 42(2): 200–203.
- Kurita, K. 2006. Chitin and Chitosan: Functional Biopolymers from Marine Crustaceans. Marine Biotech. 8(3):203–226.
- Kuswanto., L. Soetopo., A. Afandhi dan B. Waluyo. 2007. Perakitan Varietas Tanaman Kacang Panjang (*Vigna sesquipedalis* (L.) Fruwirth) Toleran Hama Aphid dan Berdaya Hasil Tinggi. Laporan penelitian. Malang: Fakultas pertanian, Universitas Brawijaya.
- Laemmlen, F. 2004. Viruses in Pepper. Central Coast Agriculture Highlights. Santa Barbara Country. University of California Cooperative Exten. <http://>

www.central.coast.agriculture. highlights6 523. pdf. Diakses 12 Oktober 2017.

- Lowell, L., Black., K. Sylvia., Green., L. Glen., H. Jean dan M. Poulos. 1991. Penyakit- Penyakit Utama Cabai: Buku Saku Pentunjuk Pengenalan Penyakit Tanaman Cabai di Lapang (Bahasa Indonesia). Diterjemahkan oleh Dibiyantoro A, Hidayanti SH, Gniffke PA, TC. AVRDC – The World Veg. Center Shanhua Taiwan. p.98.
- Iriti, M., M. Sironi., S. Gomarasca., A. P. Casazza., C. Soave and F. Faoro. 2006. Cell Death Mediated Antiviral Activity of Chitosan. *Plant Physiol. Biochem.* 44 : 893–900.
- Megasari, D., T.A. Damayanti., S, Santoso. 2014. Pengendalian *Aphis craccivora* Koch. dengan kitosan dan pengaruhnya terhadap penularan Bean common mosaic virus strain Black eye cowpea (BCMV-BIC) pada kacang panjang. *Jurnal Entomologi Indonesia.* 11(2):72-80.
- Mondal, A. M. M., N.C. Dafader., N. M.E. Ilias Khan. 2011. Effect of Foliar Application of Chitosan on Growth and Yield in Indian Spinach. *J. Agrofor. Environ.* 5 (1): 99-1 02, 2011 ISSN 1995 – 6983.
- Mondal, A. M. M., A.B. Puteh., N.C. Dafader., et all. 2013. Foliar Application of Chitosan Improves Growth and Yield in Maize. *Journal of Food, Agriculture & Environment Vol.11 (2):* 520-523. 2013.
- Muis, A. 2002. Sugarcane mosaic virus (SCMV) penyebab penyakit mosaik pada tanaman jagung di Sulawesi. *J. Litbang Agrios, GN* 1996. Hama penyakit tumbuhan.Gadjah Mada.
- Naidu, R.A. and J.D.A. Hughes. 2003. Methods for the detection of plant viral diseases in plant virology in sub-Saharan Africa. *Proceedings of Plant Virology. Nigeria.* http://old.iita.org/cms/details/virology/pdf_files/233-260.pdf. [diunduh Tgl 10 Oktober 2017]. p. 233-260.
- Naylor, M. A.M., Murphy., J.O. Berry., and J.P. Carr. 1998. Salicylic acid can induce resistance to plant virus movement. *Molecular Plant Microbe Interac* 11: 860-866.
- Nge, K.L. N, New., S, Chandrkrachang., W.F. Stevens. 2006. Chitosan as a growth stimulator in orchid tissue culture. *J. Plant Scie.* 170: 1185-1190.
- Ohta, K., S, Morishita., K, Suda., N. Kobayashi N. Hosoki. 2004. Effects of chitosan soil mixture treatment in the seedling stage on the growth and flowering of several ornament plants. *J. Hort Scie .73:* 66-68.
- Palukaitis, P., M. J. Roossinck., R. G. Dietzgen., and R.I.B. Francki. 1997. Cucumber Mosaic Virus. *Adv. Virus Res.* 41: 281 -348.
- Parman, S. 2007. Pengaruh Pemberian Pupuk Organik Terhadap Pertumbuhan dan Produksi Kentang (*Solanum tuberosum* L.). *Buletin Anatomi dan Fisiologi (XV)2:* 11.

- Peni, D.K., E. Solichatun., Anggarwulan. 2004. Pertumbuhan, Kadar Klorofil-Karotenoid, Saponin, Aktivitas Nitrat reduktase Anting-anting (*Acalypha indica* L.) pada Konsentrasi Asa Giberelat (GA₃) yang Berbeda. 2(1): 1-8.
- Pospieszny, H. and J. G. Atabekov. 1989. Effect of Chitosan on the Hypersensitive Response Reaction of Bean to Alfalfa Mosaic Virus. Plant Sci. 62 : 29–31.
- Pospieszny, H., S. Chirkov and J. Atabekov. 1991. Induction of Antiviral Resistance in Plants by Chitosan. Plant Sci. 79: 63-68.
- Rabea, E. I., M. E. T. Badawy., C. V. Steven., G. Smagghe and W. Steurbaut. 2003. Chitosan as Antimicrobialagent: Application and Mode of Action. Biomacromolecules. 4(6): 1457-1465.
- Rahman dan Syaiful. 2010. Meraup Untung Bertanam Cabai Rawit Dengan Polybag. Yogyakarta. Andi publish. p 12.
- Ramadhan, R., 2012. Evaluasi beberapa konsentrasi kitosan terhadap penekanan infeksi Bean common mosaic potyvirus pada tanaman kacang panjang (*Vigna sinensis*) [Skripsi]. Fakultas Pertanian, Institut Pertanian Bogor.
- Rekso, G.T. 2011c. The Development and Field Test of Radiation Degraded Chitosan as Plant Growth Promoter. Centre for Research and Development of Isotopes and Radiation Technology. National Nuclear Energy Agency.
- Rinaudo, M. 2006. Chitin and Chitosan: Properties and Applications. Progress in Polymer Sci. 31(7), 603–632.
- Rukmana, R. H. 2002. Usaha Tani Cabai Rawit. Yogyakarta: Kanisius.p.31-33.
- Sandford, P.A. and G.P. Hutchings. (1987). "Chitosan – A Natural, cationic Biopolymer: Commercial Applications". In. Industrial Polysaccharides. Amsterdam. Elservier. pp.365-371.
- Sari, C. I. N., R. Suseno, Sudarsono, M.A vfvc Sinaga. 1997. Reaksi Sepuluh Galur Cabai Terhadap Infeksi Isolat Cucumber mosaic virus (CMV) dan Potato virus Y (PVY) asal Indonesia. In: Prosiding Kongres Nasional XIV dan Seminar Ilmiah Perhimpunan Fitopatologi Indonesia. Palembang 27-29 Oktober 1997. pp: 116-119.
- Siemonsma, J.S. dan K. Piluek. 1993. Capsicum L. In: J.M. Poulos (Ed.). Prosea, Plant Resources of South East Asia 8, Vegetable. Prosea Foundation. Bogor. P 136-140.
- Siregar, E.B.M. 2005. Uji virulensi isolate CMV asal Sumatra Utara pada tanaman cabai. Jurnal Pertanian.
- Subekti, D., S.H. Hidayat., E. Nurhayati., S. Sujiprihati.2006.Infeksi cucumber misaic virus dan chili veinal mottle virus terhadap pertumbuhan dan hasil tanaman cabai. J. Hayati, vol. 13, no. 2, hlm. 53-70.

- Suganda, T., E. Rismawati., E. dan C. Nasahi. C 2002, 'Pengujian beberapa bahan kimia dan air perasan daun tumbuhan dalam menginduksi resistensi tanaman padi terhadap penyakit bercak daun Cercospora', J. Bion., no. 4, hlm. 17-20.
- Suhara, C., dan Supriyono. 2006. Peranan penyakit Cucumber Mozaik Virus (CMV) dan Strategi Pencegahannya pada Budidaya Tembakau Besuki No. J. Pertanian. p 127.
- Sulyo, Y. 1984. Penurunan hasil beberapa varietas Lombok akibat infeksi Cucumber mosaic virus (CMV) di rumah kaca. Laporan Hasil Penelitian, Balai Penelitian Hortikultura Lembang 1982/1983.
- Taufik, M., S. H. Hidayat, G. Suastika, S. M. Sumaraw dan S. Sujiprihati. 2005. Kajian Plant Growth Promoting Rhizobacteriasebagai Agens Proteksi Cucumber Mosaic Virus dan Chilli Veinal Mottle Virus pada Cabai. J. Hayati. 12(4):139-144.
- Tiyaboonchai, W. 2003. Chitosan Nanoparticles: a Promising System for Drug Delivery. Naresuan University J. 11 (3): 51–66.
- Utami, S. 2011. Manfaat Kandungan Zat dalam Cabe (*Capsicum annum* L) bagi Kesehatan. J. Kesehatan. 16:35:02.
- Uthairatanakij, A., J.A.T Silva., K. Obsuwan. 2007. Chitosan for improving orchid production and quality. J. Orchid Sci and Biotech. 1 : 1-5.
- Walkey, D., 1991. *Applied Plant Virology, 2nd Edition*. Chapman and Hall. London.
- Widodo, A., Mardiah, dan A. Prasetyo. 2005. Potensi Kitosan dari Sisa Udang sebagai Koagulan Logam Berat Limbah Cair Industri, Jurusan Teknik Kimia Institut Teknologi Sepuluh November, Surabaya.
- Yin, H., X. Zhao and Y. Du. 2010. Oligochitosan: A plant Diseases Vaccine. a rev. Carbohydrate Polymers. 82 : 1–8.
- Zhang, P and K. Chen. 2009. Age-dependent Variations of Volatile Emissions and Inhibitory Activity toward *Botrytis Cinerea* and *Fusarium oxysporum* in Tomato Leaves Treated with Chitosan Oligosaccharide. J. of Plant Biol, 52: p 4.
- Zhao, X. M., X. P. She., W. Yu., X. M. Liang and Y. G. Du. 2007. Effects of Oligochitosans on Tobacco Cells and Role of Endogenous Nitric Oxide Burst in the Resistance of Tobacco to TMV. J. Plant Pathol. 89:55–65.
- Zhao, X. M., X. P. She., Y. G. Du and X. M. Liang. 2007. Induction of antiviral resistance and Stimulatory Effect by Oligochitosan in Tobacco Pest. Biochem. Physiol. 87:78–84