

LAMPIRAN V : OUTPUT DESKRIPTIF VARIABEL PEMILIHAN RUTE

1. Dari Akses Masuk di Kairagi ke Akses Keluar di Tuminting

Y

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	12	24.0	24.0	24.0
	2	29	58.0	58.0	82.0
	3	9	18.0	18.0	100.0
	Total	50	100.0	100.0	

X1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	14	28.0	28.0	28.0
	2	28	56.0	56.0	84.0
	3	8	16.0	16.0	100.0
	Total	50	100.0	100.0	

X2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	16	32.0	32.0	32.0
	2	30	60.0	60.0	92.0
	3	4	8.0	8.0	100.0
	Total	50	100.0	100.0	

X3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	15	30.0	30.0	30.0
	2	26	52.0	52.0	82.0
	3	9	18.0	18.0	100.0
	Total	50	100.0	100.0	

X4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	15	30.0	30.0	30.0
	2	29	58.0	58.0	88.0
	3	6	12.0	12.0	100.0
	Total	50	100.0	100.0	

LAMPIRAN V : OUTPUT DESKRIPTIF VARIABEL PEMILIHAN RUTE

2. Dari Akses Masuk di Tuminting ke Akses Keluar di Winangun

Y

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	11	22.0	22.0	22.0
	2	29	58.0	58.0	80.0
	3	10	20.0	20.0	100.0
	Total	50	100.0	100.0	

X1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	13	26.0	26.0	26.0
	2	28	56.0	56.0	82.0
	3	9	18.0	18.0	100.0
	Total	50	100.0	100.0	

X2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	13	26.0	26.0	26.0
	2	34	68.0	68.0	94.0
	3	3	6.0	6.0	100.0
	Total	50	100.0	100.0	

X3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	14	28.0	28.0	28.0
	2	26	52.0	52.0	80.0
	3	10	20.0	20.0	100.0
	Total	50	100.0	100.0	

X4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	14	28.0	28.0	28.0
	2	30	60.0	60.0	88.0
	3	6	12.0	12.0	100.0
	Total	50	100.0	100.0	

LAMPIRAN V : OUTPUT DESKRIPTIF VARIABEL PEMILIHAN RUTE

3. Dari Akses Masuk di Malalayang ke Akses Keluar di Winangun

Y

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	13	26.0	26.0	26.0
	2	29	58.0	58.0	84.0
	3	8	16.0	16.0	100.0
	Total	50	100.0	100.0	

X1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	11	22.0	22.0	22.0
	2	29	58.0	58.0	80.0
	3	10	20.0	20.0	100.0
	Total	50	100.0	100.0	

X2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	15	30.0	30.0	30.0
	2	30	60.0	60.0	90.0
	3	5	10.0	10.0	100.0
	Total	50	100.0	100.0	

X3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	12	24.0	24.0	24.0
	2	28	56.0	56.0	80.0
	3	10	20.0	20.0	100.0
	Total	50	100.0	100.0	

X4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	14	28.0	28.0	28.0
	2	29	58.0	58.0	86.0
	3	7	14.0	14.0	100.0
	Total	50	100.0	100.0	

LAMPIRAN V : OUTPUT DESKRIPTIF VARIABEL PEMILIHAN RUTE

4. Dari Akses Masuk di Winangun ke Akses Keluar di Teling

Y

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	11	22.0	22.0	22.0
	2	30	60.0	60.0	82.0
	3	9	18.0	18.0	100.0
	Total	50	100.0	100.0	

X1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	12	24.0	24.0	24.0
	2	30	60.0	60.0	84.0
	3	8	16.0	16.0	100.0
	Total	50	100.0	100.0	

X2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	14	28.0	28.0	28.0
	2	31	62.0	62.0	90.0
	3	5	10.0	10.0	100.0
	Total	50	100.0	100.0	

X3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	13	26.0	26.0	26.0
	2	29	58.0	58.0	84.0
	3	8	16.0	16.0	100.0
	Total	50	100.0	100.0	

X4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	13	26.0	26.0	26.0
	2	30	60.0	60.0	86.0
	3	7	14.0	14.0	100.0
	Total	50	100.0	100.0	

LAMPIRAN V : OUTPUT DESKRIPTIF VARIABEL PEMILIHAN RUTE

5. Dari Akses Masuk di Teling ke Akses Keluar di Malalayang

Y

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	10	20.0	20.0	20.0
	2	31	62.0	62.0	82.0
	3	9	18.0	18.0	100.0
	Total	50	100.0	100.0	

X1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	12	24.0	24.0	24.0
	2	30	60.0	60.0	84.0
	3	8	16.0	16.0	100.0
	Total	50	100.0	100.0	

X2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	14	28.0	28.0	28.0
	2	32	64.0	64.0	92.0
	3	4	8.0	8.0	100.0
	Total	50	100.0	100.0	

X3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	13	26.0	26.0	26.0
	2	28	56.0	56.0	82.0
	3	9	18.0	18.0	100.0
	Total	50	100.0	100.0	

X4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	14	28.0	28.0	28.0
	2	31	62.0	62.0	90.0
	3	5	10.0	10.0	100.0
	Total	50	100.0	100.0	

LAMPIRAN V : OUTPUT DESKRIPTIF VARIABEL PEMILIHAN RUTE

6. Semua Akses Masuk Keluar di Kota Manado (Gabungan)

Y

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	57	22.8	22.8	22.8
	2	148	59.2	59.2	82.0
	3	45	18.0	18.0	100.0
	Total	250	100.0	100.0	

X1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	62	24.8	24.8	24.8
	2	145	58.0	58.0	82.8
	3	43	17.2	17.2	100.0
	Total	250	100.0	100.0	

X2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	72	28.8	28.8	28.8
	2	157	62.8	62.8	91.6
	3	21	8.4	8.4	100.0
	Total	250	100.0	100.0	

X3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	67	26.8	26.8	26.8
	2	137	54.8	54.8	81.6
	3	46	18.4	18.4	100.0
	Total	250	100.0	100.0	

X4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	70	28.0	28.0	28.0
	2	149	59.6	59.6	87.6
	3	31	12.4	12.4	100.0
	Total	250	100.0	100.0	