

## DAFTAR PUSTAKA

- [1] C. Surjadi, "Globalisasi dan Pola Makan Mahasiswa, Studi Kasus di Jakarta," *J. Kesehat.*, vol. 4, no. 6, p. 416, 2013.
- [2] H. W. Gout, "Makanan sehat untuk asam urat," pp. 1–2, 2011.
- [3] M. Syukri, R. S. U. Zainoel, and A. Banda, "Asam Urat dan Hiperuresemia," vol. 40, no. 1, 2007.
- [4] T. With and F. Versus, "Chronin Gout and Hyperuricemia," *Prof. Med. J.*, p. 59, 2014.
- [5] N. C. Cook and S. Samman, "Flavonoids - Chemistry, metabolism, cardioprotective effects, and dietary sources," *J. Nutr. Biochem.*, vol. 7, no. 2, pp. 66–76, 1996.
- [6] G. Chen, M. Tan, K. Li, P. Leung, and C. Ko, "Green tea polyphenols decreases uric acid level through xanthine oxidase and renal urate transporters in hyperuricemic mice," *J. Ethnopharmacol.*, vol. 175, pp. 14–20, 2015.
- [7] F. W. Pribadi and D. A. Ernawati, "EFEK CATECHIN TERHADAP KADAR ASAM URAT , C – REACTIVE PROTEIN ( CRP ) DAN MALONDIALDEHID DARAH TIKUS PUTIH ( *Rattus norvegicus* ) HIPERURISEMIA," vol. 4, pp. 39–46, 2010.
- [8] N. Schlesinger, D. C. Radvanski, T. C. Young, J. V McCoy, R. Eisenstein, and D. F. Moore, "Diagnosis and Treatment of Acute Gout at a University Hospital Emergency Department," *Open Rheumatol. J.*, vol. 9, no. 1, pp. 21–26, 2015.
- [9] S. Wolfram, "Effects of Green Tea and EGCG on Cardiovascular and," vol. 26, no. 4, pp. 373–388, 2007.
- [10] P. J. Rogers, J. E. Smith, and S. V Heatherley, "Time for tea : mood , blood pressure and cognitive performance effects of caffeine and theanine administered alone and together," pp. 569–577, 2008.
- [11] S. P. Kelly, M. Gomez-Ramirez, J. L. Montesi, and J. J. Foxe, "L-theanine and caffeine in combination affect human cognition as evidenced by oscillatory alpha-band activity and attention task performance.," *J. Nutr.*, vol. 138, no. 8, p. 1572S–1577S, 2008.
- [12] R. S. Bruno, C. E. Dugan, J. A. Smyth, D. A. Dinatale, and S. I. Koo, "Green Tea Extract Protects Leptin-Deficient , Spontaneously Obese Mice from Hepatic," no. October 2007, pp. 323–331, 2008.
- [13] D. L. Mckay and J. B. Blumberg, "The Role of Tea in Human Health : An Update," vol. 21, no. 1, pp. 1–13, 2002.
- [14] I. Senyawa, D. Tumbuhan, S. Merah, and P. C. Ruiz, "Isolasi dan Identifikasi Senyawa Flavonoid dari Daun Tumbuhan Sirih Merah (," *Pros.*

- Peen. Spes. Unisaba*, pp. 191–196, 2015.
- [15] R. Beecher and A. Warden, “Analysis of Tea Polyphenols (4437749),” *Exp. Biol. Med.*, no. 4437749, pp. 267–270, 1999.
- [16] A. Kumar *et al.*, “Antibacterial activity of green tea (*Camellia sinensis*) extracts against various bacteria isolated from environmental sources,” *Recent Res. Sci. Technol.*, vol. 4, no. 1, pp. 19–23, 2012.
- [17] S. Archana and J. Abraham, “Comparative analysis of antimicrobial activity of leaf extracts from fresh green tea, commercial green tea and black tea on pathogens,” *J. Appl. Pharm. \scienc*e, vol. 1, no. 8, pp. 149–152, 2011.
- [18] U. E. Mostafa, “Effect of Green Tea and Green Tea Rich with Catechin on Blood Glucose Levels , Serum Lipid Profile and Liver and Kidney,” *Jordan J. Biol. Sci.*, vol. 7, no. 1, pp. 7–12, 2014.
- [19] D. Naocl and T. Bakteri, “EFEKTIVITAS EKSTRAK DAUN TEH HIJAU ( *Camellia sinensis* ) DENGAN NaOCl 2,5% TERHADAP BAKTERI *Enterococcus faecalis* SEBAGAI ALTERNATIF LARUTAN IRIGASI SALURAN AKAR,” *Skripsi*, 2015.
- [20] J. Maiuolo, F. Oppedisano, S. Gratteri, C. Muscoli, and V. Mollace, “Regulation of uric acid metabolism and excretion,” *Int. J. Cardiol.*, vol. 213, pp. 8–14, 2016.
- [21] M. Gliozzi, N. Malara, S. Muscoli, and V. Mollace, “The treatment of hyperuricemia ☆,” *Int. J. Cardiol.*, vol. 213, pp. 23–27, 2016.
- [22] S. Gowda, P. B. Desai, S. S. Kulkarni, V. V Hull, A. a K. Math, and S. N. Vernekar, “Markers of renal function tests.,” *N. Am. J. Med. Sci.*, vol. 2, no. 4, pp. 170–3, 2010.
- [23] S. Lin, G. Zhang, Y. Liao, and J. Pan, “International Journal of Biological Macromolecules Inhibition of chrysin on xanthine oxidase activity and its inhibition mechanism,” *Int. J. Biol. Macromol.*, vol. 81, pp. 274–282, 2015.
- [24] M. R. De Souza, C. A. De Paula, M. L. Pereira De Resende, A. Grabe-Guimarães, J. D. De Souza Filho, and D. A. Saúde-Guimarães, “Pharmacological basis for use of *Lychnophora trichocarpa* in gouty arthritis: Anti-hyperuricemic and anti-inflammatory effects of its extract, fraction and constituents,” *J. Ethnopharmacol.*, vol. 142, no. 3, pp. 845–850, 2012.
- [25] I. Adnyana, Andrajati, Sukandar, Sigit, Setiadi, and Kusnandar, *Iso Farmakoterapi*. PT. ISFI Penerbitan Jakarta, 2009.
- [26] E. Sloane, *Anatomi dan Fisiologi Untuk Pemula*. Jakarta, 2004.
- [27] R. Amirudin, *Fisiologi dan Biokimia Hati*, V. Jakarta: Interna Publishing, 2009.
- [28] S. Hadi, *Sirosis Hepatis dalam Gastroenterologi*. Bandung, 2002.

- [29] G. Chen, M. L. Tan, K. K. Li, P. C. Leung, and C. H. Ko, "Green tea polyphenols decreases uric acid level through xanthine oxidase and renal urate transporters in hyperuricemic mice," *J. Ethnopharmacol.*, vol. 175, pp. 14–20, 2015.
- [30] S. xiang Hou, W. jing Zhu, M. qun Pang, J. Jeffry, and L. lan Zhou, "Protective effect of iridoid glycosides from *Paederia scandens* (LOUR.) MERRILL (Rubiaceae) on uric acid nephropathy rats induced by yeast and potassium oxonate," *Food Chem. Toxicol.*, vol. 64, pp. 57–64, 2014.
- [31] X. Zhao, J. X. Zhu, S. F. Mo, Y. Pan, and L. D. Kong, "Effects of cassia oil on serum and hepatic uric acid levels in oxonate-induced mice and xanthine dehydrogenase and xanthine oxidase activities in mouse liver," *J. Ethnopharmacol.*, vol. 103, pp. 357–365, 2006.
- [32] Y. I. Yonetani and K. Waki, "Effects of Uricosuric Drugs and Diuretics on Uric Acid Excretion in Oxonated-treated Rats," *Jpn. J. Pharmacol.*, vol. 33 no.5, pp. 947–954, 1983.
- [33] M. Mazzali *et al.*, "Elevated Uric Acid Increases Blood Pressure in the Rat by a Novel Crystal-Independent Mechanism," *Hypertension*, vol. 38, no. 5, pp. 1101–1106, 2001.
- [34] D. Astuti, "Efek antihiperurisemia kombinasi ekstrak air kelopak rosella (*Hibiscus sabdariffa* L) dan akar tanaman akar kucing (*Acalypha indica* L) pada tikus putih jantan yang diinduksi kalsium oksonat," 2011.
- [35] N. NHS, "Dietary Advice for People with Gout," *Dep. Nutr. Diet. Norfolk Norwich Univ. Hosp. NHS Found. Trust James Paget Univ. Hosp. NHS Found. Trust*, no. November, pp. 1–2, 2017.
- [36] K. Kaneko, Y. Aoyagi, T. Fukuuchi, K. Inazawa, and N. Yamaoka, "Total Purine and Purine Base Content of Common Foodstuffs for Facilitating Nutritional Therapy for Gout and Hyperuricemia," vol. 37, no. May, pp. 709–721, 2014.
- [37] S. W. Nengsi, "Gambaran Asupan Purin, Penyakit Arthritis Gout, Kualitas Lanjut Usia Di Kecamatan Tamalanrea," *Fak. Kesehat. Masy. Univ. Hasanuddin*, pp. 1–9, 2014.
- [38] V. S. Settaluri, C. V. K. Kandala, N. Puppala, and J. Sundaram, "Peanuts and Their Nutritional Aspects — A Review," *Food Nutr. Sci.*, vol. 2012, no. December, pp. 1644–1650, 2012.
- [39] A. M. Salah, J. Gathumbi, and W. Vierling, "Inhibition of intestinal motility by methanol extracts of *Hibiscus sabdariffa* L. (Malvaceae) in rats," *Phyther. Res.*, vol. 16, no. 3, pp. 283–285, 2002.
- [40] P. Cos *et al.*, "Structure-activity relationship and classification of flavonoids as inhibitors of xanthine oxidase and superoxide scavengers," *J. Nat. Prod.*, vol. 61, no. 1, pp. 71–76, 1998.
- [41] A. Nagao, M. Seki, and H. Kobayashi, "Inhibition of xanthine oxidase by

- flavonoids.,” *Biosci. Biotechnol. Biochem.*, vol. 63, no. 10, pp. 1787–90, 1999.
- [42] H. Usia and G. Minggu, “HUBUNGAN OBESITAS TERHADAP KADAR MALONDIALDEHID (MDA) PLASMA PADA MAHASISWA PROGRAM STUDI PENDIDIKAN DOKTER UIN SYARIF HIDAYATULLAH JAKARTA 2013,” 2013.
- [43] W. Widowati, R. Safitri, R. Rumumpuk, and M. Siahaan, “Penapisan Aktivitas Superoksida Dismutase pada Berbagai Tanaman,” *Jkm*, vol. 5, no. 1, pp. 33–48, 2005.
- [44] J. V Higdon and B. Frei, “Critical Reviews in Food Science and Nutrition Tea Catechins and Polyphenols: Health Effects , Metabolism , and Antioxidant Functions Tea Catechins and Polyphenols: Health Effects , Metabolism , and Antioxidant Functions,” no. June 2015, pp. 37–41, 2010.
- [45] X.-L. Yang, Y. Kim, T. J. Kim, S. Jung, C. K. Kim, and S.-H. Lee, “Association of serum uric acid and cardioembolic stroke in patients with acute ischemic stroke,” *J. Neurol. Sci.*, vol. 370, pp. 57–62, 2016.
- [46] K. Kohagura *et al.*, “An association between uric acid levels and renal arteriolopathy in chronic kidney disease: a biopsy-based study,” *Hypertens. Res.*, vol. 36, no. 1, pp. 43–49, 2013.
- [47] F. Preitner *et al.*, “Urate-induced acute renal failure and chronic inflammation in liver-specific Glut9 knockout mice.,” *Am. J. Physiol. Renal Physiol.*, vol. 305, no. 5, pp. F786-95, 2013.
- [48] T. Nagao *et al.*, “Ingestion of a tea rich in catechins leads to a reduction in body fat and malondialdehyde-modified LDL in men,” *Am. J. Clin. Nutr.*, vol. 81, no. 1, pp. 122–129, 2005.
- [49] L. I. Hart, M. A. McGartoll, H. R. Chapman, and R. C. Bray, “The composition of milk xanthine oxidase,” *Biochem. J.*, vol. 116, no. 5, pp. 851–864, 1970.
- [50] H. Nursyam, “Kajian Penggunaan Ciprofloxacin terhadap Histologi Insang dan Hati Ikan Botia ( Botia macracanthus , Bleeker ) yang Diinfeksi Bakteri Aeromonas hydrophila,” vol. 2, no. 1, pp. 6–12, 2012.
- [51] K. Rahman, “Studies on free radicals, antioxidants, and co-factors.,” *Clin. Interv. Aging*, vol. 2, no. 2, pp. 219–236, 2007.