

DAFTAR PUSTAKA

- Achmadi, S. 2004. Analisis Kimia Produk Lebah Madudan Pelatihan Staf Laboratorium Pusat Perlebahan Nasional Parung Panjang. Fakultas Matematika dan Ilmu Pengetahuan Alam IPB, Bogor.
- Alvarez-Suarez, J.M., Tulipani, S., Bertoli, S.R.E. and Battino, M. 2010. Contribution of honey in nutrition and human health: a review. *Mediterranean Journal of Nutrition and Metabolism*, 3: 15-23.
- Baltrušaitė, V., P. R. Venskutonis and V. Čeksterytė. 2007. Radical Scavenging Activity of Different Floral Origin Honey and Beebread Phenolic Extracts. *Food Chemistry*, 101: 502-514.
- Barra, M.P.G., Ponce-Diaz, M.C. and Venegas-Gallegos, C. 2010. Volatile Compounds in Honey Produced in The Central Valley of Nuble Province, Chile, Chilean. *J. Agr. res.*, 70 (1): 75-84.
- Bertoncelj, J., U. Doberšek, M. Jamnik and T. Golob. 2007. Evaluation of the Phenolic Content, Antioxidant Activity and Colour of Slovenian Honey. *Food Chemistry*, 105: 822-828.
- Bogdanov, S., T. Jurendic, R. Sieber and P. Gallmann. 2008. Honey for Nutrition and Health: a Review. *American Journal of the College of Nutrition*, 27: 677-689.
- Buba, F., Gidado, A. and Shugaba, A. 2013. Analysis of Biochemical Composition of Honey Samples from North-East Nigeria. *Biochemical and analytical biochemistry*, 3 (2): 1-7.
- Budiarti, A., Sumantri dan Istyaningrum, D. 2013. Evaluasi Kandungan Vitamin C Dalam Madu Randu Dan Madu Kelengkeng Dari Peternak Lebah Dan Madu Perdagangan Di Kota Semarang. Fakultas Farmasi Universitas Wahid Hasyim. Semarang.
- Chayati, I. 2008. Sifat Fisikokimia Madu Monoflora Dari Daerah Istimewa Yogyakarta Dan Jawa Tengah. *Agritech*, 28 (1): 9-14.
- Chayati, I. dan I. Miladiyah. 2014. Kandungan Komponen Fenolat, Kadar Fenolat Total, dan Aktivitas Antioksidan Madu Dari Beberapa Daerah di Jawatan Sumatera. *MGMI*, 6 (1): 11-24.
- Ferreira, I. C. F. R., E. Aires, J. C. M. Barreira and J. C. M. Estevinho. 2009. Antioxidant activity of Portuguese honey samples: Different contributions of the entire honey and phenolic extract. *Food Chemistry*, 114: 1438-1443.
- Haviva, A.B. 2011. Dahsyatnya Mukjizat Madu untuk Kesehatan, Kecantikan dan Kecerdasan. DIVA Press. Jogjakarta.
- Hernani, M. Rahardjo. 2005. Tanaman Berkhasiat Antioksidan. Penebar Swadaya. Jakarta.
- Holistic Health Solution. 2011. Khasiat Fantastis Kulit manggis. Grasindo. Jakarta.

- Intanwidya, Y. 2005. Analisa Madu dari Segi Kandungannya Berikut Khasiatnya Masing-Masing. <http://www.mail-archive.com/forum@alumniakabogor.net/msg01046.html>. Diakses Tanggal 12 Januari 2015.
- Ita, B.N. 2013. Antioxidant Activity of Honey Samples From the Southern Rainforest and Northern Savannah Ecosystems in Nigeria. *International Journal of Pharmaceutical Sciences and Research*, 2 (8): 2115-2120.
- Kaskoniene, V., A. Maruska and O. Kornysova. 2009. Quantitative and Qualitative Determination of Phenolic Compounds in Honey. *J. Chemine Technology*, 52 (3): 74-80.
- Kesic, A., Crnkic, A., Hodzic, Z., Ibrismovic, N. and Sestan, A. 2014. Effect of Botanical Origin and Ageing on HMF Content in Bee Honey. *J.Sci.Resc. and Report*. 3(8): 1057-1066.
- Khalil, M.I., S.A.Sulaima and L. Boukraa. 2010. Antioxidant Properties of Honey and Its Role in Preventing Health Disorder. *The Open Nutraceuticals Journal*, 3: 6-16.
- Khalil, M.I., M. Moniruzzaman, L. Boukraa, M. Benhanifia, M.A. Islam, M.N. Islam, S.A. Sulaiman and S.H. Gan. 2012. Physicochemical and Antioxidant Properties of Algerian Honey. *Molecules*, 17(9): 11199-11215
- Khoddami, A., M.A. Wilkes and T.H. Robberts. 2013. Techniques for Analysis of Plant Phenolic Compounds. *Molecules*, 18: 2328-2375.
- Kowalski, S., Lukasiewicz, M., Chodak Dudo, A. and Ziec, G. 2013. 5-Hydroxymethyl-2-Furfural (HMF) Heat-Induced Formation Occurance in Food and Biotransformation: a Review. *J. Food Nut.*, 4 (63): 207-225.
- Kumalaningsih, S. 2006. *Antioksidan Alami*. Trubus Agisarana. Surabaya.
- Kuntadi. 2002. *Madu: Komposisi, Sifat, dan Khasiatnya*. Sylva Tropika Informasillmu Pengetahuan dan Teknologi Populer no.07 edisi Nopember 2002. Jakarta.
- Lebranc, B.W., O.K Davis, S. Boue, A. Delucca and T. Deeby. 2009. Antioxidant Activity of Sonoran Desert Bee Pollen. *Food Chemistry*, 115: 1299-1305.
- Marais, D.P.J., B. Deavours, R.A. Dixon and D. Ferreira. 2006. The Stereochemistry of Flavonoid. In: Grotewold E (ed). *The Science of Flavonoids*. Springer. Ohio.
- Marrinova, D., F. Ribarova and M. Atanassova. 2005. Total Phenolic and Total Flavonoid in Bulgarian Fruits and Vegetables. *J. University Chem. Tech. Metallurgy*. 40 (3): 255-260.
- Martos M.V., Navajas Y.R., Lopez J.F. and Alvarez JA.P. 2008. Functional Properties of Honey, Propolis, and Royal Jelly. *J. Food Science*, 73(9): R117-R124.

- Michels, K.B., E. Giovannucci, K.J. Joshipura, B.A. Risner, M.J. Stampfer, S. Fuchs, G.A. Colditz, F.E. Sperizer and W.C. Willett. 2000. Prospective study of fruit and vegetable consumption and incidence of colon and rectal cancers. *Journal of the National Cancer Institute*, 92: 1740-1752.
- Moniruzzaman, M., S.A. Sulaiman, M.1. Khalil and S.H. Gan. Evaluation of Physicochemical and Antioxidant Properties of Sourwood and Other Malaysian Honeys: a Comparison With Manuka Honey. *Chemistry Central*, 7: 138.
- Morison, M.J. 2004. *Manajemen Luka*. Alih Bahasa oleh Tyasmono A.F. EGC. Jakarta.
- Namias, N. 2003. *Honey in The Management of Infection*. Miami: De Witt Dughtry Family Department of Surgery, University School of Medicine.
- Padayatty SJ. 2003. Vitamin C as an antioxidant: evaluation of its role in disease prevention. *Journal of the American College of Nutrition*. 22:18-35.
- Parwata, I.M.O.A., K. Ratnayanidan A. Listya. 2010. Aktivitas Antiradikal Bebas Serta Kadar Beta Karoten Pada Madu Randu (Ceibapetandra) dan Madu Kelengkeng (Nephelium longata L.). *J. Kimia*, 4 (1): 54-62.
- Perez, RA., M.T. Iglesias, E. Pueyo, M. Gonzales, C. de Lorenzo. 2007. Amino Acid Composition and Antioxidant capacity of Spanish. *J. Agric Food Chem.*, 55 (2): 360-5.
- Perez, E., AJ. Rodriguez-Malaver, P. Vit. Antioxidant Capacity of Venezuelan Honey in Wistar Rat Homogenates. *J. Med Food*, 9 (4): 510-6.
- Pujimulyani, D., S. Raharjo, Y. Marsonodan U. Santoso. 2010. Pengaruh Blanching Terhadap Aktivitas Antioksidan, Kadar Fenol, Flavonoid, dan Tanin Terkondensasi Kunir Putih (curcuma mangga val.). *J. AGRITECH*, 30 (3): 141-147.
- Pontis, J.A., L.A.M. Alves da Costa, S.J. Reis da Silva and A. Flachi. 2014. Color, Phenolic and Flavonoid Content of Honey from Roraima, Brazil. *Food Science and Technology*, 34 (1): 69-73.
- Popova, M. P., V.S. Bankova, S. Bogdanov, I. Tsvetkova, C. Naydenski, G.L. Marcazzan and A.G. Sabatini. 2007. Chemical Characteristics of Poplar Type Propolis of Different Geographic Origin. *J. Apidologie*, 38: 306-311.
- Purwantaka. 2005. *Validasi Metode Deoksidasi Sebagai Uji Penangkapan Radikal Bebas Hidroksil Oleh Vitamin C Secara In-vitro*. Fakultas Farmasi Universitas Sanata Dharma Yogyakarta.
- Radiati L.E., I. Thohari, N.H. Agustina. 2007. Kajian Propolis, Pollen dan Royal Jelly Pada Produk Madu Sebagai Antioksidan Alami. *Jitek*, 2 (1): 35-39.

- Rafi, M.,N. Widyastuti, E. Suradikusumah,Darusman LK. 2012. AktivitasAntioksidan, Kadar Fenoldan Flavonoid Total Dari EnamTumbuhanObat Indonesia. *J.BahanAlam Indonesia*, 8(3): 159-165.
- Raharjo, M. 2005. *TanamanBerkhasiatAntioksidan*. PenebarSwadaya. Jakarta.
- Ratnayani K., Laksimawati A. A.I. A. M. dan Septian Ni P. 2012. Kadar Total Senyawa Fenolat Pada Madu Randu dan Madu Kelengkeng Serta Uji Aktivitas Antiradikal Bebas dengan Metode DPPH (Difenilpicril Hidrazil). *Jurnal Kimia*, 6 (2): 163-168
- Rohmatussolihat. 2009. Antioksidan, PenyelamatSel-SelTubuhManusia. *BioTrends*, 4(1):5-9.
- Rostita. 2007. *Berkat Madu Sehat, Cantik dan Penuh Vitalitas*.PT. Mizan Pustaka. Bandung.
- Rusfidra.2006.TanamanPakanLebahMadu.http://bunghatta.ac.id/artikel-141-tanaman_pakan_lebah_madu.html. DiaksesTanggal 23Juni 2015.
- Saxena, S., S. Gautam and A. Sharma. 2010. Physical, Biochemical and Antioxidant Properties of Some Indian Honeys. *Food Chemistry*, 118: 391–397.
- Schramm DD, Karim M, Schrader HR, Holt RR, Cardeti M, Keen CL. 2003. Honeywith high levels of antioxidants can provide protection to healthy humansubjects. *J. Agricultural and Food Chemistry*, 51: 1732–1735.
- Sihombing, D.T.H. 2007.*IlmuTernakLebahMadu*.GadjahMada University Press.Yogyakarta.
- Socha, R., L. Juszczak, S. Pietrzyk and T. Fortuna. 2009. Antioxidant Activity and Phenolic Composition of Herbhoney. *Food Chemistry*, 113: 568-574.
- StandarNasional Indonesia 354. 2013. Madu. BadanStandarisasiNasional. Jakarta.
- Suarez. 2010. Contribution of Honey in Nutrition and Human Health: A Rivew, *Mediterrenian J. Nutr. Metabolisme*, 3: 15-23.
- Suranto, A. 2007.*KhasiatdanManfaatMadu Herbal*.AgroMediaPustaka. Jakarta.
- The National Honey Board. 2004. *Honey-Health and Therapeutic Qualities*. Longmont. <http://www.nhb.org>. Diaksestanggal 25 Desember 2014.
- Turhan, I., Tetik, N., Korhan, M., Gurel, F., Reyhan and Tavukcuoflu, H. 2008. Quality of Honey Influenced by ThermalnTreatment. *LWT Food Sci. and Tech.*, 41(1): 139-1399
- Tylkowski, B., B. Trusheva, V. Bankova, M. Giamberini, G. Peev and A. Nikolova. 2010.Extraction of Biologically Active Compounds From Propolis and Concentration of Extract by Nanofiltration. *J. Membrane Science*,348: 124-130.
- USDA Nutrient Database. 2017. Honey: Nutrient values and weights are for edible portion.<http://ndb.nal.usda.gov/ndb/foods/show/6238?manu=&fgcd=>. Diakses Tanggal 15 Januari 2017.

- Vermerris, W. and R. Nicholson. 2006. Phenolic Compound Biochemistry. Springer. Dordrecht.
- Waji, R.A dan A. Sugrani. 2009. Makalah Kimia Organi Bahan Alam: Flavonoid (Quersetin). Makasar. Program S2 Kimia FMIPA Universitas Hasanuddin.
- Wiadiawati, Y. 2009. Pengaruh Substitusi Produk Samping Nenas (*Ananas comosus*(L). Merr) pada Pakan Basal Rumput Gajah dan Kaliandra terhadap Ekosistem Rumen Domba. *JITV*, 14 (4): 253-261.
- Winarsih, A. 2007. Sumber Tanaman Pakan Lebah Madu. <http://www.scribd.com/doc/170159733/Tanaman-Pakan-lebah-doc#scribd>. Diakses Tanggal 23 Juni 2015.
- Windono, T., S. Soediman, U. Yudawati, E. Ermawati, A. Sri Lita, T.I. Erowati. 2011. Uji Peredaman Radikal Bebas Terhadap 1,1-Diphenyl-2-picrylhydrazyl (DPPH) dari Ekstrak Kulit Buah dan Biji Anggur (*Vitis vinifera* L.). *Probolinggo Biru dan Bali. J. Artocarpus Media Pharmaceutical Indonesia*, 12: 34-43.
- Yuslianti, E.R., B.M. Bachtiar, D.F. Suniarti and A.B. Sutjiatmo. 2015. Antioxidant Activity of Rambutan Honey: The Free Radical-Scavenging Activity *in vitro* and Lipid Peroxidation Inhibition of Oral Mucosa Wound Tissue *in vivo*. *Res. J. Med. Plant*, 9 (6): 284-292.
- Yuwono A. 2009. Antioxidant and Health Disease. <http://farmacology.org/specialistmedic/internist>. Diakses tanggal 25 Desember 2014.
- Zuhra, C.F., J.Br. Taringan, dan H. Sihotang. 2008. Aktivitas Antioksidan Senyawa Flavonoid Dari Daun Katuk (*Sauropus androgynus* (L) Merr). *J. Biologi Sumatera*, 3 (1): 7-10.