

DAFTAR PUSTAKA

- Abidi K, Khoudri I, Belayachi J, Madani N, Zekraoui A, Zeggwagh AA, dkk. 2008. Eosinopenia is a reliable marker of sepsis on admission to medical intensive care units. *Crit Care*; **12**: R59.
- Aikawa N, Fujishima S, Sekine SEI, Kogawa K, Yamamoto Y, Kushimoto S, et.al. 2005. Multicenter prospective study of procalcitonin as an indicator of sepsis. *J Infect Chemotherapy*. **11**:152–159.
- Aird, William C. 2003. "The role of the endothelium in severe sepsis and multiple organ dysfunction syndrome." *Blood* 101.**10** : 3765-3777.
- Balk R.A. 2000. Pathogenesis and Management of Multiple Organ Dysfunction or Failure in Severe Sepsis and Septic Shock. *Critical Care Clinics*. **16**.
- Bass, David A., et al. 1980. Eosinopenia of acute infection: production of eosinopenia by chemotactic factors of acute inflammation. *Journal of Clinical Investigation* **65** (6): 1265
- Barnato, Amber E., et al. 2008. Racial variation in the incidence, care, and outcomes of severe sepsis: analysis of population, patient, and hospital characteristics. *American journal of respiratory and critical care medicine* **177** (3): 279-284.
- Boomer, et al. 2014. The changing immune system in sepsis: is individualized immuno-modulatory therapy the answer?. *Virulence* **5** (1) : 45-56.
- Cheadle WG, Pemberton MR, Robinson D, LivingstonDH, Rodriguez JL, Pokl HC.1993. Lymphocyte subsets responses to trauma and sepsis. *J Trauma*. **35**: 844–9
- Chirouze C. et al. 2002. Low serum procalcitonin level accurately predicts the absence of bacteremia in adult patients with acute fever. *CID*. **35** (2): 156-161.

- Crain MC, Muller B. 2007. Biomarkers In Respiratory Tract Infections: Diagnostic Guides To Antibiotic Prescription, Prognostic Markers And Mediators. *Europe Respiration J.* **30**: 556–573
- Collins, P. D., et al. 1995. Cooperation Between Interleukin-5 And The Chemokine Eotaxin To Induce Eosinofil Accumulation In Vivo. *The Journal of experimental medicine* **182** (4): 1169-1174.
- Delevaux I, Andre M, Colombier M, et al. 2003. Can Procalcitonin Measurement Help in Differentiating Between Bacterial Infection and Other Kinds of Inflammatory Processes ?. *Ann Rheum Dis.* **62**: 337 – 340.
- Delinger, R.P. and M.M.Levy. 2012. Surviving Sepsis Campaign: International Guidelines for Management of Severe Sepsis and Septic Shock. *Critical Care Medicine Journal.* **41** : 2
- Dimas K B Pardede and Dosmaria Siahaan. 2014. Eosinopenia sebagai Penanda Diagnosis Sepsis. *CDK-221(10)*: 41
- Ebisawa, Motohiro, et al. 1994. Eosinofil transendothelial migration induced by cytokines. II. Potentiation of eosinofil transendothelial migration by eosinofil-active cytokines. *The Journal of Immunology* **152** (9): 4590-4596
- Frink, M., van Griensven M., Kobbe P., Brin T., Zeckey C., Vaske B., Krettek C., and Hildebrand F. 2009. IL-6 predicts organ dysfunction and mortality in patients with multiple injuries. *Scand J Trauma Resuscitation Emergency Medicine.* **27** (17) : 49
- Giembycz MA, Lindsay MA. 1999. Pharmacology of the eosinofil. *Pharm Rev;* **51**(2) : 213-339
- Hotchkiss, Richard S., Guillaume Monneret, and Didier Payen. 2013. Immunosuppression in sepsis: a novel understanding of the disorder and

a new therapeutic approach. *The Lancet infectious diseases* **13** (3) : 260-268.

Keziban Karabult, Mehmet Gul, Zerrin Defne Dundar, Basar Cander, Sevil Kurban, Hatice Toy. 2011. Diagnostic and prognostic value of procalcitonin and phosphorus in acute mesenteric ischemia. *Ulus Travma Acil Cerrahi Derg.* **17** (3):193-198.

Morrell M.R, Micek S.T. 2009. The Management of Severe Sepsis and Septic Shock. *Infect Dis Clin N Am.* **23**: 485-501

Nakamura A,Wada H,Ikejiri M, Hatada T, Sakurai H, Matsushima Y. 2009. Efficacy of procalcitonin in the early diagnosis of Bacterial infections in a critical care unit. *Shock.* **31**(6): 586-591.

O'Connor E, Venkatesh B, lipman J, et al. 2001. Procalcitonin in Critical Illness. *Critical Care and Resuscitation.*; 3: 236-243.

Oda, S., H. Hirasawa, H. Shiga, K. Nakanishi, K. Matsuda, and M. Nakamura. 2005. Sequential measurement of IL-6 blood levels in patients with systemic inflammatory response syndrome (SIRS)/sepsis. *Cytokine* **29** : 169-175.

Peters, K., R.E. Unger, J.Brunner, and C.J. Kirkpatrick, 2003. Molecular basis of endothelial dysfunction in sepsis. *Cardiovascular Research* **60** : 49–57.

Pinheiro, Da Silva, Fabiano, and Victor Nizet. 2009. Cell death during sepsis: integration of disintegration in the inflammatory response to overwhelming infection. *Apoptosis* **14** (4): 509-521.

Reith HB, Mittelkotter U, Wagner R. 2000. Procalcitonin in patients with abdominal sepsis. *Intensive Care Med.* **2** (26) :165-169.

Riedel S, Melendez JH, Amanda T. Rosenbaum JE, Zenilman JM. 2011. Procalcitonin as a Marker for the Detection of Bacteremia and Sepsis in the Emergency Department. *Am J Clin Patho.* **135**:182-189.

- Rothenberg ME, Hogan SP. 2006. The eosinophil. *Annu Rev Immunol*. **24**:147-174.
- Rull, G. 2012. Septicaemia. <http://www.patient.co.uk/doctor/Septicaemia.htm>. downloaded on February, 7, 2013.
- Schuetz P, et al. 2011. Procalcitonin for diagnosis of infection and guide to antibiotic decisions: past, present and future. *BMC Medicine*. **9** : 107.
- Schulte, W., J. Bernhagen, and R. Bucala. 2013. Cytokines in Sepsis: Potent Immunoregulators and Potential Therapeutic Targets—An Updated View. Hindawi Publishing Corporation. *Mediators of Inflammation*, Volume 2013, Article ID 165974, 16 pages.
- Shaaban H, Daniel S, Sison R, Slim J, Perez G. 2010. Eosinopenia : Is it a good marker of sepsis in comparison to procalcitonin and c-reactive protein levels for patients admitted to a critical care unit in an urban hospital *Critical Care*. **25**(4):570-575.
- Simon L, Gauvin F, Amre DK, et al. 2004. Serum Procalcitonin and C-Reactive Protein Levels as Marker of Bacterial Infection : A Systematic Review and Meta-analysis. *Clinical Infectious Diseases*. **39**: 206 – 217.
- Singer, Mervyn, et al. 2016. The third international consensus definitions for sepsis and septic shock (sepsis-3). *Jama* **315** (8): 801-810.
- Sodik, D.C., I.S. Pradipta, dan K. Lestari, 2012. Manajemen Terapi Sepsis, Fakultas Farmasi Universitas Padjadjaran, Bandung, abstrak, <http://jurnal.unpad.ac.id/ejournal/article/view/1117/1109>. downloaded on February, 7, 2013.
- Soni NJ, Samson DJ, Galaydick JL, Vats V, Pitrak DL, Aronson N. 2012. Procalcitonin Guided Antibiotic Therapy. Comparative Effectiveness Review No. 78. (Prepared by the Blue Cross and Blue Shield Association Technology Evaluation Center Evidencebased Practice Center under Contract No. 290-2007-10058-I.) *AHRQ Publication* No. **12**(13)-EHC124-

- EF. Rockville, MD: Agency for Healthcare Research and Quality. October.
www.effectivehealthcare.ahrq.gov/reports/final.cfm.
- Strassl, K. 2010. A Cell Culture Model of Lipopolysaccharide-induced Endothelial Activation; Comparison of THP-1 Cells & PBMC-derived Monocytes.
<http://www.abstract.xlibx.com/a-economy/51832-1-katharina-strassl-diploma-thesis-supervised-priv-doz-viktoria-w.php>.
- Suharto. 2007. Sepsis Dasar Patogenesis dan Pemberian Obat Antimikroba. Dalam: Penyakit Infeksi di Indonesia, Solusi Kini dan Mendatang, *Airlangga University Press* : 246-256
- Tannehill, D. 2012, Treating Severe Sepsis and Septic Shock in 2012. *Journal Blood Disorders and Tranfusion*, Department of Critical Care Medicine St Louis University Mercy Hospital, USA
<http://www.dx.doi.org/10.4172/2155-9864> downloaded on February, 7, 2013
- Terradas, Roser, et al. 2012. Eosinofil count and neutrophil-lymphocyte count ratio as prognostic markers in patients with bacteremia: a retrospective cohort study. *PloS one* **7** (8): 428-460.
- Venet, F., A. Lepape, A. L. Debard, J. Bienvenu, J. Bohe, and G. Monneret. 2004. The Th2 response as monitored by CRTH2 or CCR3 expression is severely decreased during septic shock. *Clinical Immunology*. **113** : 278-384.
- Yefta EK, Yuniati T, Rahayuningsih SE. 2009. Validitas eosinopenia sebagai penanda diagnosis pada sepsis neonatal bakterialis. *Majalah Kedokteran Indonesia*. **59** (12) : 601-606.