

DAFTAR PUSTAKA

- Adejumo, I. O., Babalola, T.O. and Alabi, O. O., 2013, *Colocasia esculenta (L) Shoot as an alternative energy source in animal nutrition*. British journal of applied science and technology 3(4): 1276-1285, 2013.
- Agus Muji Santoso, 2013, *Distribution of calcium oxalate cristal, reduction of oxalates, and the effect of cultivation method on its formation in some vegetables*, Seminar Nasional X Pendidikan Biologi FKIP UNS.
- Bhushan, B., (2009), *Biomimetics: lesson from nature-an overview*, Phil. Trans. R. Soc. A (2009) 367, 1445-1486.
- Bhushan, B. & Ling, X., 2008, J. Phys. Condens. Matter 20, 485009 (2008).
- Bhushan, B., (1999), *Principles and Applications of Tribology*, Wiley, New York.
- Bhushan B., 1999, *Handbook of Micro/Nanotribology*, 2nd edn. Boca Raton, FL: CRC Press.
- Bhushan B., 2002, *Introduction to Tribology*, Wiley, NY.
- Bhushan B. and Burton Z., 2005 “*Adhesion and friction properties of polymers in microfluidic devices*,” Nanotechnology, Vol. 16, 467.
- Bhushan, B. and Jung, Y. C., 2006, “*Micro and Nanoscale Characterization of Hydrophobic and Hydrophilic Leaf Surface*,” Nanotechnology 17 (2006) 2758-2772.
- Burton Z. and Bhushan B., 2005b, “*Surface characterization and adhesion and friction properties of hydrophobic leaf surfaces*,” Ultramicroscopy, submitted for publication.
- Bhushan, B. dan Jung, Y.C., (2006), *Micro and Nanoscale Characteriztion of Hydrophobic and Hydrophilic Leaf Surfase*, Nanotechnology 17 (2006) 2758-2772.
- Brewer, C. A., Smith, W. K., & Vogelmann, T. C. (2007). *Functional interaction between leaf trichomes, leaf wettability and the optical properties of water droplets*. Plant, Cell and Environment, 14 (9), 955 e 962.
- Burton, Z. and Bhushan, B., (2005), *Hydrophobicity, Adhesion, and Friction Properties of Nanopatterned Polymers and Scale Dependence for Micro- and Nanoelectromechanical Systems*, Nano Lett. 5 (2005) 1607-1613.

- Burton, Z. and Bhushan, B., (2005), *Hydrophobicity, Adhesion, and Friction Properties of Nanopatterned Polymers and Scale Dependence for Micro- and Nanoelectromechanical Systems*, Nano Lett. 5 (2005) 1607-1613.
- Burton, Z., (2005), *Surface Characterization, Adhesion, and Friction Properties of Hydrophobic leaf surface and Nanopatterned polymers for Superhydrophobic surface*, thesis, Presented in Partial Fulfillment for Degree Master of Science in the Graduate School of the Ohio State University.
- Bhushan, B. dan Jung, Y.C., (2006), *Micro and Nanoscale Characterization of Hydrophobic and Hydrophilic Leaf Surface*, Nanotechnology 17 (2006) 2758-2772.
- Bhushan, B., (2009): "Biomimetics: Lessons from Nature – An Overview," Phil. Trans. R. Soc. A 367 (2009) 1445-1486.
- Bakeri, G., A. F. Ismail, D. Rana dan T. Matsuura, (2012a): *Development of high performance surface modified polyetherimide hollow fiber membrane for gas–liquid contacting processes*, Chemical Engineering Journal, 198–199, 327-337.
- Bakeri, G., T. Matsuura, A. F. Ismail dan D. Rana, (2012b): *A novel surface modified polyetherimide hollow fiber membrane for gas–liquid contacting processes*, Separation and Purification Technology, 89, 160-170.
- Celia, E., T. Darmanin, E. Taffin de Givenchy, S. Amigoni dan F. Guittard (2013): *Recent advances in designing superhydrophobic surfaces*, Journal of Colloid and Interface Science, 402, 1-18.
- C. Cottin-Bizonne, J.L. Barrat, L. Bocquet, and E. Charlaix., 2003, *Low-friction flows of liquid at nanopatterned interfaces*. Nat. Mater., 2(4):237–240, 2003.
- Cassie, A. and Baxter, S., (1944), *Wettability of Porous Surfaces*, Trans. Faraday Soc. 40 (1944) 546-551.
- C. W. Yao, T. P. Garvin, J. L. Alvarado, A. M. Jacobi, B. G. Jones and C. P. Marsh, 2012, *Droplet contact angle behavior on a hybrid surface with hydrophobic and hydrophilic properties*, APPLIED PHYSICS LETTERS 101, 111605 (2012).
- Chun-Wei Yao, Jorge L. Alvarado, Charles P. Marsh, Barclay G. Jones, Michael K. Collins, 2014, *Wetting behavior on hybrid surfaces with hydrophobic and hydrophilic properties*, Applied Surface Science 290 (2014) 59–65.
- Drellich, J., E. Chibowski, D. D. Meng dan K. Terpilowski (2011): *Hydrophilic and superhydrophilic surfaces and materials*, Soft Matter, 7, 9804-9828.
- Dean B., Bhushan B., (2010), *Shark-skin surfaces for fluid-drag reduction in turbulent flow: A review*. Philosophical Transactions of the Royal Society A, 2010, 368, 4775–4806.

- E. Khalili, M. Sarafbidabad, 2017, *Combination of laser patterning and nano PTFE sputtering for the creation a super-hydrophobic surface on 304 stainless steel in medical applications*, Surfaces and Interfaces 8 (2017) 219–224.
- Essalhi, M. dan M. Khayet, (2012): *Surface segregation of fluorinated modifying macromolecule for hydrophobic/hydrophilic membrane preparation and application in air gap and direct contact membrane distillation*, Journal of Membrane Science, 417–418, 163-173.
- Efome, J. E., M. Baghbanzadeh, D. Rana, T. Matsuura dan C. Q. Lan, (2015): *Effects of superhydrophobic SiO₂ nanoparticles on the performance of PVDF flat sheet membranes for vacuum membrane distillation*, Desalination, 373, 47-57.
- Fapeng Wang, Song Li, Li Wang, 2017, *Fabrication of artificial super-hydrophobic lotus-leaf-like bamboo surfaces through soft lithography*, Colloids and Surfaces A: Physicochem. Eng. Aspects 513 (2017) 389–395.
- Fengnian Xia., Lidija Sekaric & Yurii Vlasov, 2006, *Ultracompact optical buffers on a silicon chip*, Nature Photonics 1, 65 - 71 (2007).
- Guhling, O., Kinzler, C., Dreyer, M., Bringmann, G., & Jetter, R. (2005). *Surface composition of myrmecophilic plants: cuticular wax and glandular trichomes on leaves of Macaranga tanarius*. Journal of Chemical Ecology, 31(10), 2323e2341.
- Hanwei Electronics CO., LTD (<http://www.hwsensor.com>) diakses tanggal 13 September 2015.
- Haines, B. L., Jernstedt, J. A., & Neufeld, H. S. (1985). *Direct foliar effects of simulated acid rain II. Leaf surface characteristics*. New Phytologist, 99 (3), 407e416.
- Huiquan Yan, Xiaolong Lua, Chunrui Wua, Xuechao Sun, Wenyong Tang, 2017, *Fabrication of a super-hydrophobic polyvinylidene fluoride hollow fiber membrane using a particle coating process*, Journal of Membrane Science 533 (2017) 130–140.
- Hans J. Ensikat, Petra Ditsche-kuru, Christoph Neinhuis and Wilhelm Barthlott, (2011), *Superhydrophonicity in perfection: the outstanding properties of the lotus leaf*, Beilstein J. Nanotechnol. 2011, 2, 152-161.
- Holder, C. D. (2007). *Leaf water repellency of species in Guatemala and Colorado (USA) and its significance to forest hydrology studies*. Journal of Hydrology, 336(1e2), 147e154.
- Hans J. Ensikat, Petra Ditsche-kuru, Christoph Neinhuis and Wilhelm Barthlott, 2011, *Superhydrophonicity in perfection: the outstanding properties of the lotus leaf*, Beilstein J. Nanotechnol. 2011, 2, 152-161.

Hamza, A., V. A. Pham, T. Matsuura dan J. P. Santerre, (1997): *Development of membranes with low surface energy to reduce the fouling in ultrafiltration applications*, Journal of Membrane Science, 131, 217-227.

Israelachvili, J. N., (1992), *Intermolecular and Surface Forces*, 2nd edition, Academic Press, London.

Jiadao Wang, Haosheng Chen, Tao Sui, Ang Li, Darong Chen, (2009), *Investigation on hydrophobicity of lotus leaf: Experiment and theory*, Plant Science 176 (2009) 687-695.

Jianwei Ma, (2010), *Impact of surface topography on colloid and bacterial adhesion*, A thesis submitted in partial fulfillment of the requirements for the degree master of science, Rice University, Houston, Texas.

Jung, Y. C. and Bhushan, B., (2006), *Contact Angle, Adhesion, and Friction Properties of Micro- and Nanopatterned Polymers for Superhydrophobicity*, Nanotechnology 17 (2006) 4970-4980.

K. Jayasubramanian, G.S. Hikku, A.V.M. Preethi, V.S. Benitha, N. Selvakumar, 2016, *Fabrication of water repellent cotton fabric by coating nano particle impregnated hydrophobic additives and its characterization*, Journal of Industrial and Engineering Chemistry 37 (2016) 180–189.

Koch, K. and H.-J. Ensikat, (2008), *The hydrophobic coatings of plant surfaces: Epicuticular wax crystals and their morphologies, crystallinity and molecular self-assembly*. Micron, 2008. 39(7): p. 759-772.

Koch, K., Bhushan, B., and Barthlott, W., 2009a, *Multifunctional Surface Structures of Plants: An Inspiration for Biomimetics (invited)*, Prog. Mater. Sci. 54 (2009a) 137-178.

Lili Mats, Rachel Young, Graham T.T. Gibson, Richard D. Oleschuk, (2015), *Magnetik droplet actuation on natural (Colocasia leaf) and fluorinated silica nanoparticle superhydrophobic surface*, Sensor and actuator B 220 (2015) 5-12.

Lisa Ditscherlein, Jörg Fritzsche, Urs Alexander Peuker, 2016, *Study of nanobubbles on hydrophilic and hydrophobic alumina surfaces*, Colloids and Surfaces A: Physicochem. Eng. Aspects 497 (2016) 242–250.

Lv, Y., X. Yu, S.-T. Tu, J. Yan dan E. Dahlquist, (2010): *Wetting of polypropylene hollow fiber membrane contactors*, Journal of Membrane Science, 362, 444-452.

Lv, Y., X. Yu, S.-T. Tu, J. Yan dan E. Dahlquist, (2012b): *Experimental studies on simultaneous removal of CO₂ and SO₂ in a polypropylene hollow fiber membrane contactor*, Applied Energy, 97, 283- 288.

Marmur A., (2003), *Wetting on hydrophobic rough surfaces: To be heterogeneous or not to be?* Langmuir, 2003, 19, 8343–8348.

Marmur A., 2004, *The Lotus Effect: Superhydrophobicity and Metastability*, Langmuir 20 (2004) 3517-3519.

M. Mertens *et al*, 2016, *Patterned hydrophobic and hydrophilic surfaces of ultra-smooth nanocrystalline diamond layers*, Applied Surface Science 390 (2016) 526–530.

Mansourizadeh, A., Z. Aslmahdavi, A. F. Ismail dan T. Matsuura, (2014): *Blend polyvinylidene fluoride/surface modifying macromolecule hollow fiber membrane contactors for CO₂ absorption*, International Journal of Greenhouse Gas Control, 26, 83-92.

Nakajima, K. Hashimoto, T. Watanabe, K. Takai, G. Yamauchi, and A. Fujishima., 2000, *Transparent superhydrophobic thin films with self-cleaning properties*, Langmuir, 16(17):7044–7047, 2000.

Nosonovsky, M. and Bhushan, B., (2008d), *Attended Non-Adhesive Surfaces: Superhydrophobicity and Wetting Regime Transitions*, Langmuir 24 (2008d) 1525-1533.

Nosonovsky, M. and Bhushan, B., (2005), *Roughness optimization for biomimetic superhydrophobic surfaces*, Microsyst. Technol. 11 (2005) 535-549.

Nosonovsky, M. and Bhushan, B., (2008a), *Multiscale Dissipative Mechanisms and Hierarchical Surfaces: Friction, Superhydrophobicity, and Biomimetics*, Springer-Verlag, Heidelberg, Germany: 2008a.

Nosonovsky, M. and Bhushan, B., (2008d), *Attended Non-Adhesive Surfaces: Superhydrophobicity and Wetting Regime Transitions*, Langmuir 24 (2008d) 1525-1533.

Nosonovsky, M. and Bhushan, B., (2005), *Roughness optimization for biomimetic superhydrophobic surfaces*, Microsyst. Technol. 11 (2005) 535-549.

N. Perkas .A et al, 2016, *Hydrophobic coating of GaAs surfaces with nanostructured ZnO*, Materials Letters 175 (2016) 101–105.

Nosonovsky, M. and Bhushan, B., (2008h), *Superhydrophobicity for Energy Conversion and Conservation Applications*, J. Adhesion Sci. Tech. 22 (2008h) 2105-2115.

Nosonovsky, M. and Bhushan, B., (2009a), *Multiscale Effects and Capillary Interactions in Functional Biomimetic Surfaces for Energy Conversion and Green Engineering*, Phil. Trans. R. Soc. A 367 (2009a) 1511-1539.

Nina Forsмана, Alina Lozhechnikova, Alexey Khakalo, Leena-Sisko Johansson, Jari Vartiainen, Monika Österberg, 2017, *Layer-by-layer assembled hydrophobic coatings for cellulose nanofibril films and textiles, made of polylysine and natural wax particles*, Carbohydrate Polymers 173 (2017) 392–402.

Onda, T., S. Shibuichi, N. Satoh dan K. Tsujii (1996): *Super-Water-Repellent Fractal Surfaces*, Langmuir, 12, 2125-2127.

Patankar N A., (2004), *Transition between superhydrophobic states on rough surfaces*. Langmuir, 2004, 20, 7097–7102.

Patankar, N. A., 2004, *Transition Between Superhydrophobic States on Rough Surfaces*, Langmuir 20 (2004a) 7097-7102.

Paul Roach, Neil J. Shirtcliffe and Michael I. Newton, 2008, *Progres in superhydrophobic surface development*, Soft Matter, 2008,4, 224-240.

Pedoman Penulisan Proposal Penulisan Tesis dan Disertasi, 2016, Program Pascasarjana Universitas Brawijaya Malang.

Roach, P., N. J. Shirtcliffe dan M. I. Newton (2008): *Progres in superhydrophobic surface development*, Soft Matter, 4, 224-240.

R. Blossey, (2003), *Self-cleaning surfaces- virtual realities*, Nature Materials, 2 301 306.

R. Truesdell, A. Mammoli, P. Vorobieff, F. van Swol, and C.J. Brinker. *Drag Reduction on a Patterned Superhydrophobic Surface*. Phys. Rev. Lett., 97:44504, 2006.

Rahbari-Sisakht, M., A. F. Ismail, D. Rana dan T. Matsuura, (2012a): *Effect of novel surface modifying macromolecules on morphology and performance of Polysulfone hollow fiber membrane contactor for CO₂ absorption*, Separation and Purification Technology, 99, 61-68.

Rahbari-Sisakht, M., A. F. Ismail, D. Rana dan T. Matsuura, (2012b): *A novel surface modified polyvinylidene fluoride hollow fiber membrane contactor for CO₂ absorption*, Journal of Membrane Science, 415–416, 221-228.

Rachmat Subagyo, I.N.G. Wardana, Agung Widodo, Eko Siswanto., (2017), “*The mechanism of hydrogen bubble formation caused by the superhydrophobic characteristic of taro leaves*,” International Review of Mechanical Engineering (I.R.E.M.E.), Vol.11, N.2, February 2017.

Sh. Ammar, K. Ramesh, B. Vengadaesvaran, S. Ramesh, A.K. Arof, 2016, *A novel coating material that uses nano-sized SiO₂ particles to intensify hydrophobicity and corrosion protection properties*, Electrochimica Acta 220 (2016) 417–426.

Steve Heinen, Daniel Burke, Mark O'Malley, (2016): *Electricity, gas, heat integration via residential hybrid heating technologies e An investment model assessment*, Energy 109 (2016) 906e919.

- Suk, D. E., T. Matsuura, H. B. Park dan Y. M. Lee, (2010): *Development of novel surface modified phase inversion membranes having hydrophobic surface-modifying macromolecule (nSMM) for vacuum membrane distillation*, Desalination, 261, 300-312.
- T. Onda, S. Shibuichi, N. Satoh, and K. Tsujii., 1996, *Super-Water-Repellent Fractal Surfaces*. Langmuir, 12:2125–2127, 1996.
- Wang, C. J., & Liu, Z. Q. (2007). *Foliar uptake of pesticides present status and future challenge*. Pesticide Biochemistry and Physiology, 87(1), 1e8.
- Wagner, P., Furstner, R., Barthlott, W., & Neinhuis, C. (2003). *Quantitative assessment to the structural basis of water repellency in natural and technical surfaces*. Journal of Experimental Botany, 54 (385), 1295e1303.
- Wenzel, R. N., (1936), “*Resistance of Solid Surfaces to Wetting by Water*,” Indust. Eng. Chem. 28 (1936) 988-994.
- Yong Chae Jung, 2009, *Natural and Biomimetic Artificial Surface for Superhydrophobicity, Self-Cleaning, Low Adhesion , and Drag Reduction*. Dissertation, The Ohio State University.
- Y. He, W.T. Sun, S.C. Wang, P.A.S. Reed, F.C. Walsh, 2017, *An electrodeposited Ni-P-WS2 coating with combined super-hydrophobicity and self-lubricating properties*, Electrochimica Acta 245 (2017) 872–882.
- Zhang, H.-Y., R. Wang, D. T. Liang dan J. H. Tay, (2008): *Theoretical and experimental studies of membrane wetting in the membrane gas–liquid contacting process for CO₂ absorption*, Journal of Membrane Science, 308, 162-170.