

Lampiran Output SPSS

1. Persepsi Penumpang Bus

Rute Kepanjen-Lawang

a. Selisih Biaya Perjalanan (ΔX_1)

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Delta_X1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.833 ^a	.694	.694	1.09220

a. Predictors: (Constant), Delta_X1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	962.571	1	962.571	806.923	.000 ^a
	Residual	423.476	355	1.193		
	Total	1386.047	356			

a. Predictors: (Constant), Delta_X1

b. Dependent Variable: Y1

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.419	.058		7.244	.000
	Delta_X1	-.001	.000	-.833	-28.406	.000

a. Dependent Variable: Y1

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	571.833 ^a	24	.000
Likelihood Ratio	564.591	24	.000
Linear-by-Linear Association	247.232	1	.000
N of Valid Cases	357		

a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is .71.

b. Selisih Waktu Tempuh Perjalanan (ΔX_2)

Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta_X2 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y2

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.852 ^a	.726	.725	1.09482

a. Predictors: (Constant), Delta_X2

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	802.856	1	802.856	669.816	.000 ^a
	Residual	303.251	253	1.199		
	Total	1106.107	254			

a. Predictors: (Constant), Delta_X2

b. Dependent Variable: Y2

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.138	.069		2.012	.045
	Delta_X2	-.125	.005	-.852	-25.881	.000

a. Dependent Variable: Y2

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	313.454 ^a	16	.000
Likelihood Ratio	337.003	16	.000
Linear-by-Linear Association	184.363	1	.000
N of Valid Cases	255		

a. 15 cells (60.0%) have expected count less than 5. The minimum expected count is .80.

c. Frekuensi Perjalanan (ΔX_3)

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Delta_X3 ^a	.	Enter

- a. All requested variables entered.
b. Dependent Variable: Y3

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.842 ^a	.710	.708	1.13921

- a. Predictors: (Constant), Delta_X3

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	641.011	1	641.011	493.923	.000 ^a
	Residual	262.155	202	1.298		
	Total	903.166	203			

- a. Predictors: (Constant), Delta_X3
b. Dependent Variable: Y3

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	3.861	.195		19.761	.000
	Delta_X3	-1.585	.071	-.842	-22.224	.000

- a. Dependent Variable: Y3

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	197.730 ^a	9	.000
Likelihood Ratio	235.307	9	.000
Linear-by-Linear Association	144.077	1	.000
N of Valid Cases	204		

- a. 8 cells (50.0%) have expected count less than 5. The minimum expected count is .50.

d. Biaya KA-KA Khusus Wanita

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Biaya_KA_KA	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1_1

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.742 ^a	.551	.550	1.23468

a. Predictors: (Constant), Biaya_KA_KA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	664.060	1	664.060	435.609	.000 ^a
	Residual	541.176	355	1.524		
	Total	1205.236	356			

a. Predictors: (Constant), Biaya_KA_KA

b. Dependent Variable: Y1_1

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.772	.065		11.806	.000
	Biaya_KA_KA	.000	.000	-.742	-20.871	.000

a. Dependent Variable: Y1_1

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	390.901 ^a	24	.000
Likelihood Ratio	396.273	24	.000
Linear-by-Linear Association	196.149	1	.000
N of Valid Cases	357		

a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 1.14.

e. Biaya KA-KA AC Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Biaya_AC ^a	.	Enter

- a. All requested variables entered.
b. Dependent Variable: Y1_2

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.764 ^a	.584	.583	1.21390

- a. Predictors: (Constant), Biaya_AC

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	734.693	1	734.693	498.590	.000 ^a
	Residual	523.108	355	1.474		
	Total	1257.801	356			

- a. Predictors: (Constant), Biaya_AC
b. Dependent Variable: Y1_2

Coefficients^c

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.595	.064		9.259	.000
	Biaya_AC	.000	.000	-.764	-22.329	.000

- a. Dependent Variable: Y1_2

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	410.786 ^a	24	.000
Likelihood Ratio	407.791	24	.000
Linear-by-Linear Association	207.943	1	.000
N of Valid Cases	357		

- a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 1.29.

f. Biaya KA-KA Tempat Duduk Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Biaya_Tempat_Duduk	.	Enter

- a. All requested variables entered.
b. Dependent Variable: Y1_3

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.801 ^a	.642	.641	1.08268

- a. Predictors: (Constant), Biaya_Tempat_Duduk

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	745.193	1	745.193	635.728	.000 ^a
	Residual	416.127	355	1.172		
	Total	1161.319	356			

- a. Predictors: (Constant), Biaya_Tempat_Duduk
b. Dependent Variable: Y1_3

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.741	.057		12.937	.000
	Biaya_Tempat_Duduk	.000	.000	-.801	-25.214	.000

- a. Dependent Variable: Y1_3

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	476.374 ^a	24	.000
Likelihood Ratio	485.994	24	.000
Linear-by-Linear Association	228.437	1	.000
N of Valid Cases	357		

- a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is .86.

g. Biaya KA-KA Polsuska Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Biaya_ ^a Polsuska	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1_4

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.788 ^a	.621	.620	1.14480

a. Predictors: (Constant), Biaya_Polsuska

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	762.031	1	762.031	581.454	.000 ^a
	Residual	465.249	355	1.311		
	Total	1227.280	356			

a. Predictors: (Constant), Biaya_Polsuska

b. Dependent Variable: Y1_4

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.576	.061		9.506	.000
	Biaya_Polsuska	.000	.000	-.788	-24.113	.000

a. Dependent Variable: Y1_4

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	465.845 ^a	24	.000
Likelihood Ratio	477.149	24	.000
Linear-by-Linear Association	221.044	1	.000
N of Valid Cases	357		

a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 1.57.

Persepsi Penumpang KA

a. Selisih Biaya Perjalanan (ΔX_1)

Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta_X1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.854 ^a	.730	.728	1.06220

a. Predictors: (Constant), Delta_X1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	399.167	1	399.167	353.786	.000 ^a
	Residual	147.803	131	1.128		
	Total	546.970	132			

a. Predictors: (Constant), Delta_X1

b. Dependent Variable: Y1

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.173	.092		1.878	.063
	Delta_X1	-.001	.000	-.854	-18.809	.000

a. Dependent Variable: Y1

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	181.473 ^a	24	.000
Likelihood Ratio	205.938	24	.000
Linear-by-Linear Association	96.331	1	.000
N of Valid Cases	133		

a. 21 cells (60.0%) have expected count less than 5. The minimum expected count is .14.

b. Selisih Waktu Tempuh Perjalanan (ΔX_2)

Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta_X2 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y2

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.853 ^a	.728	.725	1.07763

a. Predictors: (Constant), Delta_X2

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	288.813	1	288.813	248.703	.000 ^a
	Residual	107.999	93	1.161		
	Total	396.812	94			

a. Predictors: (Constant), Delta_X2

b. Dependent Variable: Y2

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.150	.111		1.354	.179
	Delta_X2	-.123	.008	-.853	-15.770	.000

a. Dependent Variable: Y2

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	133.308 ^a	16	.000
Likelihood Ratio	137.592	16	.000
Linear-by-Linear Association	68.416	1	.000
N of Valid Cases	95		

a. 15 cells (60.0%) have expected count less than 5. The minimum expected count is .20.

c. Frekuensi Perjalanan (ΔX_3)

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Delta_X3 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y3

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.883 ^a	.779	.776	.99913

a. Predictors: (Constant), Delta_X3

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	260.102	1	260.102	260.557	.000 ^a
	Residual	73.871	74	.998		
	Total	333.973	75			

a. Predictors: (Constant), Delta_X3

b. Dependent Variable: Y3

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	4.163	.281		14.830	.000
	Delta_X3	-1.655	.103	-.883	-16.142	.000

a. Dependent Variable: Y3

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	88.972 ^a	6	.000
Likelihood Ratio	106.529	6	.000
Linear-by-Linear Association	58.411	1	.000
N of Valid Cases	76		

a. 4 cells (33.3%) have expected count less than 5. The minimum expected count is 2.00.

Biaya KA-KA Khusus Wanita Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Biaya_KA_KA	.	Enter

- a. All requested variables entered.
b. Dependent Variable: Y1_1

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.782 ^a	.612	.609	1.19694

- a. Predictors: (Constant), Biaya_KA_KA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	295.605	1	295.605	206.333	.000 ^a
	Residual	187.678	131	1.433		
	Total	483.283	132			

- a. Predictors: (Constant), Biaya_KA_KA
b. Dependent Variable: Y1_1

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.673	.104		6.480	.000
	Biaya_KA_KA	.000	.000	-.782	-14.364	.000

- a. Dependent Variable: Y1_1

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	169.430 ^a	18	.000
Likelihood Ratio	172.052	18	.000
Linear-by-Linear Association	80.739	1	.000
N of Valid Cases	133		

- a. 14 cells (50.0%) have expected count less than 5. The minimum expected count is .29.

Biaya KA-KA Khusus Wanita dengan AC Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Biaya_AC ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1_2

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.871 ^a	.758	.756	.90522

a. Predictors: (Constant), Biaya_AC

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	336.466	1	336.466	410.614	.000 ^a
	Residual	107.344	131	.819		
	Total	443.810	132			

a. Predictors: (Constant), Biaya_AC

b. Dependent Variable: Y1_2

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.401	.078		5.105	.000
	Biaya_AC	-.001	.000	-.871	-20.264	.000

a. Dependent Variable: Y1_2

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	224.361 ^a	24	.000
Likelihood Ratio	222.673	24	.000
Linear-by-Linear Association	100.073	1	.000
N of Valid Cases	133		

a. 21 cells (60.0%) have expected count less than 5. The minimum expected count is .86.

Biaya KA-KA Tempat Duduk Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Biaya_Tempat_Duduk	.	Enter

- a. All requested variables entered.
b. Dependent Variable: Y1_3

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.699 ^a	.488	.484	1.36850

- a. Predictors: (Constant), Biaya_Tempat_Duduk

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	233.894	1	233.894	124.889	.000 ^a
	Residual	245.337	131	1.873		
	Total	479.231	132			

- a. Predictors: (Constant), Biaya_Tempat_Duduk
b. Dependent Variable: Y1_3

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.775	.119		6.533	.000
	Biaya_Tempat_Duduk	.000	.000	-.699	-11.175	.000

- a. Dependent Variable: Y1_3

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	127.752 ^a	24	.000
Likelihood Ratio	133.824	24	.000
Linear-by-Linear Association	64.424	1	.000
N of Valid Cases	133		

- a. 28 cells (80.0%) have expected count less than 5. The minimum expected count is .14.

Biaya KA-KA Polsuska Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Biaya_ a Polsuska	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1_4

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.760 ^a	.578	.574	1.19998

a. Predictors: (Constant), Biaya_Polsuska

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	257.970	1	257.970	179.153	.000 ^a
	Residual	188.632	131	1.440		
	Total	446.602	132			

a. Predictors: (Constant), Biaya_Polsuska

b. Dependent Variable: Y1_4

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.678	.104		6.514	.000
	Biaya_Polsuska	.000	.000	-.760	-13.385	.000

a. Dependent Variable: Y1_4

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	175.121 ^a	24	.000
Likelihood Ratio	179.194	24	.000
Linear-by-Linear Association	76.247	1	.000
N of Valid Cases	133		

a. 21 cells (60.0%) have expected count less than 5. The minimum expected count is .14.

2. Persepsi Penumpang Bus

Rute Lawang-Kepanjen

a. Selisih Biaya Perjalanan (ΔX_1)

Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta_X1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.755 ^a	.570	.568	1.33501

a. Predictors: (Constant), Delta_X1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	853.894	1	853.894	479.111	.000 ^a
	Residual	645.174	362	1.782		
	Total	1499.068	363			

a. Predictors: (Constant), Delta_X1

b. Dependent Variable: Y1

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.413	.070		5.907	.000
	Delta_X1	.000	.000	-.755	-21.889	.000

a. Dependent Variable: Y1

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	357.748 ^a	24	.000
Likelihood Ratio	380.155	24	.000
Linear-by-Linear Association	206.771	1	.000
N of Valid Cases	364		

a. 21 cells (60.0%) have expected count less than 5. The minimum expected count is .57.

b. Selisih Waktu Tempuh Perjalanan (ΔX_2)

Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta_X2 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y2

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.774 ^a	.599	.597	1.30341

a. Predictors: (Constant), Delta_X2

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	654.577	1	654.577	385.297	.000 ^a
	Residual	438.313	258	1.699		
	Total	1092.891	259			

a. Predictors: (Constant), Delta_X2

b. Dependent Variable: Y2

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.377	.081		4.658	.000
	Delta_X2	-.112	.006	-.774	-19.629	.000

a. Dependent Variable: Y2

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	235.013 ^a	16	.000
Likelihood Ratio	265.094	16	.000
Linear-by-Linear Association	155.126	1	.000
N of Valid Cases	260		

a. 15 cells (60.0%) have expected count less than 5. The minimum expected count is .60.

c. Frekuensi Perjalanan (ΔX_3)

Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta_X3 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y3

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.907 ^a	.823	.822	.86560

a. Predictors: (Constant), Delta_X3

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	718.457	1	718.457	958.880	.000 ^a
	Residual	154.349	206	.749		
	Total	872.806	207			

a. Predictors: (Constant), Delta_X3

b. Dependent Variable: Y3

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	4.294	.147		29.205	.000
	Delta_X3	-1.662	.054	-.907	-30.966	.000

a. Dependent Variable: Y3

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	273.421 ^a	6	.000
Likelihood Ratio	318.831	6	.000
Linear-by-Linear Association	170.394	1	.000
N of Valid Cases	208		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.75.

d. Biaya KA-KA Khusus Wanita Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Biaya_KA_KA	.	Enter

- a. All requested variables entered.
b. Dependent Variable: Y1_1

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.769 ^a	.591	.590	1.21577

- a. Predictors: (Constant), Biaya_KA_KA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	774.321	1	774.321	523.867	.000 ^a
	Residual	535.067	362	1.478		
	Total	1309.388	363			

- a. Predictors: (Constant), Biaya_KA_KA
b. Dependent Variable: Y1_1

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.537	.064		8.426	.000
	Biaya_KA_KA	.000	.000	-.769	-22.888	.000

- a. Dependent Variable: Y1_1

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	485.571 ^a	24	.000
Likelihood Ratio	470.971	24	.000
Linear-by-Linear Association	214.664	1	.000
N of Valid Cases	364		

- a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 2.00.

e. Biaya KA-KA Khusus Wanita dengan AC Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Biaya_AC ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1_2

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.686 ^a	.471	.470	1.37634

a. Predictors: (Constant), Biaya_AC

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	610.649	1	610.649	322.362	.000 ^a
	Residual	685.736	362	1.894		
	Total	1296.386	363			

a. Predictors: (Constant), Biaya_AC

b. Dependent Variable: Y1_2

Coefficients^c

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.644	.072		8.923	.000
	Biaya_AC	.000	.000	-.686	-17.954	.000

a. Dependent Variable: Y1_2

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	400.536 ^a	24	.000
Likelihood Ratio	374.813	24	.000
Linear-by-Linear Association	170.987	1	.000
N of Valid Cases	364		

a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 2.00.

f. Biaya KA-KA Khusus Wanita dengan Tempat Duduk Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Biaya_ Tempat_ Duduk	.	Enter

- a. All requested variables entered.
b. Dependent Variable: Y1_3

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.754 ^a	.569	.568	1.24183

- a. Predictors: (Constant), Biaya_Tempat_Duduk

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	736.859	1	736.859	477.812	.000 ^a
	Residual	558.260	362	1.542		
	Total	1295.119	363			

- a. Predictors: (Constant), Biaya_Tempat_Duduk
b. Dependent Variable: Y1_3

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.648	.065		9.954	.000
	Biaya_Tempat_Duduk	.000	.000	-.754	-21.859	.000

- a. Dependent Variable: Y1_3

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	459.209 ^a	24	.000
Likelihood Ratio	441.322	24	.000
Linear-by-Linear Association	206.529	1	.000
N of Valid Cases	364		

- a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 1.86.

g. Biaya KA-KA Khusus Wanita dengan Polsuska Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Biaya_ ^a Polsuska	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1_4

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.810 ^a	.656	.655	1.09618

a. Predictors: (Constant), Biaya_Polsuska

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	828.037	1	828.037	689.103	.000 ^a
	Residual	434.985	362	1.202		
	Total	1263.022	363			

a. Predictors: (Constant), Biaya_Polsuska

b. Dependent Variable: Y1_4

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.564	.057		9.815	.000
	Biaya_Polsuska	.000	.000	-.810	-26.251	.000

a. Dependent Variable: Y1_4

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	524.819 ^a	24	.000
Likelihood Ratio	511.318	24	.000
Linear-by-Linear Association	237.983	1	.000
N of Valid Cases	364		

a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 1.71.

Persepsi Penumpang KA

a. Selisih Biaya Perjalanan (ΔX_1)

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Delta_X1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.868 ^a	.754	.752	.99664

a. Predictors: (Constant), Delta_X1

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	377.770	1	377.770	380.324	.000 ^a
	Residual	123.167	124	.993		
	Total	500.938	125			

a. Predictors: (Constant), Delta_X1

b. Dependent Variable: Y1

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.301	.089		3.386	.001
	Delta_X1	-.001	.000	-.868	-19.502	.000

a. Dependent Variable: Y1

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	217.027 ^a	24	.000
Likelihood Ratio	221.512	24	.000
Linear-by-Linear Association	94.266	1	.000
N of Valid Cases	126		

a. 21 cells (60.0%) have expected count less than 5. The minimum expected count is .29.

b. Selisih Waktu Tempuh Perjalanan (ΔX_2)

Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta_X2 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y2

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.769 ^a	.592	.587	1.35228

a. Predictors: (Constant), Delta_X2

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	233.113	1	233.113	127.478	.000 ^a
	Residual	160.922	88	1.829		
	Total	394.035	89			

a. Predictors: (Constant), Delta_X2

b. Dependent Variable: Y2

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.150	.143		1.054	.295
	Delta_X2	-.114	.010	-.769	-11.291	.000

a. Dependent Variable: Y2

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	86.140 ^a	16	.000
Likelihood Ratio	91.611	16	.000
Linear-by-Linear Association	52.653	1	.000
N of Valid Cases	90		

a. 15 cells (60.0%) have expected count less than 5. The minimum expected count is .40.

c. Frekuensi Perjalanan (ΔX_3)

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Delta_X3 ^a	.	Enter

- a. All requested variables entered.
b. Dependent Variable: Y3

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.895 ^a	.800	.798	.92602

- a. Predictors: (Constant), Delta_X3

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	240.842	1	240.842	280.858	.000 ^a
	Residual	60.026	70	.858		
	Total	300.868	71			

- a. Predictors: (Constant), Delta_X3
b. Dependent Variable: Y3

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	4.235	.267		15.842	.000
	Delta_X3	-1.636	.098	-.895	-16.759	.000

- a. Dependent Variable: Y3

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	89.246 ^a	6	.000
Likelihood Ratio	104.612	6	.000
Linear-by-Linear Association	56.835	1	.000
N of Valid Cases	72		

- a. 4 cells (33.3%) have expected count less than 5. The minimum expected count is 2.75.

d. Biaya KA-KA Khusus Wanita Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Biaya_KA_KA	.	Enter

- a. All requested variables entered.
b. Dependent Variable: Y1_1

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.733 ^a	.537	.534	1.30151

- a. Predictors: (Constant), Biaya_KA_KA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	243.896	1	243.896	143.984	.000 ^a
	Residual	210.046	124	1.694		
	Total	453.942	125			

- a. Predictors: (Constant), Biaya_KA_KA
b. Dependent Variable: Y1_1

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.719	.116		6.203	.000
	Biaya_KA_KA	.000	.000	-.733	-11.999	.000

- a. Dependent Variable: Y1_1

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	160.191 ^a	24	.000
Likelihood Ratio	150.029	24	.000
Linear-by-Linear Association	67.161	1	.000
N of Valid Cases	126		

- a. 28 cells (80.0%) have expected count less than 5. The minimum expected count is .43.

e. Biaya KA-KA Khusus Wanita dengan AC Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Biaya_AC ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1_2

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.861 ^a	.741	.739	.95969

a. Predictors: (Constant), Biaya_AC

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	326.718	1	326.718	354.741	.000 ^a
	Residual	114.205	124	.921		
	Total	440.923	125			

a. Predictors: (Constant), Biaya_AC

b. Dependent Variable: Y1_2

Coefficients^c

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.346	.085		4.050	.000
	Biaya_AC	-.001	.000	-.861	-18.835	.000

a. Dependent Variable: Y1_2

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	160.191 ^a	24	.000
Likelihood Ratio	150.029	24	.000
Linear-by-Linear Association	67.161	1	.000
N of Valid Cases	126		

a. 28 cells (80.0%) have expected count less than 5. The minimum expected count is .43.

f. Biaya KA-KA Khusus Wanita dengan Tempat Duduk Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Biaya_ Tempat_ Duduk	.	Enter

- a. All requested variables entered.
b. Dependent Variable: Y1_3

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.772 ^a	.596	.592	1.23641

- a. Predictors: (Constant), Biaya_Tempat_Duduk

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	279.316	1	279.316	182.713	.000 ^a
	Residual	189.561	124	1.529		
	Total	468.877	125			

- a. Predictors: (Constant), Biaya_Tempat_Duduk
b. Dependent Variable: Y1_3

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.518	.110		4.702	.000
	Biaya_Tempat_Duduk	.000	.000	-.772	-13.517	.000

- a. Dependent Variable: Y1_3

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	167.045 ^a	24	.000
Likelihood Ratio	165.949	24	.000
Linear-by-Linear Association	74.464	1	.000
N of Valid Cases	126		

- a. 21 cells (60.0%) have expected count less than 5. The minimum expected count is .57.

g. Biaya KA-KA Khusus Wanita dengan Polsuska Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Biaya_ ^a Polsuska	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1_4

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.530 ^a	.281	.275	1.43660

a. Predictors: (Constant), Biaya_Polsuska

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	99.793	1	99.793	48.353	.000 ^a
	Residual	255.915	124	2.064		
	Total	355.707	125			

a. Predictors: (Constant), Biaya_Polsuska

b. Dependent Variable: Y1_4

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1.240	.128		9.686	.000
	Biaya_Polsuska	.000	.000	-.530	-6.954	.000

a. Dependent Variable: Y1_4

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	79.475 ^a	24	.000
Likelihood Ratio	78.033	24	.000
Linear-by-Linear Association	35.068	1	.000
N of Valid Cases	126		

a. 28 cells (80.0%) have expected count less than 5. The minimum expected count is .29.

3. Data Gabungan

Rute Kepanjen-Lawang

a. Selisih Biaya Perjalanan (ΔX_1)

Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta X1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y_1

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.830 ^a	.690	.689	1.11949

a. Predictors: (Constant), Delta X1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1358.828	1	1358.828	1084.240	.000 ^a
	Residual	611.588	488	1.253		
	Total	1970.416	489			

a. Predictors: (Constant), Delta X1

b. Dependent Variable: Y_1

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.308	.051		6.081	.000
	Delta X1	-.001	.000	-.830	-32.928	.000

a. Dependent Variable: Y_1

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	288.890 ^a	12	.000
Likelihood Ratio	343.563	12	.000
Linear-by-Linear Association	205.864	1	.000
N of Valid Cases	280		

a. 8 cells (40.0%) have expected count less than 5. The minimum expected count is .25.

b. Selisih Waktu Tempuh Perjalanan (ΔX_2)

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Delta X ^{2a}	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y_2

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.839 ^a	.704	.703	1.13013

a. Predictors: (Constant), Delta X2

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1055.608	1	1055.608	826.507	.000 ^a
	Residual	444.463	348	1.277		
	Total	1500.071	349			

a. Predictors: (Constant), Delta X2

b. Dependent Variable: Y_2

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.308	.060		5.102	.000
	Delta X2	-.123	.004	-.839	-28.749	.000

a. Dependent Variable: Y_2

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	405.782 ^a	16	.000
Likelihood Ratio	439.539	16	.000
Linear-by-Linear Association	245.593	1	.000
N of Valid Cases	350		

a. 10 cells (40.0%) have expected count less than 5. The minimum expected count is 1.00.

c. Frekuensi Keberangkatan (ΔX_3)

Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta X3 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y_3

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.859 ^a	.738	.737	1.07711

a. Predictors: (Constant), Delta X3

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	907.846	1	907.846	782.511	.000 ^a
	Residual	322.527	278	1.160		
	Total	1230.373	279			

a. Predictors: (Constant), Delta X3

b. Dependent Variable: Y_3

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	3.974	.158		25.206	.000
	Delta X3	-1.611	.058	-.859	-27.973	.000

a. Dependent Variable: Y_3

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	720.618 ^a	24	.000
Likelihood Ratio	736.293	24	.000
Linear-by-Linear Association	364.672	1	.000
N of Valid Cases	490		

a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is .71.

d. Biaya KA-KA Khusus Wanita Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta X1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1_KA_KW

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.769 ^a	.592	.591	1.17753

a. Predictors: (Constant), Delta X1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	981.331	1	981.331	707.731	.000 ^a
	Residual	676.655	488	1.387		
	Total	1657.986	489			

a. Predictors: (Constant), Delta X1

b. Dependent Variable: Y1_KA_KW

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.626	.053		11.768	.000
	Delta X1	.000	.000	-.769	-26.603	.000

a. Dependent Variable: Y1_KA_KW

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	572.553 ^a	24	.000
Likelihood Ratio	573.507	24	.000
Linear-by-Linear Association	289.430	1	.000
N of Valid Cases	490		

a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 2.00.

e. Biaya KA-KA Khusus Wanita dengan AC Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta X1 ^a	.	Enter

- a. All requested variables entered.
b. Dependent Variable: Y2_KA_AC

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.779 ^a	.606	.605	1.13364

- a. Predictors: (Constant), Delta X1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	965.585	1	965.585	751.346	.000 ^a
	Residual	627.148	488	1.285		
	Total	1592.733	489			

- a. Predictors: (Constant), Delta X1
b. Dependent Variable: Y2_KA_AC

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.624	.051		12.191	.000
	Delta X1	.000	.000	-.779	-27.411	.000

- a. Dependent Variable: Y2_KA_AC

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	566.133 ^a	24	.000
Likelihood Ratio	574.921	24	.000
Linear-by-Linear Association	296.453	1	.000
N of Valid Cases	490		

- a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 1.29.

f. Biaya KA-KA Khusus Wanita dengan Tempat Duduk Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta X1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y3_KA_TD

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.786 ^a	.617	.617	1.13933

a. Predictors: (Constant), Delta X1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1022.499	1	1022.499	787.708	.000 ^a
	Residual	633.457	488	1.298		
	Total	1655.956	489			

a. Predictors: (Constant), Delta X1

b. Dependent Variable: Y3_KA_TD

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.623	.051		12.097	.000
	Delta X1	.000	.000	-.786	-28.066	.000

a. Dependent Variable: Y3_KA_TD

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	643.572 ^a	24	.000
Likelihood Ratio	635.314	24	.000
Linear-by-Linear Association	301.942	1	.000
N of Valid Cases	490		

a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 2.00.

g. Biaya KA-KA Khusus Wanita dengan POLSUSKA Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta X1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y4_KA_P

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.785 ^a	.616	.615	1.15565

a. Predictors: (Constant), Delta X1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1045.628	1	1045.628	782.939	.000 ^a
	Residual	651.732	488	1.336		
	Total	1697.360	489			

a. Predictors: (Constant), Delta X1

b. Dependent Variable: Y4_KA_P

Coefficients^d

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.599	.052		-11.476	.000
	Delta X1	.000	.000	.785	27.981	.000

a. Dependent Variable: Y4_KA_P

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	624.892 ^a	24	.000
Likelihood Ratio	642.251	24	.000
Linear-by-Linear Association	301.240	1	.000
N of Valid Cases	490		

a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 2.29.

Rute Lawang-Kepanjen

a. Selisih Biaya Perjalanan (ΔX_1)

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Delta X1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y_1

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.806 ^a	.650	.649	1.20323

a. Predictors: (Constant), Delta X1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1313.104	1	1313.104	906.993	.000 ^a
	Residual	706.504	488	1.448		
	Total	2019.608	489			

a. Predictors: (Constant), Delta X1

b. Dependent Variable: Y_1

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.338	.054		-6.215	.000
	Delta X1	.001	.000	.806	30.116	.000

a. Dependent Variable: Y_1

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	635.485 ^a	24	.000
Likelihood Ratio	641.314	24	.000
Linear-by-Linear Association	341.267	1	.000
N of Valid Cases	490		

a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 1.29.

b. Selisih Waktu Tempuh Perjalanan (ΔX_2)

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Delta X2 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y_2

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.824 ^a	.679	.678	1.16309

a. Predictors: (Constant), Delta X2

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	996.637	1	996.637	736.730	.000 ^a
	Residual	470.769	348	1.353		
	Total	1467.406	349			

a. Predictors: (Constant), Delta X2

b. Dependent Variable: Y_2

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.423	.062		6.798	.000
	Delta X2	-.119	.004	-.824	-27.143	.000

a. Dependent Variable: Y_2

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	351.656 ^a	16	.000
Likelihood Ratio	410.716	16	.000
Linear-by-Linear Association	237.035	1	.000
N of Valid Cases	350		

a. 10 cells (40.0%) have expected count less than 5. The minimum expected count is 1.00.

c. Selisih Frekuensi Keberangkatan (ΔX_3)

Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta X3 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y_3

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.883 ^a	.780	.779	.97563

a. Predictors: (Constant), Delta X3

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	938.891	1	938.891	986.391	.000 ^a
	Residual	264.613	278	.952		
	Total	1203.504	279			

a. Predictors: (Constant), Delta X3

b. Dependent Variable: Y_3

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	4.184	.143		29.299	.000
	Delta X3	-1.638	.052	-.883	-31.407	.000

a. Dependent Variable: Y_3

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	327.476 ^a	12	.000
Likelihood Ratio	382.748	12	.000
Linear-by-Linear Association	217.657	1	.000
N of Valid Cases	280		

a. 8 cells (40.0%) have expected count less than 5. The minimum expected count is .25.

d. Biaya KA-KA Khusus Wanita Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta X1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1_KA_KW

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.751 ^a	.564	.563	1.25560

a. Predictors: (Constant), Delta X1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	995.378	1	995.378	631.377	.000 ^a
	Residual	769.342	488	1.577		
	Total	1764.720	489			

a. Predictors: (Constant), Delta X1

b. Dependent Variable: Y1_KA_KW

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.566	.057		9.983	.000
	Delta X1	.000	.000	-.751	-25.127	.000

a. Dependent Variable: Y1_KA_KW

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	573.326 ^a	24	.000
Likelihood Ratio	554.205	24	.000
Linear-by-Linear Association	275.817	1	.000
N of Valid Cases	490		

a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 2.43.

e. Biaya KA-KA Khusus Wanita dengan AC Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta X1 ^a	.	Enter

- a. All requested variables entered.
b. Dependent Variable: Y2_KA_AC

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.740 ^a	.548	.547	1.28877

- a. Predictors: (Constant), Delta X1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	982.540	1	982.540	591.563	.000 ^a
	Residual	810.530	488	1.661		
	Total	1793.070	489			

- a. Predictors: (Constant), Delta X1
b. Dependent Variable: Y2_KA_AC

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.558	.058		9.589	.000
	Delta X1	.000	.000	-.740	-24.322	.000

- a. Dependent Variable: Y2_KA_AC

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	603.077 ^a	24	.000
Likelihood Ratio	565.958	24	.000
Linear-by-Linear Association	267.955	1	.000
N of Valid Cases	490		

- a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 2.57.

f. Biaya KA-KA Khusus Wanita dengan Tempat Duduk Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta X1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y3_KA_TD

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.709 ^a	.502	.501	1.35156

a. Predictors: (Constant), Delta X1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	898.726	1	898.726	491.991	.000 ^a
	Residual	891.436	488	1.827		
	Total	1790.161	489			

a. Predictors: (Constant), Delta X1

b. Dependent Variable: Y3_KA_TD

Coefficients^d

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.607	.061		9.934	.000
	Delta X1	.000	.000	-.709	-22.181	.000

a. Dependent Variable: Y3_KA_TD

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	562.115 ^a	24	.000
Likelihood Ratio	528.894	24	.000
Linear-by-Linear Association	245.496	1	.000
N of Valid Cases	490		

a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 2.57.

g. Biaya KA-KA Khusus Wanita dengan POLSUSKA Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Delta X1 ^a	.	Enter

- a. All requested variables entered.
b. Dependent Variable: Y4_KA_P

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.725 ^a	.525	.524	1.32012

- a. Predictors: (Constant), Delta X1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	940.002	1	940.002	539.391	.000 ^a
	Residual	850.443	488	1.743		
	Total	1790.445	489			

- a. Predictors: (Constant), Delta X1
b. Dependent Variable: Y4_KA_P

Coefficients^d

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.592	.060		9.928	.000
	Delta X1	.000	.000	-.725	-23.225	.000

- a. Dependent Variable: Y4_KA_P

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	573.197 ^a	24	.000
Likelihood Ratio	540.474	24	.000
Linear-by-Linear Association	256.730	1	.000
N of Valid Cases	490		

- a. 14 cells (40.0%) have expected count less than 5. The minimum expected count is 2.57.