

DAFTAR PUSTAKA

- [1] N. Saleh, S. . Rahayuningsih, and M. M. Adie, “Peningkatan produksi dan kualitas umbi-umbian,” pp. 1–21.
- [2] S. M. Laurie, F. J. Calitz, P. O. Adebola, and A. Lezar, “South African Journal of Botany Characterization and evaluation of South African sweet potato (Ipomoea batatas (L.) LAM) land races,” *South African J. Bot.*, vol. 85, pp. 10–16, 2013.
- [3] I. Suda, T. Oki, M. Masuda, and M. Kobayashi, “Physiological Functionality of Purple-Fleshed Sweet Potatoes Containing Anthocyanins and Their Utilization in Foods,” vol. 37, no. October 2002, pp. 167–173, 2003.
- [4] H. Gwang, “Anthocyanins isolated from the purple-fleshed sweet potato attenuate the proliferation of hepatic stellate cells by blocking the PDGF receptor Jae Ho Choi a , Yong Pil Hwang a , Bong Hwan Park a , Chul Yung Choi b , Young Chul,” *Environ. Toxicol. Pharmacol.*, vol. 31, no. 1, pp. 212–219, 2010.
- [5] Z. Zhang, S. Fan, Y. Zheng, J. Lu, D. Wu, Q. Shan, and B. Hu, “Purple sweet potato color attenuates oxidative stress and inflammatory response induced by D -galactose in mouse liver,” *Food Chem. Toxicol.*, vol. 47, no. 2, pp. 496–501, 2009.
- [6] L. U. Ying, L. I. Jia-ying, L. U. O. Jing, L. I. Mi-lu, and L. I. U. Zhong-hua, “Preparative Separation of Anthocyanins from Purple Sweet Potatoes by High-Speed Counter-Current Chromatography,” vol. 39, no. 6, pp. 851–856, 2011.
- [7] Q. Shan, Y. Zheng, J. Lu, Z. Zhang, D. Wu, S. Fan, B. Hu, X. Cai, H. Cai, P. Liu, and F. Liu, “Purple sweet potato color ameliorates kidney damage via

- inhibiting oxidative stress mediated NLRP3 inflammasome activation in high fat diet mice,” *FOOD Chem. Toxicol.*, vol. 69, pp. 339–346, 2014.
- [8] Y. Pil, J. Ho, E. Hee, H. Gyun, and J. Wee, “Purple sweet potato anthocyanins attenuate hepatic lipid accumulation through activating adenosine monophosphate – activated protein kinase in human HepG2 cells and obese mice,” *Nutr. Res.*, vol. 31, no. 12, pp. 896–906, 2011.
- [9] Y. Wang, Y. Zheng, J. Lu, G. Chen, X. Wang, J. Feng, J. Ruan, X. Sun, C. Li, and Q. Sun, “Neurochemistry International Purple sweet potato color suppresses lipopolysaccharide-induced acute inflammatory response in mouse brain,” *Neurochem. Int.*, vol. 56, no. 3, pp. 424–430, 2010.
- [10] Z. Zhang, J. Lu, Y. Zheng, B. Hu, S. Fan, D. Wu, Z. Zheng, Q. Shan, and C. Liu, “Purple sweet potato color protects mouse liver against D -galactose-induced apoptosis via inhibiting caspase-3 activation and enhancing PI3K / Akt pathway,” *Food Chem. Toxicol.*, vol. 48, no. 8–9, pp. 2500–2507, 2010.
- [11] Charleston and R. J. Adam, *Ischemic Stroke Therapeutics: A Comprehensive Guide*. Switzerland: Springer, 2016.
- [12] I. Silverman and M. Rymer, “An Atlas of Investigation and Treatment Ischemic Stroke,” 2009.
- [13] B. Penelitian and D. A. N. Pengembangan, “Riset Kesehatan Dasar,” 2013.
- [14] I. Datin, “Info Datin: Situasi Kesehatan Jantung,” 2013.
- [15] X. Chen and K. Wang, “The fate of medications evaluated for ischemic stroke pharmacotherapy over the period 1995 – 2015,” *Acta Pharm. Sin. B*, pp. 1–9, 2016.
- [16] X. Liu, J. Lu, and J. Xing, “Stabilization of HIF-1 α modulates VEGF and Caspase-3 in the hippocampus of rats following transient global ischemia

- induced by asphyxial cardiac arrest ☆,” *Life Sci.*, vol. 151, pp. 243–249, 2016.
- [17] J. Yang, Q. Shi, T. Song, G. Feng, and W. Zang, “Peptides Vasoactive intestinal peptide increases VEGF expression to promote proliferation of brain vascular endothelial cells via the cAMP / PKA pathway after ischemic insult in vitro,” *Peptides*, vol. 42, pp. 105–111, 2013.
 - [18] R. A. Wardle and M. Poo, “Brain-Derived Neurotrophic Factor Modulation of GABAergic Synapses by Postsynaptic Regulation of Chloride Transport,” vol. 23, no. 25, pp. 8722–8732, 2003.
 - [19] S. Bürger, Y. Yafai, M. Bigl, P. Wiedemann, and R. Schliebs, “Effect of VEGF and its receptor antagonist SU-5416 , an inhibitor of angiogenesis , on processing of the α -amyloid precursor protein in primary neuronal cells derived from brain tissue of Tg2576 mice,” vol. 28, pp. 597–604, 2010.
 - [20] S. Ma, H. Zhao, X. Ji, and Y. Luo, “Peripheral to central : Organ interactions in stroke pathophysiology,” *Exp. Neurol.*, 2015.
 - [21] S. Winarti and U. Sarofa, “Ekstraksi Dan Stabilitas Warna Ubi Jalar Ungu (Ipomoea Batatas L ..) Sebagai Pewarna Alami,” vol. 3, no. 1, pp. 207–214, 2008.
 - [22] N. El Husna, M. Novita, and S. Rohaya, “Anthocyanins Content and Antioxidant Activity of Fresh Purple Fleshed Sweet Potato and Selected Products,” vol. 33, no. 3, pp. 296–302, 2013.
 - [23] J. Zhao, Q. Yan, L. Lu, and Y. Zhang, “In vivo antioxidant , hypoglycemic , and anti-tumor activities of anthocyanin extracts from purple sweet potato,” vol. 7, no. 5, pp. 359–365, 2013.
 - [24] S. Hamdani, C. Vinawati, and A. Firmansyah, “Penggunaan Ubi Jalar Ungu (Ipomoea batatas L.) Sebagai Indikator Alami Dalam Titrasi Asam Basa,” pp.

1–16.

- [25] S. Oancea, M. Stoia, and D. Coman, “Effects of extraction conditions on bioactive anthocyanin content of *Vaccinium corymbosum* in the perspective of food applications,” vol. 42, no. August, pp. 489–495, 2012.
- [26] I. Fernandes and A. Faria, “Bioavailability of Anthocyanins and Derivatives,” vol. 7, 2013.
- [27] J. Zhao, Q. Yan, R. Xue, J. Zhang, and Y. Zhang, “Isolation and identification of colourless caffeoyl compounds in purple sweet potato by HPLC-DAD – ESI / MS and their antioxidant activities,” *Food Chem.*, vol. 161, pp. 22–26, 2014.
- [28] A. Padayachee, G. Netzel, M. Netzel, L. Day, D. Zabaras, D. Mikkelsen, and M. J. Gidley, “Binding of polyphenols to plant cell wall analogues – Part 1 : Anthocyanins,” *Food Chem.*, vol. 134, no. 1, pp. 155–161, 2012.
- [29] H. Woong, J. Bong, S. Muk, M. Nam, Y. Min, S. Mi, J. Hwan, S. Na, S. Young, Y. Sook, J. Hyun, H. Ju, and D. Jin, “Anthocyanin changes in the Korean purple-fleshed sweet potato , Shinzami , as affected by steaming and baking,” *Food Chem.*, vol. 130, no. 4, pp. 966–972, 2012.
- [30] Y. Cahyana and M. H. Gordon, “Interaction of anthocyanins with human serum albumin : Influence of pH and chemical structure on binding,” *Food Chem.*, vol. 141, no. 3, pp. 2278–2285, 2013.
- [31] Z. Xu and L. R. Howard, *Analysis of Antioxidant-Rich Phytochemicals Analysis of Antioxidant-Rich Phytochemicals*. Wiley-Blackwell.
- [32] Z. Zhang, J. Lu, Y. Zheng, D. Wu, B. Hu, Q. Shan, W. Cheng, M. Li, and Y. Sun, “Purple sweet potato color attenuates hepatic insulin resistance via blocking oxidative stress and endoplasmic reticulum stress in high-fat-diet-treated mice,” *J. Nutr. Biochem.*, vol. 24, no. 6, pp. 1008–1018, 2013.
- [33] M. J. Kruger, N. Davies, K. H. Myburgh, and S. Lecour, “Proanthocyanidins ,

- anthocyanins and cardiovascular diseases,” *FRIN*, vol. 59, pp. 41–52, 2014.
- [34] M. Polumbryk, S. Ivanov, and O. Polumbryk, “Antioxidants in food systems . Mechanism of action,” vol. 1, no. 1, pp. 15–40, 2013.
- [35] R. S. Snell, *Neuroanatomi Klinik*, Edisi Ketu. .
- [36] J. Liu, Y. Wang, Y. Akamatsu, C. C. Lee, R. Anne, M. T. Lawton, and G. Yang, “Vascular Remodeling After Ischemic Stroke: Mechanisms and Therapeutic Potentials,” pp. 138–156, 2015.
- [37] H. Nagasawa and K. Kogure, “Correlation Between Cerebral Blood Flow and Histologic Changes in a New Rat Model of Middle Cerebral Artery Occlusion.”
- [38] V. Experiments, “Mouse Model of Middle Cerebral Artery Occlusion,” no. August, pp. 1–3, 2017.
- [39] T. Kalogeris, Y. Bao, and R. J. Korthuis, “Mitochondrial reactive oxygen species : A double edged sword in ischemia / reperfusion vs preconditioning,” *Elsevier*, vol. 2, pp. 702–714, 2014.
- [40] Z. Bhat, S. C. Bachar, and V. Mandal, “Advances in Herbal Medicine for Treatment of Ischemic Brain Injury,” no. July, 2014.
- [41] R. G. Gonzalez, J. A. Hirsch, W. J. Koroshetz, M. H. Lev, and P. W. Schaefer, *Acute Ischemic Stroke: Imaging and Intervention*. Berlin: Springer Berlin Heidelberg New York, 2006.
- [42] G. E. Iii, I. Moreno-gonzalez, and C. Soto, “Biochemical and Biophysical Research Communications Amyloid-beta and tau pathology following repetitive mild traumatic brain injury,” *Biochem. Biophys. Res. Commun.*, pp. 6–11, 2016.
- [43] M. Schmidt, A. Rohou, K. Lasker, J. K. Yadav, C. Schiene-fischer, and M.

- Fändrich, “Peptide Dimer Structure In An AB(1-42) Fibril Visualized With Cryo-EM,” vol. 112, no. 38, pp. 11858–11863, 2015.
- [44] S. M. Bird, H. R. Sohrabi, T. A. Sutton, M. Weinborn, S. R. Rainey-smith, B. Brown, L. Patterson, K. Taddei, V. Gupta, M. Carruthers, N. Lenzo, N. Knuckey, R. S. Bucks, G. Verdile, and R. N. Martins, “Cerebral amyloid- β accumulation and deposition following traumatic brain injury — A narrative review and meta-analysis of animal studies,” *Neurosci. Biobehav. Rev.*, vol. 64, pp. 215–228, 2016.
- [45] Y. Fan and G. Yang, “Therapeutic Angiogenesis for Brain Ischemia : A Brief Review,” pp. 284–289, 2007.
- [46] C. An, Y. Shi, P. Li, X. Hu, Y. Gan, R. A. Stetler, R. K. Leak, Y. Gao, B. Sun, P. Zheng, and J. Chen, “Progress in Neurobiology Molecular dialogs between the ischemic brain and the peripheral immune system : Dualistic roles in injury and repair,” *Prog. Neurobiol.*, vol. 115, pp. 6–24, 2014.
- [47] T. Ishrat, I. Sayeed, F. Atif, F. Hua, and D. G. Stein, “Progesterone Is Neuroprotective Against Ischemic Brain Injury Through Its Effects On The Phosphoinositide 3-Kinase / Protein Kinase B Signaling Pathway Background : The Pi3 / Akt Pathway And,” *NSC*, vol. 210, pp. 442–450, 2012.
- [48] K. E. Johnson and T. A. Wilgus, “Vascular Endothelial Growth Factor and Angiogenesis in the Regulation of Cutaneous Wound Repair,” vol. 3, no. 10, pp. 647–661, 2014.
- [49] Y. Ma, Y. Qu, and Z. Fei, “Mini-Review Vascular Endothelial Growth Factor in Cerebral Ischemia,” vol. 978, pp. 969–978, 2011.
- [50] A. L. Mescher, “Junqueira’s Basic Histology.” The McQraw-Hill Companies, 2010.

- [51] F. Zheng, X. Zhou, C. Moon, and H. Wang, “Regulation of brain-derived neurotrophic factor expression in neurons,” vol. 4, no. 4, pp. 188–200, 2012.
- [52] A. L. Carvalho, M. V Caldeira, S. D. Santos, and C. B. Duarte, “Role of the brain-derived neurotrophic factor at glutamatergic synapses,” no. December 2007, pp. 310–324, 2008.
- [53] C. Parrado-fernández, A. Sandebring-matton, P. Rodriguez-rodriguez, D. Aarsland, and A. Cedazo-mínguez, “Biochimica et Biophysica Acta Anthocyanins protect from complex I inhibition and APPswe mutation through modulation of the mitochondrial fission / fusion pathways,” *BBA - Mol. Basis Dis.*, vol. 1862, no. 11, pp. 2110–2118, 2016.